

QUOVADIS ROOT CERTIFICATION AUTHORITY
CERTIFICATE POLICY/
CERTIFICATION PRACTICE STATEMENT

OIDs: 1.3.6.1.4.1.8024.0.1
1.3.6.1.4.1.8024.0.3

Effective Date: 16 November 2010

Version: 4.8

Copyright © QuoVadis 2010. All rights reserved. This document shall not be duplicated, used, or disclosed in whole or in part for any purposes other than those approved by QuoVadis.

Copyright QuoVadis Limited: Public Document

1. INTRODUCTION

1.1. Overview

This QuoVadis CP/CPS sets out the policies, processes and procedures followed in the generation, issue, use and management of Key Pairs and

This CP/CPS undergoes a regular review process and is subject to amendment as prescribed by the QuoVadis Policy Management Authority.

The structure of this CP/CPS is based on the RFC 3647 Certificate Policy and Certification Practices Framework, but does not seek to adhere to or follow it exactly.

Any and all references to a Certificate Policy within every aspect the QuoVadis PKI refers to policies contained in the current and in-force CP/CPS.

1.2. Document Name, Identification and Applicability

The Private Enterprise Object Identifier (OID) assigned by the Internet Assigned Numbers Authority to QuoVadis is 1.3.6.1.4.1.8024.

The Object Identifiers assigned to the Root CAs covered by this CP/CPS are:

- QuoVadis Root Certification Authority 1.3.6.1.4.1.8024.0.1
- QuoVadis Root CA 3 1.3.6.1.4.1.8024.0.3

The QuoVadis Root Certification Authority has cross-certified the QuoVadis Root CA 2. QuoVadis Root CA 2 is used to issue Extended Validation (EV) SSL Certificates associated with EV OID 1.3.6.1.4.1.8024.0.2.100.1.2, Business SSL Certificates and also Trusted Code Signing Certificates. Digital Certificates issued under Root CA 2 have their own CP/CPS.

1.3. Public Key Infrastructure Participants

This CP/CPS outlines the roles and responsibilities of all parties involved in the generation and use of Digital Certificates and the operation of all QuoVadis-approved:

- Issuing CA services.
- Registration Authority services.

QuoVadis, in its capacity as the Certification Authority, holds the QuoVadis Root Certificates. The QuoVadis Root CA represents the apex of the QuoVadis PKI. The QuoVadis Root CA digitally creates, signs and issues Issuing CA Certificates using one of the Root Certificates identified above. Issuing CA Certificates are only issued to Approved Issuing CAs. An Approved Issuing CA utilises its Issuing CA Certificate to create, sign and issue Digital Certificates.

Approved Registration Authorities act as the interface between Issuing CAs and an Applicant for a Digital Certificate. Approved RAs perform due diligence on potential Certificate Holders and only successful applicants are approved and receive Digital Certificates.

An Authorised Issuing CA may also issue Device Certificates to itself, Subsidiaries or Holding Companies to Identify and Authenticate its Devices. Approved RAs perform due diligence on potential Device Certificate Holders and only successful Device Certificate applicants are approved and receive Device Certificates.

If you are not familiar with Common Terms usually employed in a PKI please refer to the Key Terms and Definitions in Appendix B.

The diagram below illustrates the components of the QuoVadis PKI:

QuoVadis provides identification and authentication services for Certificate Holders, servers, and personal computer or network devices. The registration procedures set out in this CP/CPS

- QuoVadis Root CA 3

This CP/CPS relates to the "QuoVadis Root Certification Authority" and "QuoVadis Root CA 3" only. "QuoVadis Root CA 2" has a separate CP/CPS.

1.3.1.2 QuoVadis Obligations

QuoVadis is obligated to operate the QuoVadis Root Certification Authority, QuoVadis Issuing CAs, and QuoVadis RAs in accordance with this QuoVadis CP/CPS and other relevant operational policies and procedures with respect to the issuance and management of Digital Certificates.

1.3.1.3 Issuing Certification Authorities

Issuing CAs may be operated by QuoVadis or by other Organisations that have been authorised by QuoVadis to participate within the QuoVadis PKI to issue, revoke and otherwise manage Digital Certificates in accordance with their respective Issuing CA Agreements and this CP/CPS. Generally, Issuing CAs will be authorised to issue and manage all types of Digital Certificates supported by this CP/CPS.

	In accordance with the Swiss Digital Signature law, Qualified Certificates will only be issued from Issuing CAs owned and operated by QuoVadis.
	In accordance with the European/Dutch Digital Signature law, Qualified Certificates will only be issued from Issuing CAs owned and operated by QuoVadis.

An Organisation wishing to participate in the QuoVadis PKI in the capacity of an Issuing CA mu

1.3.3.2. Accepted Limitation Of Liability

Digital Certificates include

	According to Swiss Digital Signature law (ZertES), TAV SR 943.032.1 and ETSI TS 101 456 the only appropriate use for Qualified Digital Certificates is signing.
	According to European/Dutch Digital Signature law and ETSI TS 101 456 the only appropriate use for Qualified Digital Certificates is signing.

No reliance may be placed on Digital Certificates and Digital Certificates may not be used in circumstances (i) where applicable law or regulation prohibits their use; (ii) in breach of this QuoVadis CP/CPS or the relevant Certificate Holder or Relying Party Agreement; (iii) in any circumstances where the use of Digital Certificates could lead to death, injury, or damage to property; or (iv) as otherwise may be prohibited by -17(n)-8(c)-12(4)-10(i)-4(v)-1())-23(a)-1(s))-10(i)-4(

An Issuing CA within the QuoVadis PKI may accept the following Non-Verified Certificate Holder Information for other classes of Digital Certificate:

- Organisational Unit (OU)
- Other information that is permitted as Non-Verified acco0 >>B 3.333 f02 Tcgh

4.2.3. Time To Process Certificate Applications

Registration Authorities and Issuing CAs operating within the QuoVadis PKI are under no obligation to process Digital Certificate Applications other than within a commercially reasonable time.

4.3. Certificate Issuance

4.3.1. Certification Authority Actions During Certificate Issuance

Digital Certificate issuance is governed by and should comply with the practices described in and any requirements imposed by the QuoVadis CP/CPS.

4.3.1.1. QuoVadis Root Certification Authority

The Root Certification Authority Certificate has been self-generated and self-signed.

4.3.1.2. QuoVadis Issuing Certification Authority Certificates

Upon accepting the terms and conditions of the QuoVadis Issuing CA Agreement by the Issuing CA, successful completion of the Issuing CA application process as prescribed by QuoVadis, and final approval of the application by the QuoVadis Root Certification Authority, the QuoVadis Root Certification Authority issues the Issuing CA Digital Certificate to the relevant Issuing CA.

4.3.1.3. QuoVadis Registration Authority Appointment

Upon accepting the terms and conditions of the QuoVadis Registration Authority Agreement, successful completion of the Registration Authority application process and final approval of the application by the Nominating Issuing CA, the Registration Authority becomes duly appointed, and appropriately trained and qualified staff members of the Registration Authority are eligible for Registration Authority Officer Digital Certificates.

4.3.1.4. Registration Authority Officer's Certificate

As part of the application process, Registration Authorities are required to nominate one or more persons within their Organc 0 Tw 3.8 0 Td7.893 s aeeac i067 Tw 20.00w 4.5 [(s)1(a)s(1(t)-51c 0 0.453)Tj -0ed002 T-J3.8 0 Tst4.3.1.4 5c 0

- Circumstances for Certificate Renewal.
- Who may request certification of a new Public Key.
- Processing Certificate Renewal Requests.
- Notification of new Digital Certificate issuance to Certificate Holder.
- Conduct constituting acceptance of a Renewed Digital Certificate.
- Publication of the Renewed Digital Certificate by the Certification Authority.
- Notification of Digital Certificate issuance by the Certification Authority to other entities.

4.7. Certificate Re-Key

Certificate Re-Key is when all the identifying information from a Digital Certificate is duplicated in a new Digital Certificate, but there is a different public key and a different validity period. Due diligence, Key Pair generation, delivery and management are performed in accordance with this CP/CPS.

4.7.1. Circumstance For Certificate Re-Key

Digital Certificates may be Re-Keyed upon request.

4.7.2. Who May Request Re-Key

Certificate Holders and Nominating Registration Authorities may request Digital Certificate Re-Keys.

4.7.3. Processing Certificate Re-Key Request

Digital Certificate Re-Key requests are processed in the same manner as requests for new Digital Certificates and in accordance with the provisions of this CP/CPS. In order to process a Re-Key request, the Certificate Holder is required to confirm that:

- Details contained in the original Digital Certificate application have not changed.
- Authenticate their identity to the Registration Authority.

Using their existing Digital Certificate, the Certificate Holder may digitally sign an electronic message to the Nominating Registration Authority requesting that the Digital Certificate be Re-Keyed and confirming that the original application details have not changed.

- QuoVadis Certification Authority key compromise
- Certificate Holder profile creation error
- Key Compromise including unauthorised access or suspected unauthorised access to Private Keys, lost or suspected lost keys, stolen or suspected stolen keys, destroyed or suspected destroyed keys or superseded by replacement keys and a new Certificate.
- The Certificate Holder has failed to meet his, her or its obligations under this QuoVadis CP/CPS or any other agreement, regulation, or law that may be in force with respect to that Digital Certificate;
- The Certificate was not issued in accordance with the terms and conditions of this CP/CPS or the Certificate Holder provided inaccurate, false or misleading information;
- The Private Key corresponding to the Certificate has been used to sign, publish or distribute spyware, Trojans,

4.10.

5.3.1. Qualifications, Experience, and Clearance Requirements

QuoVadis requires that personnel meet a minimum standard with regards to Qualifications, Experience, Clearance and Training.

5.3.2. Background Check Procedures

Background check procedures include but are not limited to checks and confirmation of:

- Previous employment
- Professional references

- Certificate and hardware security lifecycle management is recorded.
- Logs recording all network traffic to and from trusted machines are recorded and audited.
- All aspects of the configuration of the backup site are recorded. All procedures involved in the backup process are recorded.
- All data recorded as mentioned in the above sections is backed up. Therefore, there will be two copies of all record/audit material, stored in separate locations to protect against disaster scenarios.
- All aspects of the installation of new or updated software.
- All aspects of hardware updates.
- All aspects of shutdowns and restarts.
- Time and date of Log Dumps.
- Time and date of Transaction Archive Dumps.
- Security profile changes
- Logins and logouts on servers

5.7. Compromise And Disaster Recovery

QuoVadis has a CA Operations Disaster & Recovery Plan (QuoVadis Business Continuity Plan). The purpose of this plan is to restore core business operations as quickly as practicable when systems and/or operations have been significantly and adversely impacted by fire, strikes, etc.

QuoVadis and each Issuing CA have in place an appropriate disaster recovery and business resumption plan that provides for the immediate continuation of Digital Certificate revocation services in the event of an unexpected emergency. QuoVadis regards its disaster recovery and business resumption plan as proprietary, security-sensitive, and confidential. Accordingly, it is not intended to be made generally available.

QuoVadis and each Issuing CA have in place an appropriate Key compromise plan detailing the activities taken in the event of a compromise of a QuoVadis Issuing CA Private Key. Such plans include procedures for:

- Revoking all Digital Certificates signed with that QuoVadis Issuing CA's Private Key; and
- Promptly notifying QuoVadis and all of the Holders of Digital Certificates issued by that QuoVadis Issuing CA.

5.7.1. QuoVadis Business Continuity Plan

The QuoVadis Business Continuity Plan is strictly confidential and provides for:

- Incident and compromise handling procedures.
- Computing resources, software, and/or corrupted data handling procedures.
- Entity Private Key compromise procedures.
- Entity Public Key Revocation procedures.
- Business continuity capabilities and procedures after a disaster.

5.8. Certification Authority

6.1.4. Certification Authority Public Key To Relying Parties

QuoVadis Public Keys are securely delivered to software providers to serve as trust anchors in commercial browsers and operating system root stores, or may be specified in a Certificate validation or path discovery policy file. Relying Parties may also obtain QuoVadis self-signed CA Certificates containing the Public Key from the QuoVadis web site.

6.1.5. Key Sizes

Qs

6.2.11. Cryptographic Module Rating

The cryptographic modules used by the QuoVadis PKI are validated to FIPS 140-2 Level-3 and/or EAL 4 security standards.

	For Qualified Certificates, in accordance with Swiss Digital Signature law, the Certificate Holder Private Keys are generated and stored on a Secure Signature Creation Device that meets or exceeds EAL 4 standards.
	For Qualified Certificates, in accordance with European/Dutch Digital Signature law, the Certificate Holder Private Keys are generated and stored on a Secure Signature Creation Device that meets or exceeds EAL 4 standards.

6.3. Other Aspects Of Key Pair Management

6.3.1. Public Key Archival

Public Keys will be recorded in Digital Certificates that will be archived in the Repository. No separate archive of Public Keys will be maintained.

6.3.2. Certificate Operational Periods And Key Pair Usage Periods

Usage periods for Public Keys and Private Keys shall match the usage periods for the Digital Certificate that binds the Public Key to an Individual, Organisation, or Device. Please see the variable Issuing Certificate Authority 'Valid From' and 'Valid To' fields in the Certificate Profiles outlined in Appendix A.

The maximum validity periods for Digital Certificates issued within the QuoVadis PKI are:

- x Root CA Certificate 25 years
- x All Issuing CA Certificates 10 years
- x Qualified Certificates 1 to 3 years

os 17(el)tc x0.0 Qualified Certificates ess 7(el)tc 0.32 (o) dt93-84 22 0 Td ( )

7.1.1. Basic Certificate Contents

FIELDS	CONTENT	DEMARCATION
Version	The version of the encoded certificate. QuoVadis certificates are Version 3	Fixed
Serial Number		

FIELDS	CONTENT	DEMARCATION
Certificate Policies	This extension contains Object Identifiers (OIDS) as well as a URL	

7.1.5. Name Constraints
See 3.1.1

7.1.6. CP/CPS Object Identifier
The Object Identifiers (OIDs) assigned to this CP/CPS are 1.3.6.1.4.1.8024.0.1 and 1.3.6.1.4.1.8024.0.3.

7.1.7. Usage Of Policy Constraints Extension
No Stipulation.

7.1.8. Policy Qualifierw -25.322<</MCID 48 0 Td ( )Tj ID 6 005 Tc82(ra)55-3(6.)48 0 ees Eteua N8eml 9.1ke
7.1.

Copyright QuoVadis Limited: Public Document

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

8.1.

9.2.1. Insurance Coverage

QuoVadis maintains in full force and effect a liability insurance policy. In accordance with the requirement of ZERT ES, policy limits concerning Qualified Digital Certificates are maintained in excess of the minimum requirement of CHF 2 (Two) Million per occurrence and CHF 8 (Eight) Million annual aggregate.

Within the QuoVadis PKI the Root CA and all Issuing CAs and Registration Authorities are required to demonstrate that they have the financial resources necessary to discharge their obligations under this CP/CPS and any other relevant and associated documentation or agreements.

QuoVadis and each Issuing CA and/or Registration Authority shall maintain appropriate insurances necessary to provide for their respective liabilities as participants within the QuoVadis PKI. Failure to establish and maintain insurances may be the basis for the revocation of their respective Digital Certificates.

9.2.2. Other Assets

Issuing CAs and Registration Authorities shall maintain sufficient assets and financial resources to perform their duties within the QuoVadis PKI and be reasonably able to bear liability to Certificate Holders and Relying Parties.

9.2.3. Insurance Or Warranty Coverage For End-Entities

QuoVadis will give advice to and support the QuoVadis Certificate Holders and QuoVadis Relying Parties on questions relating to the different types of insurance available.

QuoVadis Certificate Holders are entitled to apply to commercial insurance providers for financial protection against accidental occurrences such as [illegible]



For Qualified Certificates issued in accordance with European/Dutch Digital Signature laws, Certificate Holders expressly consent to personal data in the form of the data included in the Certificate Fields being transferred outside of The Netherlands and published in a repository which makes this information publicly available to persons searching the repository with the appropriate query string. Personal data obtained during the registration process which aec -0.004 Tw 8.04 0 0.04 0 0.0e7-0.0wdin the CertficateFiel a

- documented operational procedures; and
- applicable law and regulation.

9.6.2.2 Warranties

Authorised Registration Authorities operating within the QuoVadis PKI hereby warrant that (a) they take reasonable steps to verify that the information contained in any Digital Certificate is accurate at the time of issue, and (b) they will request that Digital Certificates be revoked by QuoVadis if they believe or are notified that the contents of the Digital Certificate are no longer accurate, or that the key associated with a Digital Certificate has been compromised in any way.

9.6.3. Certificate Holder Representations And Warranties

Certificate Holders represent and warrant that:

- The Pri[(t)-<</MCIcont]TJ -0005 Pu5 >>BDC -20.66sP2(m)-td[0 Td [(Q)[e H ra (r)Tj -6.8266sP2(m)-td[0 Td [Hite, ww

For Qualified Certificates, in accordance with the Swiss Digital Signature law, namely, Art 16 of Zert ES:

1. QuoVadis is liable to the Certificate Holder or the Relying Party who relies on a valid Qualified

- If the Private Key associated with the Digital Certificate held by the claiming party or otherwise the subject of any claim has been compromised; or
- If the Digital Certificate held by the claiming party was issued in a manner that constituted a breach of any applicable law or regulation.
- Computer hardware or software, or mathematical algorithms, are developed that tend to make public key cryptography or asymmetric cryptosystems insecure, provided that QuoVadis uses commercially reasonable practices to protect against breaches in security resulting from such hardware, software, or algorithms;
- Power failure, power interruption, or other disturbances to electrical power, provided QuoVadis uses commercially reasonable methods to protect against such disturbances;
- Failure of one or more computer systems, communications infrastructure, processing, or storage media or mechanisms, or any sub components of the preceding, not under the exclusive control of QuoVadis and/or its subcontractors or service providers; or
- One or more of the following events: a natural disaster or Act of God (including without limitation flood, earthquake, or other natural or weather related cause); a labour disturbance; war, insurrection, or overt military hostilities; adverse legislation or governmental action, prohibition, embargo, or boycott; riots or civil disturbances; fire or explosion; catastrophic epidemic; trade embargo; restriction or impediment (including, without limitation, export controls); any lack of telecommunications availability or integrity; legal compulsion

9.12.2. Notification Mechanism And Period

New or amended CP/CPSs are published on the web site at http://www.quovadisglobal.com/repository.

Any change that increases the level of trust* that can be placed in Digital Certificates issued under this CP/CPS or under policies that make reference to this CP/CPS requires thirty (30) days prior notice. Any change that decreases the level of trust that can be placed in Digital Certificates issued under this CP/CPS or under policies that make reference to this CP/CPS requires forty-five (45) days prior notice. The QuoVadis CP/CPS applicable to any Digital Certificate supported by this CP/CPS shall be the QuoVadis CP/CPS currently in effect.

* NOTE: In this section, "trust" means the degree to which one can rely upon the statements made by a CA in its Certificates and repository. It does not mean that any guarantee is made by the CA, but rather that reasonable efforts are made by the CA to perform its services in a trustworthy manner. Trust is a subjective term and the level of trust in each CA's Certificates and repository is a decision that must be made by each Relying Party.

10. APPENDIX A

10.1. Digital Certificate Profiles

Within the QuoVadis PKI an Issuing CA can only issue Digital Certificates with approved Digital Certificate Profiles. All Digital Certificate Profiles within the QuoVadis PKI are detailed below.

Procedures for Certificate Holder registration as well as descriptions of fields are described below for each type of Digital Certificate issued. Additionally, specific Certificate Policies and QuoVadis' liability arrangements that are not described in this CP/CPS may be drawn up under contract for individual Subscribers.

10.1.1. QuoVadis Certificate Class

QuoVadis Certificate Class	Description	QuoVadis Certificate Class OID	Assurance Level	Requires token?
QV Standard	Meets or exceeds the requirements of L9[(C)5Pq	3.6.1.4s1.8024s1.100d	o	on-3(la)4ld

10.1.2. Key Usage and Archive

Different QuoVadis Certificate Profiles may be issued with different key usages, and be eligible for key archive, according to the following table:

QuoVadis Certificate Type	Key Usage / Extended Key Usage	Applicability of Certificate Types to QuoVadis Certificate Classes			
		QV Standard	QV Advanced	QV Advanced +	QV Qualified
Signing and Encryption	**Key Usage** digitalSignature nonRepudiation keyEncipherment **Extended Key Usage** smartcardlogon clientAuth emailProtection	Allowed (Archival permitted)	Allowed (Archival permitted)	Allowed (Archival not permitted)	Not Allowed
Signing	**Key Usage** digitalSignature nonRepudiation **Extended Key Usage** smartcardlogon clientAuth emailProtection	Allowed (Archival not permitted)	Allowed (Archival not permitted)	Allowed (Archival not permitted)	Allowed (Archival not permitted)
Encryption	**Key Usage** keyEncipherment **Extended Key Usage** emailProtection	Allowed (Archival permitted)	Allowed (Archival permitted)	Allowed (Archival not permitted)	Not Allowed
Authentication	**Key Usage** digitalSignature **Extended Key Usage** smartcardlogon clientAuth	Allowed (Archival not permitted)	Allowed (Archival not permitted)	Allowed (Archival not permitted)	Not Allowed

The Certificate Profiles that follow indicate the fields which are VARIABLE on initial registration by the Certificate Holder ("Holder Variable") and those which are FIXED by the Issuing CA either based on policy or by IETF Standard, applicable law, or regulation.

10.2. QV Standard

PURPOSE
Standard Digital Certificates provide flexibility for a range of uses appropriate to their reliance value including electronic signatures, authentication, and encryption.

Enhanced Key Usage	Smart Card Logon (Optional)	Holder Variable
Subject Alternative Name	Principle Name = Email Address	Holder Variable
Certificate Policies	This extension includes the QV Advanced + Certificate Class OID =	

10.4.1. ElDI-V/GeBüV Certificates

The procedure below assumes an application by a company or organisation on behalf of its employees or devices for Digital Certificates.

PURPOSE
The ElDI-V/GeBüV Certificate is issued to organisations (companies, municipalities, etc.) and issued primarily to digitally sign electronic invoices. The Certificates may also be used for commercial purposes (such as legally-compliant electronic archiving according to GeBüV).) Certificates is performed in accordance with the validation procedures for Qu any additional validation requirements required by ElDI-V.
REGISTRATION PROCESS
These Digital Certificates are issued in accordance with ElDI-

10.5. QV Qualified

10.5.1. Qualified Certificate Profile

Please note that where a Qualified Personal Digital Certificate is issued within the meaning of EU Directive 1999/93/EC, the individual applying for the Qualified Personal Digital Certificate must undergo a face-to-face identity verification procedure.

PURPOSE
The purpose of a Qualified Digital Certificate is to identify the Certificate Holder with a high level of assurance, for the purpose of creating Qualified electronic signatures meeting the qualification requirements defined by the applicable legal framework of the Electronic Signatures Directive (1999/93/EC). The QuoVadis Qualified Certificate Class is trusted in the Adobe Approved Trust List (AATL).

REGISTRATION PROCESS
Validation procedures for QuoVadis Qualified Digital Certificates are consistent with the Qualified Certificate Policy + SSCD (QCP public +SSCD) policy described in ETSI TS 101 456. If the Certificate Holder is a physical person, evidence of the Certificate Holder's identity shall be chec(b)]TJic +SSCD) policlied Tafic

Extensions		
Key Usage	Digital Signature Non Repudiation	Holder Variable Fixed
Subject Alternative Name	Principal Name = Email Address	Holder Variable
QC Statement PKIX Compliance	1.3.6.1.5.5.7.11.2	Fixed
QC Statement ETSI Compliance	0.4.0.1862.1.1	Fixed
Monetary Statement	A monetary limit on the value of transactions for which the Certificate can be used. (OID 0.4.0.1862.1.2)	Holder Variable
SSCD Statement	0.4.0.1862.1.4	Fixed
Certificate Policies	This extension includes the following OIDs: 1. The QV Qualified Certificate Class OID = 1.3.6.1.4.1.8024.1.400 2. The QCP Public + SSCD OID (0.4.0.1456.1.1)	

10.5.4. SuisseID Qualified Certificates

PURPOSE

SuisseID is the first standardised electronic proof of identity in Switzerland (http://www.suisseid.ch/). QuoVadis SuisseID Qualified Certificates are used to sign documents electronically. The digital signature is tamperproof and legally equivalent to a handwritten signature.

Either a Common Name or a Pseudonym is required for

Organisational Unit (OU)	Variable Data	Holder Variable
Organisation (O)	Organisation legal name	Holder Variable
Locality	Locality	Holder Variable
State/Province	State/Province	Holder Variable
Country	Country	Holder Variable
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com	Holder Variable
Subject Public Key Information	RSA (2048 bit) / System Generated	Fixed
Extensions		
Key Usage (Critical)	DigitalSignature, Non Repudiation	Fixed
Certificate Policies		
CertPolicyID (SuisseID)	2.16.756.5.26.1.1.1	Fixed
User Notice	SuisseID qualified certificate	Fixed
CertPolicyID (Public + SSCD)	0.4.0.1456.1.1	Fixed
CertPolicyID (QuoVadis Cert Class)	1.3.6.1.4.1.8251.28 10.3d	

10.6. QV Closed Community

Closed Community Issui

10.6.1.1. Grid End User Certificate

PURPOSE
Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid End User Certificate is to help the Certificate Holder to access the Grid services that require Certificate-based authentication.
REGISTRATION PROCESS

10.6.1.2. Grid Server Certificate

PURPOSE
Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid Server Certificate is to help secure communications with Grid servers.
REGISTRATION PROCESS
The identity vetting of all Applicants must be performed by an approved Registration Authority (RA). For Grid Server Certificates, the RA must validate the identity and eligibility of the person in charge of the specific entities using a secure method. The RA is responsible for recording, at the time of validation, sufficient information regarding the Applicant to identify the Applicant. As part of the registration process the RA must ensure that the Applicant is appropriately authorised by the owner of the associated Fully Qualified Domain Name (FQDN) or the responsible administrator of the machine to use the FQDN identifiers asserted in the Digital Certificate. The RA is responsible for maintaining documented evidence on retaining the same identity over time. The RA must validate the association of the Certificate Signing Request. The Certificate Request submitted for certification must be bound to the act of identity vetting.
DIGITAL CERTIFICATE DELIVERY
Pa

"**Counterparty**" means a person that is known to a Nominating Registration Authority or its respective Subsidiaries or Holding Companies and where the relationship with the Counterparty was established in accordance with recognised and documented Know Your Customer standards and with whom the Registration Authority is reliably able to identify the Counterparty through business records maintained by the Registration Authority or obtained from its respective Subsidiaries or Holding Companies.

"**Cryptographic Module**" means

"**Root Certification Authority**" means QuoVadis as the source Certification Authority being a self-signed Certification Authority that signs Issuing CA Certificates.

"Secure Signature Creation Device" (SSCD) means a secure container specifically designed to carry and protect a digital certificate, which meets the following requirements laid down in annex III of Directive 1999/93/EC:

1. Secure signature-creation devices must, by appropriate technical and procedural means, ensure at the least that:
   (a) the signature-creation-data used for signature generation can practically occur only once, and that their secrecy is reasonably assured;
   (b) the signature-creation-data used for signature generation cannot, with reasonable assurance, be derived and the signature is protected against forgery using currently available technology;
   (c) the signature-creation-data used for signature generation can be reliably protected by the legitimate signatory
   against the use of others.
2. Secure signature-creation devices must not alter the data to be signed or prevent such data from being presented to the signatory prior to the signature process.

"**Subscriber**" means a natural or legal person that has entered a formal contract with QuoVadis for the issuance of Digital Certificates to Certificate Holders. The Subscriber may be responsible for the identity vetting of these Certificate Holders. A Subscriber may also hold a Digital Certificate (but is not required to).

"**Token**" means a Cryptographic Module consisting of a hardware object (e.g., a "smart card"), often with a memory and microchip.

"**Utility Certificate**" means a Digital Certificate issued to a Responsible Person/s to be used in the day-to-day administration of the QuoVadis PKI.

"**Validation**" means an online check, by Online Certificate Status Protocol request, or a check of the applicable Certificate Revocation List(s) (in the absence of Online Certificate Status Protocol capability) of the validity of a Digital Certificate and the validity of any Digital Certificate in that Digital Certificate's Certificate Chain for the purpose of