QUOVADIS ROOT CERTIFICATION AUTHORITY
CERTIFICATE POLICY/
CERTIFICATION PRACTICE STATEMENT

OID s: 1.3.6.1.4.1.8024.0.1

Version Control:

Author	*Date*	*Version*	*Comment*
QuoVadis PMA	28 February 2002	2.05	ETA Revisions
QuoVadis PMA	01 August 2003	2.06	WebTrust Revisions
QuoVadis PMA	01 April 2004	2.07	WebTrust Revisions
QuoVadis PMA	11 November 2005	2.08	WebTrust Revisions
QuoVadis PMA	17 April 2006	4.00	Cumulative ZertES Revisions
QuoVadis PMA	14 September 2006	4.1	EIDI-V Certificate Requirements
QuoVadis PMA	26 February 2007	4.2	QuoVadis

1. INTRODUCTION

1.1. Overview

This QuoVadis CP/CPS sets out the policies, processes and procedures followed in the generation, issue, use and management of Key Pairs and Digital Certificates. It also describes the roles, responsibilities and relationships of participants within the QuoVadis PKI.

This CP/CPS outlines the trustworthiness and integrity of the QuoVadis Root CA's operations. A fundamental concept underpinning the operation of the QuoVadis PKI is trust. Trust must be realised in each and every aspect of the provision of Certification Services and Operations including Certificate Holder applications, issuance, renewal, revocation or expiry.

With the exception of Certification Authorities issuing Qualified Certificates in accordance with Swiss 5HJXODWLRQV DW 4XR9DGLV¶ GLVFUHWLRQ WUXVWHG 6XE&$ \ and Registration Authority services within the QuoVadis PKI.

The diagram below illustrates the components of the QuoVadis PKI:

QuoVadis provides identification and authentication services for Certificate Holders, servers, and personal computer or network devices. The registration procedures set out in this CP/CPS and in Appendix A define the credentials necessary to establish the identity of an individual or entity.

x Discontinue the use of the digital signature Key Pair in the event that QuoVadis notifies the Certificate Holder

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

2.1. Repositories

The QuoVadis Repository (http://www.quovadisglobal.com/repository) serves as the primary repository. However, copies of the X.500 Directory may be published at such other locations as are required for the efficient operation of the QuoVadis PKI.

2.2. Publication of Certificate Information

The QuoVadis Root Certification Authority and chained Issuing CAs publish a Repository that lists all Digital Certificates issued and all the Digital Certificates that have been revoked. The location of the repository and Online Certificate Status Protocol responders are given in the individual Certificate Profiles more fully disclosed in Appendix A to this CP/CPS.

2.3. Time or Frequency of Publication

Digital Certificate information is published promptly following generation and issue and immediately following the completion of the revocation process.

2.4. Access Controls on Repositories

Ce-3(s)5pd(5p)s(o)-16s 73os(58)6(ro)io61sc(ia)pdrtificate nesone-12(e)5( )-175pc P cate o-3(l)d4(e)6( )r3(8).3( )-175pi (a)g1in 6ior

	For Qualified Certificates issued according to the Swiss Digital Signature law, all fields containing information must be verified by the a ppropriate Registration Authority by reference to appropriate documentation and face-to-face presentation of Government-Issued ID or Passport.
	For Qualified Certificates issued according to European/Dutch Digital Signature law, all fields containing information must be verified by the appropriate Registration Authority by reference to appropriate documentation and face-to-face presentation of Government-Issued ID or Passport.

3.1.2. Need For Names To Be Meaningful

Distinguished Names must be meaningful, unambiguous and unique. QuoVadis supports the use of Digital Certificates as a form of identification within a particular community of interest.

The contents of the Digital Certificate Subject Name fields must have a meaningful association with the name of the Individual, Organisation, or Device. In the case of Individuals, the name should consist of the first name, last name, and any middle initial. In the case of Organisations, the name shall meaningfully reflect the legal name or registered domain name of the Organisation or the trading or business name of that Organisation. In the case of a Device, the name shall state the name of the Device and the legal name or registered domain name of the Organisation responsible for that Device.

3.1.3. Pseudonymous Certificate Holders

Pseudonym Digital Certificates may only be issued if permitted for that class/type of Digital Certificates and only in accordance with relevant industry standards.

3.1.4. Rules For Interpreting Various Name Forms

Fields contained in Digital Certificates are in compliance with this CP/CPS and the Digital Certificate Profiles detailed in Appendix A. In general, the rules for interpreting name forms can be found in International Telecommunication (ITU) and Internet Engineering Task Force (IETF) Standards, such as the ITU-T X.500 series of standards and applicable IETF RFCs.

3.1.5. Uniqueness Of Names

QuoVadis Registration Authorities propose and approve distinguished names for Applicants, and, as a minimum check that a proposed distinguished name is unique, verify that the name is not already listed in the QuoVadis X.500 Directory.

The Subject Name of each Digital Certificate issued by an Issuing CA shall be unique within each class of Digital Certificate issued by that Issuing CA and shall conform to all applicable X.500 standards for the uniqueness of names. The Issuing CA may, if necessary, insert additional numbers or letters to the Certificate Holder ¶ Subject Common Name, or other attribute, in order to distinguish between two Digital Certificates that would otherwise have the same Subject Name.

3.1.6. Recognition, Authentication, And Role Of Trademarks

Issuing CAs are not obligated to seek evidence of trademark usage by any Organisation.

3.2. Initial Identity Validation

Identity Validation is in compliance with this CP/CPS and the Digital Certificate Profiles detailed in Appendix A.

3.2.1. Method To Prove Possession Of Private Key

Issuing CAs shall establish that each Applicant for a Digital Certificate is in possession and control of the Private Key corresponding to the Public Key contained in the request for a Digital Certificate. The Issuing CA shall do so in accordance with an appropriate secure protocol, such as the IETF PKIX Certificate Management Protocol, including PKCS#10. This requirement does not apply where a Key Pair is generated on behalf of a Certificate Holder.

4.2.3. Time To Process Certificate Applications

Registration Authorities and Issuing CAs operating within the QuoVadis PKI are under no obligation to process Digital Certificate Applications other than within a commercially reasonable time.

4.3. Certificate Issuance

4.3.1. Certification Authority Actions During Certificate Issuance

Digital Certificate issuance is governed by and should comply with the practices described in and any requirements imposed by the QuoVadis CP/CPS.

4.3.1.1. QuoVadis Root Certification Authority

The Root Certification Authority Certificate has been self-generated and self-signed.

4.3.1.2. QuoVadis Issuing Certification Authority Certificates

Upon accepting the terms and conditions of the QuoVadis Issuing CA Agreement by the Issuing CA, successful completion of the Issuing CA application process as prescribed by QuoVadis, and final approval of the application by the QuoVadis Root Certification Authority, the QuoVadis Root Certification Authority issues the Issuing CA Digital Certificate to the relevant Issuing CA.

4.3.1.3. QuoVadis Registration Authority Appointment

Upon accepting the terms and conditions of the QuoVadis Registration Authority Agreement, successful completion of the Registration Authority application process and final approval of the application by the Nominating Issuing CA, the Registration Authority becomes duly appointed, and appropriately trained and qualified staff members of the Registration Authority are eligible for Registration Authority Officer Digital Certificates.

4.3.1.4. Registration Authority Officer Certificate

As part of the application process, Registration Authorities are required to nominate one or more persons within their Organisation to take responsibility for the operation their Registration Authority functions. Those nominated persons will each be issued a Registration Authority Officer Digital Certificate.

4.3.1.5. Certificate Holder Certificates

Upon WKH $SSOLFDQW¶V acceptance of the terms and conditions of the Certificate Holder Agreement or other relevant agreement, the successful completion of the application process and final approval of the application by the Issuing CA, the Issuing CA issues the Digital Certificate to the Applicant or Device.

4.3.2. Notification To Applicant Certificate Holder By The Certification Authority Of Issuance Of Certificate

Issuing CAs and Registration Authorities within the QuoVadis PKI may choose to notify Applicants that their Digital Certificate has been issued.

4.4. Certificate Acceptance

Digital Certificate acceptance is governed by and should comply with the practices described in, and any requirements imposed by, this CP/CPS.

Until a Digital Certificate is accepted, it is not published in any Repository or otherwise made publicly available. By using a Digital Certificate, the Holder thereof certifies and agrees to the statements contained in the notice of approval. This CP/CPS sets out what constitutes acceptance of a Digital Certificate. An Applicant that accepts a Digital Certificate warrants to the relevant Issuing CA, and all Authorised Relying Parties who reasonably rely, that all information supplied in connection with the application process and all information included in the Digital Certificate issued to them is true, complete, and not misleading. Without limitation to the generality of the foregoing, the use of a Digital Certificate or the reliance upon a Digital Certificate signifies acceptance by that person of the terms and conditions of this QuoVadis CP/CPS and Certificate Holder Agreement (as the same may, from time to time, be amended or supplemented) by which they irrevocably agree to be bound.

By accepting a Digital Certificate issued by an Authorised Issuing CA operating within the QuoVadis PKI, the Certificate Holder expressly represents and warrants to QuoVadis and all Authorised Relying Parties who reasonably

- QuoVadis Certification Authority key compromise
- Certificate Holder profile creation error
- Key Compromise including unauthorised access or suspected unauthorised access to Private Keys, lost or suspected lost keys, stolen or suspected stolen keys, destroyed or suspected destroyed keys or superseded by replacement keys and a new Certificate.
- The Certificate Holder has failed to meet his, her or its obligations under this QuoVadis CP/CPS or any other agreement, regulation, or law that may be in force with respect to that Digital Certificate;
- The Certificate was not issued in accordance with the terms and conditions of this CP/CPS or the Certificate Holder provided inaccurate, false or misleading information;
- The Private Key corresponding to the Certificate has been used to sign, publish or distribute spyware, Trojans, viruses, rootkits, browser hijackers, or other content, for phishing, or conduct that is harmful, malicious, hostile RU WR GRZQORDG PDOLFLRXV FRQWHQW RQWR D XVHU¶V V\VWHP ZLWKRXW
- The Certificate Holder is a denied party or prohibited person on a government-issued blacklist, or is operating from a prohibited destination;
- Where a Certificate Holder¶V HPSOR\HU RU FRPSDQ\ WKDW RSHUDWHV WKH 1RPLQDWL respective Subsidiaries, Holding Companies or Counterparties requests revocation because:
    - Of a change in the employment relationship with the Certificate Holder
    - The Certificate Holder is no longer authorised to act on behalf of the employer or its respective Subsidiaries, Holding Companies or Counterparties.
    - The Certificate Holder otherwise becomes unsuitable or unauthorised to hold a Digital Certificate on behalf of the employer or its respective Subsidiaries, Holding Companies or Counterparties.
- Affiliation change
- Cessation of operation
- Incorrect information contained in Digital Certificate
- Certificate Holder bankruptcy
- Certificate Holder liquidation
- Certificate Holder death
- Certificate Holder request
- Issuing Registration Authority Request
- Breach of Certificate Holder agreement with QuoVadis

In the event that an Issuing CA determines that its Digital Certificates or the QuoVadis PKI could become compromised and that revocation of Digital Certificates is in the interests of the PKI, following remedial action , QuoVadis will authorise the reissue of Digital Certificates to Holders at no charge, unless the actions of the Holders were in breach of the QuoVadis CP/CPS or other contractual documents.

4.9.2. Who Can Request Revocation

The following entities may request revocation of a Digital Certificate:

- QuoVadis may revoke any Digital Certificate issued within the QuoVadis PKI at its sole discretion, and shall publish the list of revoked Digital Certificates in a publicly accessible Certificate Revocation List.
- An Issuing CA operating within the QuoVadis PKI may revoke Digital Certificates that it has issued.
- A Registration Authority or Subscriber operating within the QuoVadis PKI may request revocation of Digital Certificates that it requested to be issued.
- Certificate Holders within the QuoVadis PKI may request revocation of their own Digital Certificates.
-

4.10. Certificate Status Services

4.10.1. Operational Characteristics

The Status of Digital Certificates issued within the QuoVadis PKI is published in a Certificate Revocation List (http://crl.quovadisglobal.com/<caname>.crl) or is made available via Online Certificate Status Protocol checking (http://ocsp.quovadisglobal.com) where available.

4.10.2. Service Availability

Digital Certificate status services are available 24 hours a day, 7 days a week, 365 days of the year.

4.10.3. Optional Features

Online Certificate Status Protocol is available for all Certificate types issued by QuoVadis Issuing CAs.

4.11. End Of Subscription

Within the QuoVadis PKI a Certificate Holder may end a subscription by:

- Allowing a Digital Certificate to expire.
- Revoking a Digital Certificate.

4.12. Key Archiv al And Recovery

QuoVadis provides optional Key Archive services for certain Certificate Profiles (see Appendix A, section 10.1.2). Key archive is prohibited for QV Advanced+ and QV Qualified Certificates, or for any Private Key whose Key Usage is dedicated to Signing or Authentication.

4.12.1. Key Archival And Recovery Policy And Practices

5HJLVWUDWLRQ $XWKRULWLHV DUH SHUPLWWHG WR LQLWLDWH Private Key recovery requests to QuoVadis for Certificate Profiles as specified in their Registration Authority Agreement. End-user Certificate Holder Private Keys shall only be recovered under the circumstances permitted within the Registration Authority Agreement and Trust/Link Administrator Guide.

Archived Private Keys are stored in encrypted form using the QuoVadis Trust/Link application. Certificate Holders are notified when their Private Keys are archived.

Properly authenticated Certificate Holders may subsequently retrieve their own Private Keys.

In addition, properly authenticated RA Officers with specific Key Recovery permissions may request retrieval of a &HUWLILFDWH Private Keys under the following conditions:

- 5$V PXVW SURWHFW &HUWLILFDWH Private Keys from unauthorized disclosure
- 5$V PD\ UHWULHYH &HUWLILFDWH Private Keys only for properly authenticated and authorized requests for recovery.
- 5$V VKDOO UHFRYHU D &HUWLILFDWH Private Keys without the cooperation of the Subscriber under circumstances that are legitimate and lawful purposes, such as to comply with judicial or administrative process or a search warrant, and not for any illegal, fraudulent, or other wrongful purpose.

5.1.1. Site Location and construction

QuoVadis performs its CA operations from a secure datacentre located in an office complex in Bermuda. The QuoVadis datacentre meets the standards of an independent security certification body at a highly protected level. Standards and protections include: certified BS-EN 1047 performance, backed by ISO9000/1/2 liability insurance; fire (according to DIN 4102 F90) with an automatic FM200 extinguishing system; smoke and humidity (according to DIN 18095); burglary and vandalism (ET2 according to DIN 18103); and protection against electromagnetic influences and radiation (such as electromagnetic pulse).

5.1.2. Physical Access

QuoVadis permits entry to its secure operating area only to security-cleared and authorised personnel, whose movements within the facility are logged and audited. Physical access is controlled by a combination of physical access cards and biometric readers.

5.1.3. Power And Air-Conditioning

5.2.1. Trusted Roles

In order to ensure that one person acting alone cannot circumvent security safeguards, responsibilities are shared by multiple roles and individuals. This is accomplished by creating separate roles and accounts on various components of the CA system, and each role has a limited amount of capability. This method allows a system of "checks and balances" to occur among the various roles. Oversight may be in the form of a person who is not directly involved in issuing Digital Certificates (e.g. a security officer) examining system records or audit logs to ensure that other persons are acting within the realms of their responsibilities and within the stated security policy. The roles defined by this CP/CPS are:

- Certification Authority Officers who are responsible for CA hardware and software and the generation and signing of Issuing CA Keys.
- Registration Authority Officers who are appointed by Registration Authorities, issued Registration Authority Certificates, and given responsibility for the operation of Registration Authority functions and the interface with the Issuing CA.
- QuoVadis Chief Security Officer who is responsible for verifying the integrity of the Certification Authorities and Registration Authorities and their operations and configurations.

5.2.2. Number of Persons Required Per Task

At least two people are assigned to each trusted role to ensure adequate support at all times, except for the role that performs the task of verifying and reviewing audit logs. Some roles are assigned to different people to ensure no conflict of interest occurs and to prevent the possibility of accidental or intentional compromise of any component of the CA infrastructure, most especially the Root Certification Authority and Issuing CA Private Keys, and customer Private Keys if held temporarily by QuoVadis during the registration process.

CA Key Pair generation and initialisation of a Root CA or Issuing CA shall require the active participation of at least two trusted individuals in each case. Such sensitive operations also require the active participation and oversight of senior management.

Issuing CAs will utilise commercially reasonable practices to ensure that one person acting alone cannot circumvent safeguards. Issuing CAs must ensure that no single individual may gain access to any Private Key (other than the LQGLYLGXDO&$V3ULYDWH.H\V5$4a minimum, procedural or operational mechanisms must be in place for Issuing CA key recovery in disaster recovery situations. To best ensure the integrity of the Issuing CA equipment and operation, Issuing CAs will use commercially reasonable efforts to identify a separate individual for each trusted role.

5.2.3. Identification and Authentication For Each Role

3HUVRQV ILOOLQJ WUXVWHG UROHV PXVW XQGHUJR DQ DSSURSULDWH VHFXU

5.3.1. Qualifications, Experience, and Clearance Requirements

QuoVadis requires that personnel meet a minimum standard with regards to Qualifications, Experience, Clearance

- Certificate and hardware security lifecycle management is recorded.
- Logs recording all network traffic to and from trusted machines are recorded and audited.
- All aspects of the configuration of the backup site are recorded. All procedures involved in the backup process are recorded.
- All data recorded as mentioned in the above sections is backed up. Therefore, there will be two copies of all record/audit material, stored in separate locations to protect against disaster scenarios.
- All aspects of the installation of new or updated software.
- All aspects of hardware updates.
- All aspects of shutdowns and restarts.
- Time and date of Log Dumps.
- Time and date of Transaction Archive Dumps.
- Security profile changes
- Logins and logouts on servers

[9 Ti6(t)

5.5. Records Archival

5.5.1. Types Of Records Archived

QuoVadis archives, and makes available upon authorised request, documentation related to and subject to the QuoVadis Document Access Policy. For each Digital Certificate, the records contain information related to creation, issuance, intended use, revocation and expiration. These records will include all relevant evidence in the Issuing CA's possession including:

- Audit logs;
- Digital Certificate requests and all related actions;
- Contents of issued Digital Certificates;
- Evidence of Digital Certificate acceptance and signed (electronically or otherwise) Certificate Holder Agreements;
- Revocation requests and all related actions;
- Archive and retrieval requests;
- Digital Certificate Revocation Lists posted;
- Audit Opinions as discussed in this QuoVadis CP/CPS; and
- Name of the relevant QuoVadis Registration Authority.

5.5.2. Retention Period For Archive

QuoVadis Issuing CA archives will be retained and protected against modification or destruction for a period of eleven (11) years.

5.5.3. Protection Of Archive

Archives shall be retained and protected against modification or destruction. Only Certification Authority Officers, the QuoVadis Chief Security Officer, and auditors may view the archives in whole. The contents of the archives will not be released as a whole, except as required by law. QuoVadis may decide to release records of individual transactions upon request of any of the entities involved in the transaction or their recognised representatives. A reasonable handling fee per record (subject to a minimum fee) will be assessed to cover the cost of record retrieval.

5.5.4. Archive Backup Procedures

QuoVadis maintains and implements backup procedures so that in the event of the loss or destruction of the primary archives a complete set of backup copies is readily available.

5.8.2. Successor Issuing Certification Authority

To the extent that it is practical and reasonable, the successor Issuing CA should assume the same rights, obligations and duties as the terminating Issuing CA The successor Issuing CA should issue new Keys and Digital Certificates to all subordinate service providers and Users whose Keys and Digital Certificates were revoked by the terminating Issuing CA due to its termination, subject to the individual service provider or User making an application for a new Digital Certificate, and satisfying the initial registration and Identification and Authentication requirements, including the execution of a new service provider or Certificate Holder Agreement.

6. TECHNICAL SECURITY CONTROLS

The QuoVadis Certification Authority Private Keys are protected within a hardware security module meeting at least Federal Information Processing Standard 140-2 level 3 and/or EAL 4. Access to the modules within the QuoVadis environment, including the Root and Operational Digital Certification Authorities ¶Private Keys, are restricted by the use of token/smartcards and associated pass phrases. These smartcards and pass phrases are allocated among the multiple members of the QuoVadis management team. Such 2-of-N allocation ensures that no one member of the team holds total control over any component of the system. The hardware security modules are always stored in a physically secure environment and are subject to security controls throughout their lifecycle.

6.1. Key Pair Generation And Installation

6.1.1. Key Pair Generation

All Key Pairs will be generated in a manner that QuoVadis, in its sole discretion, deems to be secure.

QuoVadis retains the right to generate the Certificate Holder ¶ Private Key Pair. The Certificate Holder is required to provide all the necessary identification and authentication information when the Digital Certificate is being requested. Once all of the registration information is collected by the QuoVadis Certification Authority, the Certificate Holder ¶ Key Pair are generated within a secure environment. QuoVadis Certificate Holders can generate their own Private Key prior to submitting a Digital Certificate request. Key Generation methods and requirements differ according to the type of Digital Certificate requested.

Certificate Holder Key Generation may be performed in hardware or software depending on the Digital Certificate type.

All Keys for Issuing CAs, Registration Authorities and Registration Authority Officers must be randomly generated on an approved cryptographic token in a physically secure environment. CA Certificate signing keys are only used within this secure environment. Any pseudo random numbers used for Key generation material will be generated by a FIPS-approved method.

6.1.2. Private Key Delivery To Certificate Holder

In most cases, a Private Key will be generated and remain within the Cryptographic Module. If the owner of the Cryptographic Module generates the Key, then there is no need to deliver the Private Key. If a Key is not generated by the intended Key holder, then the person generating the Key in the Cryptographic Module (e.g., smart card) must securely deliver the Cryptographic Module to the intended Key holder. Accountability for the location and state of the

6.1.4. Certification Authority Public Key To Relying Parties

QuoVadis Public Keys are securely delivered to software providers to serve as trust anchors in commercial browsers and operating system root stores, or may be specified in a Certificate validation or path discovery policy file. Relying Parties may also obtain QuoVadis self-signed CA Certificates containing the Public Key from the QuoVadis web site.

6.2.11. Cryptographic Module Rating

The cryptographic modules used by the QuoVadis PKI are validated to FIPS 140-2 Level 3 and/or EAL 4 security standards.

	For Qualified Certificates, in accordance with Swiss Digital Signature law, the Certificate Holder Private Keys are generated and stored on a Secure Signature Creation Device that meets or exceeds EAL 4 standards.
	For Qualified Certificates, in accordance with European/Dutch Digital Signature law, the Certificate Holder Private Keys are generated and stored on a Secure Signature Creation Device that meets or exceeds EAL 4 standards.

6.3. Other Aspects Of Key Pair Management

6.3.1. Public Key Archival

Public Keys will be recorded in Digital Certificates that will be archived in the Repository. No separate archive of Public Keys will be maintained.

6.3.2. Certificate Operational Periods And Key Pair Usage Periods

Usage periods for Public Keys and Private Keys shall match the usage periods for the Digital Certificate that binds the Public Key to an Individual, Organisation, or Device. Please see the variable Issuing Certificate Authority ¶Valid From ¶ D Q G µ 9 DOLGLW\ fields in the RFC Certificate Profiles outlined in Appendix A.

The maximum validity periods for Digital Certificates issued within the QuoVadis PKI are:

- Root CA Certificate

6.5. Computer Security Controls

QuoVadis has a formal Information Security Policy that documents the QuoVadis policies, standards and guidelines relating to information security. This Information Security Policy has been approved by management and is communicated to all employees.

Computer security technical requirements are achieved utilising a combination of hardened security modules and software, operating system security features, internal PKI and Certificate Authority Software and physical safeguards, including security Policies and Procedures that include but are not limited to:

- Access controls to Certificate Authority services and PKI roles, see Section 5.1
- Enforced separation of duties for Certificate Authority Services and PKI roles, see Section 5.2
- Identification and Authentication of personnel that fulfil roles of responsibility in the QuoVadis PKI, see Section 5.3
- Use of cryptography for session communication and database security, mutually authenticated and encrypted SSL/TLS is used for all communications
- Archival of Certificate Authority history and audit data, see Sections 5.4 and 5.6
- Use of x.509 Digital Certificates for all administrators.

6.5.2. Computer Security Rating

A version of the core Certificate Authority software used by QuoVadis has obtained the globally recognised Common Criteria EAL 4+ certification.

6.6. Life Cycle Technical Controls

All hardware and software procured for operating an Issuing CA within the QuoVadis PKI must be purchased in a manner that will mitigate the risk that any particular component was tampered with, such as random selection of specific components. Equipment developed for use within the QuoVadis PKI shall be developed in a controlled environment under strict change control procedures.

A continuous chain of accountability, from the location where all hardware and software that has been identified as supporting an Issuing CA within the QuoVadis PKI must be maintained by causing it to be shipped or delivered via controlled methods. Issuing CA equipment shall not have installed applications or component software that is not part of the Issuing CA configuration. All subsequent updates to Issuing CA equipment must be purchased or developed in the same manner as the original equipment and be installed by trusted and trained personnel in a defined manner.

QuoVadis has established an approved System Security Policy that incorporates computer security controls that are specific to QuoVadis and address the following:

7.1.1. Basic Certificate Contents

FIELDS	CONTENT	DEMARCATION
Version		

7.5. Digital Certificate Fields and Root CA Certificate Hashes
7.5.1. Digital Certificate Fields

9.2.1. Insurance Coverage

QuoVadis maintains in full force and effect a liability insurance policy. In accordance with the requirement of ZERT ES, policy limits concerning Qualified Digital Certificates are maintained in excess of the minimum requirement of CHF 2 (Two) Million per occurrence and CHF 8 (Eight) Million annual aggregate.

Within the QuoVadis PKI the Root CA and all Issuing CAs and Registration Authorities are required to demonstrate that they have the financial resources necessary to discharge their obligations under this CP/CPS and any other relevant and associated documentation or agreements.

QuoVadis and each Issuing CA and/or Registration Authority shall maintain appropriate insurances necessary to provide for their respective liabilities as participants within the QuoVadis PKI. Failure to establish and maintain insurances may be the basis for the revocation of their respective Digital Certificates.

9.2.2. Other Assets

Issuing CAs and Registration Authorities shall maintain sufficient assets and financial resources to perform their duties within the QuoVadis PKI and be reasonably able to bear liability to Certificate Holders and Relying Parties.

9.2.3. Insurance Or Warranty Coverage For End-Entities

QuoVadis will give advice to and support the QuoVadis Certificate Holders and QuoVadis Relying Parties on questions relating to the different types of insurance available.

QuoVadis Certificate Holders are entitled to apply to commercial insurance providers for financial protection against accidental occurrences such as theft, corruption, loss or unintentional disclosure of the Private Key that corresponds to the Public Key in their QuoVadis Digital Certificate.

QuoVadis Relying parties are entitled to apply to commercial insurance providers for protection against financial loss.

9.2.4. Fiduciary Relationships

QuoVadis is not the agent, fiduciary or other representative of any Certificate Holder and/or Relying Party and must not be represented by the Certificate Holder and/or Relying Party to be so. Certificate Holders and/or Relying Parties have no authority to bind QuoVadis by contract or otherwise, to any obligation.

Participation in the QuoVadis PKI does not make any participant an agent, fiduciary, trustee, or other representative of any entity, legal or otherwise. Nothing contained in this QuoVadis CP/CPS or in any corresponding Certificate Holder or Relying Party Agreement shall be deemed to constitute QuoVadis, QuoVadis PKI Participants or any of their

9.4. Privacy Of Personal Information

9.4.1. Privacy Plan

QuoVadis, Issuing CAs, Registration Authorities, Certificate Holders, Relying Parties and all others using or accessing any personal data in connection with matters dealt with this CP/CPS shall comply with the Council Directive 95/46/EC

For Qualified Certificates issued in accordance with European/Dutch Digital Signature laws, Certificate Holders expressly consent to personal data in the form of the data included in the Certificate Fields being transferred outside of The Netherlands and published in a repository which makes this

9.5.3. IETF Guidelines
The use of the PKIX IETF Guidelines is acknowledged.

9.5.4. Breach
QuoVadis excludes all liability for breach of any other intellectual property rights.

9.6. Representations And Warranties
9.6.1. Certification Authority Representations
9.6.1.1 Root Certification Authority Representations
QuoVadis discharges its obligations by:

- providing the operational infrastructure and certification services, including X.500 Directory and service provider software;
- PDNLQJ UHDVRQDEOH HIIRUWV WR HQVXUH LW FRQGXFWV DQ HIILFLHQW D include but do not limit QuoVadis to operating in compliance with:
  - documented operational procedures; and
  - within applicable law and regulation;
- approving the establishment of all Issuing CAs and on approval, executing an Issuing CA Agreement (save in respect of the QuoVadis Issuing CA);
- maintaining this CP/CPS and enforcing the practices described within it and in all relevant collateral documentation;
- publishing its QuoVadis CA Certificates at http://www.quovadisglobal.com/repository and other nominated web sites;
- issuing CA Certificates to Issuing CAs that comply with X.509 standards and are suitable for the purpose required;
- issuing CA Certificates that are factually correct from the information known to it at the time of issue, and that are free from data entry errors;
- publishing issued Issuing CA Certificates without alteration in the X.500 Directory;
- investigating any suspected compromise which may threaten the integrity of the QuoVadis PKI;
- revoking Issuing CA Certificates and posting such revoked Certificates in the X.500 Directory Certificate Revocation List; and
- conducting compliance audits of Issuing CAs.

9.6.1.2. Issuing Certification Authority Warranties
An Issuing CA hereby warrants (a) it has taken reasonable steps to verify that the information contained in any Digital Certificate is accurate at the time of issue, and (b) Digital Certificates shall be revoked if the Issuing CA believes or is notified that the contents of the Digital Certificate are no longer accurate, or that the key associated with a Digital Certificate has been compromised in any way.

The nature of the steps the Issuing CA takes to verify the information contained in a Digital Certificate vary according to the Digital Certificate fee charged, the nature and identity of the Certificate Holder, and the applications for which the Digital Certificate will be marked as trusted. The Issuing CA makes no other warranties, and all warranties, express or implied, statutory or otherwise, are excluded to the greatest extent permissible by applicable law, including without limitation all warranties as to merchantability or fitness for a particular purpose.

Each Issuing CA is required to ensure that warranties, if any, provided by QuoVadis in connection with this QuoVadis CP/CPS to Certificate Holders and Authorised Relying Parties are incorporated, by reference or otherwise, in the relevant Certificate Holder Agreement or applicable terms and conditions. Other warranties, if any, provided to Certificate Holders and/or Authorised Relying Parties shall be set out in a warranty protection plan duly approved by the Policy Management Authority agem-6(i)8rogem-6trrant6(la)7ble reqk 7(c)-18(tion)-49(p)6(la)7(n)-48(d74(o)-3(l -10.8 TD [(Ea)6(c) /

- documented operational procedures; and
- applicable law and regulation.

9.6.2.2 Warranties

Authorised Registration Authorities operating within the QuoVadis PKI hereby warrant that (a) they take reasonable steps to verify that the information contained in any Digital Certificate is accurate at the time of issue, and (b) they will request that Digital Certificates be revoked by QuoVadis if they believe or are notified that the contents of the Digital Certificate are no longer accurate, or that the key associated with a Digital Certificate has been compromised in any way.

9.6.3. Certificate Holder Representations And Warranties

Certificate Holders represent and warrant that:

- The Private Key is protected and has never been accessed by another person.
- All representations made by the Certificate Holder in the Digital Certificate Application are true.
- All information in the Digital Certificate is true and accurate.
- The Digital Certificate is being used for its intended, authorised and legal purpose consistent with this CP/CPS.
- They will promptly request revocation of the Digital Certificate in the event that: (a) any information in the Certificate is or becomes incorrect or inaccurate, or (b) there is any actual or suspected misuse or compromise of the Private Key associated with the Public Key listed in the Digital Certificate.

9.6.4. Relying Parties Representations And Warranties

Relying Parties represent and warrant that:

- Th
  - x
  - x

	For Qualified Certificates, in accordance with the Swiss Digital Signature law, namely, Art 16 of ZertES: 1. QuoVadis is liable to the Certificate Holder or the Relying Party who relies on a valid Qualified Certificate, for damages that arise because QuoVadis has not followed the procedures required by ZertES. 2. QuoVadis has the obligation to prove that such procedures were followed in accordance with ZertES. 3. QuoVadis cannot disclaim liability to either the Certificate Holder or Relying Party except where the Certificate Holder or Relying Party has not complied with the terms and conditions of use of the Certificate. Sections 9.8.2; 9.8.3; 9.8.4; 9.8.5 DO NOT apply to Qualified Certificates.
	For Qualified Certificates, in accordance with the European/Dutch Digital Signature law, QuoVadis is liable under: x The Dutch Electronic Signatures Act of 8 May 2003 (entered into force on 21 May 2003) x 7KH 'XWFK HOHFWURQLF VLJQDWXUH UHJXODWLRQ ³%HV x $UWLFOH (European Directive 1999/93/EC of the European Parliament and of the Council of 13 December 1999 on a Community framework for electronic signatures´

9.8.2. 4XR9DGLV¶ /LPLWDWLRQV 2I /LDELOLW\

QuoVadis shall not in any event be liable for any loss of profits, loss of sales or turnover, loss or damage to reputation, loss of contracts, loss of customers, loss of the use of any software or data, loss or use of any computer or other equipment (save as may arise directly from breach of this CP/CPS), wasted management or other staff time, losses or liabilities under or in relation to any other contracts, indirect loss or damage, consequential loss or damage, VSHFLDO ORVV RU GDPDJH DQG IRU WKH SXUSRVH RI WKLV SDUDJUDSK WKH value as well as a complete or total loss.

4XR9DGLV¶ OLDELOLW\ WR DQ\ SHUVRQ IRU GDPDJHV DULVLQJ RXW RI Holder Agreement, the applicable contract or any related agreement, whether in contract, warranty, tort or any other legal theory, shall, subject as hereinafter set out, be limited to actual damages suffered by that person. QuoVadis shall not be liable for indirect, consequential, incidental, special, exemplary, or punitive damages with respect to any person, even if QuoVadis has been advised RQuo a s ee6( )y6(a)-7<00 QuofcghQuo5(ma)-7(g)6(e)-6(s)6( )-86()-33(o)-00 spmay, d t

- If the Private Key associated with the Digital Certificate held by the claiming party or otherwise the subject of any claim has been compromised; or
- If the Digital Certificate held by the claiming party was issued in a manner that constituted a breach of any applicable law or regulation.
- Computer hardware or software, or mathematical algorithms, are developed that tend to make public key

9.8.5. Claims Against QuoVadis Liability

9.8.5.1. Notification Period

QuoVadis shall have no obligation pursuant to any claim for breach of its obligations hereunder unless the claiming party gives notice to QuoVadis within ninety (90) days after the claiming party knew or ought reasonably to have known of a claim, and in no event more than three years after the expiration of the Digital Certificate held by the claiming party.

9.8.5.2. Mitigating Acts And Disclosure Of Supporting Information

As a prerequisite to QuoVadis' payment of any claim, the claiming party shall do and perform, or cause to be done and performed, all such further acts and things, and shall execute and deliver all such further agreements, instruments, and documents as QuoVadis may reasonably request in order to investigate a claim of loss made by a claiming party.

9.9. Indemnities

Indemnity provisions and obligations are contained within relevant contractual documentation.

9.10. Term And Termination

9.10.1. Term

This CP/CPS becomes effective upon publication in the QuoVadis Repository. Amendments to this CP/CPS become effective upon publication in the QuoVadis Repository.

9.10.2. Termination

This CP/CPS shall remain in force until it is amended or replaced by a new version.

9.10.3. Effect Of Termination And Survival

The provisions of this QuoVadis CP/CPS shall survive the termination or withdrawal of a Certificate Holder or Relying Party from the QuoVadis PKI with respect to all actions based upon the use of or reliance upon a Digital Certificate or other participation within the QuoVadis PKI. Any such termination or withdrawal shall not act so as to prejudice or affect any right of action or remedy that may have accrued to any person up to and including the date of withdrawal or termination.

9.11. Individual Notices And Communications With Participants

Electronic mail, postal mail, fax, and web pages will all be valid means for QuoVadis to provide any of the notices required by this QuoVadis CP/CPS, unless specifically provided otherwise. Electronic mail, postal mail, and fax will all be valid means of providing any notice required pursuant to this QuoVadis CP/CPS to QuoVadis unless specifically provided otherwise (for example in respect of revocation procedures).

9.12. Amendments

9.12.1. Procedure For Amendment

Amendments to this CP/CPS are made and approved by the QuoVadis Policy Management Authority. Amendments shall be in the form of an Amended CP/CPS or a replacement CP/CPS

9.16. Miscellaneous Provisions
Not Applicable.

9.16.1. Entire Agreement
Not Applicable.

9.16.2. Assignment
Not Applicable.

9.16.3. Severability
Any provision of this QuoVadis CP/CPS that is determined to be invalid or unenforceable will be ineffective to the extent of such determination without invalidating the remaining provisions of this QuoVadis CP/CPS or affecting the validity or enforceability of such remaining provisions.

9.16.4. (Q I R U F H P H Q W $ W W R U Q H \ ¶ V $ Q G Z D L Y H U ¶ R I 5 L J K W V) Enforcement (Attorneys' Fees and Waiver of Rights)
The failure or delay of QuoVadis to exercise or enforce any right, power, privilege, or remedy whatsoever, howsoever or otherwise conferred upon it by this QuoVadis CP/CPS ; shall not be deemed to be a waiver of any such right or operate so as to bar the exercise or enforcement thereof at any time or times thereafter, nor shall any single or partial exercise of any such right, power, privilege or remedy preclude any other or further exercise thereof or the exercise of any other right or remedy. No waiver shall be effective unless it is in writing. No right or remedy conferred by any of the provisions of this QuoVadis CP/CPS is intended to be exclusive of any other right or remedy, except as expressly provided in this QuoVadis CP/CPS, and each and every right or remedy shall be cumulative and shall be in addition to every other right or remedy given hereunder or now or hereafter existing in law or in equity or by statute or otherwise.

9.16.5. Force Majeure
QuoVadis accepts no liability for any breach of warranty, delay or failure in performance that results from events beyond its control such as acts of God, acts of war, acts of terrorism, epidemics, power or telecommunication services failure, fire, and other natural disasters. See also Section 9.8.3 (Excluded Liability) above.

9.17. Other Provisions
No Stipulation.

10. APPENDIX A

10.1. Digital Certificate Profiles

Within the QuoVadis PKI an Issuing CA can only issue Digital Certificates with approved Digital Certificate Profiles. All Digital Certificate Profiles within the QuoVadis PKI are detailed below.

Procedures for Certificate Holder registration as well as descriptions of fields are described below for each type of Digital Certificate issued. Additionally, specific Certificate Policies and QuoVadis liability arrangements that are not described in this CP/CPS may be drawn up under contract for individual Subscribers

10.1.1. QuoVadis Certificate Class

QuoVadis Certificate Class	Description	QuoVadis Certificate Class OID	Assurance Level	Requires token ?
QV Standard	Meets or exceeds the requirements of the ETSI Lightweight Certificate Policy (LCP).	1.3.6.1.4.1.8024.1.100	Low	Optional
QV Advanced	Based on the ETSI Normalised Certificate Policy (NCP). Feat( )6(Ce)7sgo486.35(t( )			

10.1.2. Key Usage and Archive

Different QuoVadis Certificate Profiles may be issued with different key usages, and be eligible for key archive, according to the following table:

10. 2. QV Standard

PURPOSE
Standard Digital Certificates provide flexibility for a range of uses appropriate to their reliance value including electronic signatures, authentication, and encryption.

10. 3. QV Advanced

PURPOSE
$GYDQFHG 'LJLWDO &HUWLILFDWHV SURYLGH KLJK DVVXUDQFH RI LGHQWLW\ DQG PD\ EH XVHG IRU D EURDG UDQJH RI applications including digital signatures, encryption, and authentication.

REGISTRATION PROCESS

Validation procedures for QuoVadis Advanced Digital Certificates are based on the Normalised Certificate Policy (NCP) described in ETSI TS102 042. Advanced validation is intended to provide equivalent quality to the QCP policy specified in ETSI TS 101 456 but without the legal constraints of the Electronic Signatures Directive (1999/93/EC).

Unless the Certificate Holder has already been identified by the RA through a face-to-face identification meeting, accepted Know Your Customer (KYC) standards or a contractual relationship with the RA, validation requirements for a Certificate Holder shall include the following:

10.4.2 SuisseID Identity and Authentication Certificates

PURPOSE

State/Province	State/Province	Holder Variable
Country	Country	Holder Variable
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com	Holder Variable

10. 5. QV Qualified

10. 5.1. Qualified Certificate Profile

Please note that where a Qualified Personal Digital Certificate is issued within the meaning of EU Directive 1999/93/EC, the individual applying for the Qualified Personal Digital Certificate must undergo a face-to-face identity verification procedure.

PURPOSE
The purpose of a Qualified Digital Certificate is to identify the Certificate Holder with a high level of assurance, for the purpose of creating Qualified electronic signatures meeting the qualification requirements defined by the applicable legal framework of the Electronic Signatures Directive (1999/93/EC). The QuoVadis Qualified Certificate Class is trusted in the Adobe Approved Trust List (AATL).
REGISTRATION PROCESS
Validation procedures for QuoVadis Qualified Digital Certificates are consistent with the Qualified Certificate Policy +

10.5.4. SuisseID Qualified Certificates

PURPOSE

SuisseID is the first standardised electronic proof of identity in Switzerland (http://www.suisseid.

Organisation (O)	Organisation legal name	Holder Variable
Locality	Locality	Holder Variable
State/Province	State/Province	Holder Variable
Country	Country	Holder Variable
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com	Holder Variable
Subject Public Key Information	RSA (2048 bit) / System Generated	Fixed
Extensions		
Key Usage (Critical)	DigitalSignature, Non Repudiation	Fixed
Certificate Policies		
CertPolicyID (SuisseID)	2.16.756.5.26.1.1.1	Fixed
User Notice	SuisseID qualified certificate	Fixed

10. 6. QV Closed Community

Closed Community Issuing CAs can, under contract, create Certificate Profiles to match the QuoVadis Standard Commercial Certificate for issuance to employees and affiliates.

Certificates issued by Closed Community Issuing CAs are for reliance by members of that community only, and as such a Closed Community Issuing CA can, by publication of a stand-alone Certificate Policy to its community issue various Certificates that differ from the Standard Commercial Certificate.

QuoVadis must approve all closed community certificate policies to ensure that they do not conflict with the terms of the QuoVadis CP/CPS.

Under no circumstances can Closed Community Issuing CAs issue Qualified Certificates under the Swiss Digital Signature law.

10. 6.1. Grid Certificates

This section provides an overview of the requirements and Digital Certificate contents for Grid Digital Certificates issued in accordance with the requirements of the International Grid Trust Federation (IGTF) or one of its member bodies. The IGTF is the body that is responsible for establishing common policies and guidelines between its member Policy Management Authorities (PMAs). The IGTF consists of the Asia Pacific Grid Policy Management Authority (APGridPMA), the European Policy Management Authority for Grid Authentication in e-Science (EUGridPMA) and The Americas Grid Policy Management Authority (TAGPMA).

This section (10.6.1) of the CP/CPS relates only to Grid Certificates, which may only be used for Grid related purposes. In relation to Grid Certificates, this section of the CP/CPS will take precedence over the remainder of the CP/CPS if there are any conflicts or contradictions. Major changes to this CP/CPS relating to Grid Digital Certificates will be announced to the relevant Grid PMA and their approval must be gained before Grid Digital CertificatesGre8p(Gri)-1.i/Certifica-4

10.6. 1.1. Grid End User Certificate

PURPOSE
Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid End User Certificate is to help the Certificate Holder to access the Grid services that require Certificate-based authentication.
REGISTRATION PROCESS
The identity vetting of all Applicants must be performed by an approved Registration Authority (RA). Face to face registration is required at the RA or alternatively the Applicants can have their identity vetted at a post office

10.6.1.2. Grid Server Certificate

PURPOSE
Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid Server Certificate is to help secure communications with Grid servers.
REGISTRATION PROCESS

10.7. QuoVadis Device

PURPOSE
QuoVadis Device Certificates may be used for authentication, encryption, access control and digital signature purposes, as designated by the Key Usage and EKU fields found within the Digital Certificate.

REGISTRATION PROCESS
Before issuing a QV Device Certificate, QuoVadis performs procedures to verify that the information in the Digital Certificate is correct, and that the Applicant is authorised to use, for example, the domain name and that has accepted a Subscriber Agreement for the requested Certificate. If the device or system is operated by or on behalf of an organisational entity, evidence shall be provided of: x identifier of the device by which it may be referenced (e.g. Internet domain name); x full name of the organisational entity; and x a nationally recognised identity number, or other attributes which may be used to, as far as possible, distinguish the organisational entity from others with the same name. Documentation requirements for organisation Applicants may include, Certificate of Incorporation, Memorandum of Association, Articles of Incorporation or equivalent documents.

FIELDS	CONTENT	DEMARCATION
Subject		
Common Name (CN)	Subject Common Name	Holder Variable
Organisational Unit (OU)	Variable Data	Holder Variable
Organisation (O)	Organisation legal name	Holder Variable
Locality (L)	Subject Locality (Optional)	Holder Variable
State/Province (ST)	Subject State/Province (Optional)	Holder Variable
Country (C)	Subject Country	Holder Variable
Subject Public Key Information	[redacted]n-GB)/MCI	

11. APPENDIX B

11. 1. Definitions and Acronyms

In this QuoVadis CP/CPS the following Key terms and Abbreviations shall have the following meaning in the operation of the QuoVadis PKI unless context otherwise requires:

- Applicant ´ PHDQV DQ ,QGLYLGXDO RU 2UJDQLVDWLRQ WKDW KDV DSSOLHG IRU D Certificate.
- Application Software Vendors ´ PHDQ WKRVH developers of Internet browser software or other software that displays or uses certificates and distribute Root Certificates embedded in their software, including but not limited to KDE, Microsoft Corporation, Mozilla Corporation, Opera Software ASA, Red Hat Inc., Adobe, etc.
- Authorised Relying Party ´ PHDQV DQ ,QGLYLGXDO RU 2UJDQLVDWLRQ WKDW KDV HQWHU authorizing that person or Organisation to exercise Reasonable Reliance on Digital Certificates, subject to the terms and conditions set forth in the applicable Relying Party Agreement.
- Authentication ´ PHDQV WKH SURFHGXUHV DQG UHTXLUHPHQWV LQFOXGLQJ WKH applicable) necessary to ascertain and confirm an Identity. Authentication procedures are designed and intended to SURYLGH DJDLQVW IUDXG LPLWDWLRQ DQG GHFHSWLRQ $XWKHQWLFDWH´ DQ
- Certification

³Counterparty ´ PHDQV D SHUVRQ WKDW LV NQRZQ WR D 1RPLQDWLQJ 5HJLVWUDWLR
or Holding Companies and where the relationship with the Counterparty was established in accordance with recognised and documented Know Your Customer standards and with whom the Registration Authority is reliably able to identify the Counterparty through business records maintained by the Registration Authority or obtained from its respective Subsidiaries or Holding Companies.

³Cryptographic Module ´ PHDQV secure software, device or utility that (i) generates Key Pairs; (ii) stores cryptographic information; and/or (iii) performs cryptographic functions.

³Digital Certificate ´ PHDQV D GLJLWDO LGHQWLILHV the Issuing CA; (ii) identifies the Holder; (iii) contains the Holder's Public and Private Keys; (iv) specifies the Digital Certificate's Operational Term; (v) is digitally signed by the Issuing CA; and (vi) has prescribed Key Usages and Reliance Factor that governs its issuance and use whether expressly included or incorporated by reference to this CP/CPS.

³Digital Signature ´ PHDQV GDWD DSSHQGHG WR RU D FU\SWRJUDSKLF WUDQVPLVVLR of the data to prove the source and integrity of the data unit.

³Digital Transmission ´ PHDQV WKH WUDQVPLVVLRQ RI LQIRUPDWLRQ LQ DQ HOHFWURQ

³Device ´ PHDQV VRIWZDUH KDUGZDUH RU RWKHU HOHFWURQLF RU DXWRPDWHG without human intervention.

³Device Certificate ´ PHDQV D 'LJLWDO &HUWLILFDWH LVVXHG WR LGHQWLI\ D 'HYLFH

³Distinguished Name ´ PHDQV WKH XQLTXH LGHQWLILHU IRU WKH +ROGHU RI D 'LJLWDO

³Federal Information Processing Standards ´ PHDQV WKH VWDQGDUGV WKDW GHDO ZLWK D Z
system components including: hardware, storage media, data files, codes, interfaces, data transmission, networking, data management, documentation, programming languages, software engineering, performance and security.

³Identify ´ PHDQV D SURFHVV WR establish a subject's identity from other subjects or entities.

³Identity ´ PHDQV D VHW RI DWWULEXWHV ZKLFK PD\ EH WHVWHG WR LGHQWLI\ XQLTXHO\ D

³Identification ´ PHDQV UHOLDQFH RQ GDWD WR DXWKHQWLFDWH YHULI\ DQG ,GHQWLI\ D

³Individual ´ PHDQV D QDWXUDO SHUVRQ

³Issuing Certification Authority ´ ³,VVXLQJ &$´ means a Certification Authority duly authorised to operate by QuoVadis to issue Digital Certificates to Certificate Holders within the QuoVadis PKI.

³Issuing Certification Authority Agreement ´ DQ DJUHHPHQW HQWHUHG LQWR EHWZHHQ 4XR9D to provide Issuing CA services within the QuoVadis PKI.

³Issuing Certification Authority Certificate

- Participants ´ PHDQV SDUWLFLSDQWV PZLWKLQ TXR9DGLV (i) Issuing CAs and their Subsidiaries and Holding Companies; (ii) Registration Authorities and their Subsidiaries and Holding Companies; (iii) Certificate Holders, (including Certificate Applicants); (iv) Authorised Relying Parties.

- PKCS´ PHDQV -RKQ &RPSXWHU Key Cryptography Standard.

- Policy Management Authority ´ PHDQV WKH 4XR9DGLV ERG\ UHVSRQVLEOH &3&36U RYHUVHH amendments and general management.

- Proprietary Marks ´ PHDQV DQ\ SDWHQWV SHQGLQJ RU RWKHUZLVH WUDGH PDUN designs, symbols, emblems, insignia, fascia, slogans, copyrights, know-how, information, drawings, plans and other identifying materials whether or not registered or capable of registration and all other proprietary rights whatsoever owned by or available to QuoVadis adopted or designated now or at any time hereafter by QuoVadis for use in connection with the QuoVadis PKI.

- Private Key ´ PHDQV D .H\ IRUPLQJ SDUW RI D .H\ 3DLU WKDW LV UHTXLUHG WR E person that holds it.

- Public Key´ PHDQV D .H\ IRUPLQJ SDUW RI D .H\ 3DLU WKDW FDQ EH PDGH SXEOLF

- Public Key Infrastructure ´(PKI) means a system for publishing the Public Key values used in public key cryptography. Also a system used in verifying, enrolling, and certifying users of a security application.

- Qualified Certificate ´ $ ' L J ¡\ ³-3(y)]TJ /C27gT<00510052>-5<078<0027i4ro310003>4<0045>65Tf 3.6 0 Td 2R46 C6/T0 C2_0

³Root Certification Authority ´ PHDQV 4XR9DGLV DCertification Authority being a self-signed Certification Authority that signs Issuing CA Certificates.

³6HFXUH 6LJQDWXUH &UHDWLRQ'HYLFH (SSCD) Requirements a secure container specifically designed to carry and protect a digital certificate, which meets the following requirements laid down in annex III of Directive 1999/93/EC:

1. Secure signature-creation devices must, by appropriate technical and procedural means, ensure at the least that:

(a) the signature-creation-data used for signature generation can practically occur only once, and that their secrecy is reasonably assured;
(b) the signature-creation-data used for signature generation cannot, with reasonable assurance, be derived and the signature is protected against forgery using currently available technology;
(c) the signature-creation-data used for signature generation can be reliably protected by the legitimate signatory
against the use of others.