QUOVADIS ROOT CA2
CERTIFICATE POLICY/CERTIFICATION PRACTICE STATEMENT

OID: 1.3.6.1.4.1.8024.0.2
Effective Date: 1 March 2012
Version: 1.11

Copyright © QuoVadis 2012. All rights reserved. This document shall not be duplicated, used, or disclosed in whole or in part for any purposes other than those approved by QuoVadis.

Table of Contents

1. INTRODUCTION 1
1.1. Overview 1
1.2. Document Name And Identification 1
1.3. PKI Participants 1
1.5. Policy Administration 4
1.6. Definitions and Acronyms 4
2. PUBLICATION AND REPOSITORY RESPONSIBILITIES 5
2.1. Repositories 5
2.2. Publication of Certificate Information 5
2.3. Time or Frequency of Publication 5
2.4. Access Controls on Repositories 6
3. IDENTIFICATION AND AUTHENTICATION 6
3.1. Naming 6
3.2. Initial Identity Validation 7
3.3. Identification And Authentication For Re-Key Requests 7
3.4. Identification and Authentication For Revocation Requests 7
4. CERTIFICATE LIFE-CYCLE OPERATION REQUIREMENTS 7
4.1. Certificate Application 7
4.2. Certificate Application Processing 7
4.3. Certificate Issuance 8
4.4. Certificate Acceptance 8
4.5. Key Pair And Certificate Usage 8
4.6. Certificate Renewal 9
4.7. Certificate Re-Key 9
4.8. Certificate Modification 9
4.9. Certificate Revocation And Suspension 9
4.10. Certificate Status Services 11
4.11. End Of Subscription 11

1. INTRODUCTION

1.1. Overview

QuoVadis SSL Certificates are issued for use with the SSL 3.0/TLS 1.0 protocol to enable secure transactions of data through privacy, authentication, and data integrity.

QuoVadis Trusted Code Signing Certificates are used to provide users with reasonable assurance that the executable code they download comes from a source identified by QuoVadis.

This Certificate Policy/Certification Practice Statement (CP/CPS) sets out the certification processes that QuoVadis Root CA2 uses in the generation, issue, use, and management of Certificates and serves to notify Certificate Holders and Relying Parties of their roles and responsibilities concerning Certificates.

QuoVadis ensures the integrity of its Public Key Infrastructure (PKI) operational hierarchy by binding Participants to contractual agreements. This CP/CPS is not intended to create a contractual relationship between QuoVadis and any Participant in the QuoVadis PKI. Any person seeking to rely on Certificates or participate within the QuoVadis PKI must do so pursuant to definitive contractual documentation.

QuoVadis issues three forms of Certificates according to the terms of this CP/CPS:

i. Business SSL Certificates are Certificates for which limited authentication and authorization checks are

The diagram below illustrates the components of the QuoVadis PKI:

1.3.1. Certification Authority

The following OIDs are pertinent to this CP/CPS:

QuoVadis Root CA2	1.3.6.1.4.1.8024.0.2
QuoVadis Global SSL ICA	1.3.6.1.4.1.8024.0.2.100.1
QuoVadis Business SSL	1.3.6.1.4.1.8024.0.2.100.1.1
QuoVadis Extended Validation SSL	1.3.6.1.4.1.8024.0.2.100.1.2
QuoVadis Trusted Code ICA	1.3.6.1.4.1.8024.0.2.100.2
QuoVadis Trusted Code Signing	1.3.6.1.4.1.8024.0.2.100.2.1

QuoVadis Root CA2, the QuoVadis Global SSL ICA and the QuoVadis Trusted Code ICA issue Certificates to Certificate Holders in accordance with this CP/CPS. In its role as a CA, QuoVadis performs functions associated with public key operations that include receiving requests; issuing, revoking and renewing a Certificate; and the maintenance, issuance, and publication of CRLs for users within the QuoVadis PKI. In its capacity as a CA, QuoVadis will:

- Conform its operations to this CP/CPS (or other relevant business practices);
- Issue and publish Certificates in a timely manner;
- Perform verification of Certificate Holder information in accordance with this CP/CPS;
- Revoke Certificates upon receipt of a valid request from an authorised person or on its own initiative when circumstances warrant; and
- Notify Certificate Holders of the imminent expiry of their Certificates.

Issuing CAs chaining to a QuoVadis Root must not be used for Man in the Middle (MITM) purposes or for the traffic management of domain names or IP addresses that the entity does not own or control. QuoVadis will not issue a subordinate Issuing CA Certificate to be used for these purposes.

1.3.2. Registration Authorities

QuoVadis acts as Registration Authority (RA) for Certificates it issues. An RA is an entity that performs verification of Certificate Holder information in accordance with this CP/CPS, and revokes Certificates upon receipt of a valid request from an authorised person.

Third parties, who enter into a contractual relationship with QuoVadis, may act as Local Registration Authorities (LRAs) and authorise the issuance of Certificates by QuoVadis for Organisations and Domains that have been pre-authenticated by QuoVadis. LRAs must abide by all the requirements of this CP/CPS and the terms of their services agreement with QuoVadis. LRAs may also implement more restrictive practices based on their internal requirements.

4XR9DGLV¶7UXVW/LQN(QWHUSULVH that facilitates RAs ¶activities as well as the ongoing management of the SSL Certificates for which they are responsible.

1.3.3. Certificate Holders

In the context of this CP/CPS, the Certificate Holder is the Individual responsible for requesting, installing and maintaining the trusted system for which an SSL Certificate has been issued. The Certificate Holder is referred to as a Subscriber in the Trust/Link system. (QuoVadis also refers to Registrants for End User Certificates as Certificate Holders). Prior to verification of identity and issuance of a Certificate, a Certificate Holder is an Applicant for QuoVadis services.

Before accepting and using a Certificate, a Certificate Holder must: (i) generate its own key pair; (ii) submit an application for a QuoVadis Certificate; and (iii) accept and agree to the terms and conditions of the applicable QuoVadis Certificate Holder Agreement. The Certificate Holder is solely responsible for the generation of the key pair to which its QuoVadis Certificate relates and for the protection of the Private Key underlying the QuoVadis Certificate. A Certificate Holder shall immediately notify QuoVadis if any information contained in a QuoVadis Certificate changes or becomes false or misleading, or in the event that its private key has been compromised or the Certificate Holder suspects that it has been compromised. A Certificate Holder must immediately stop using a Certificate and delete it from the Certificate Holder's server upon revocation or expiration.

1.3.4. Relying Parties

Relying Parties are Individuals or Organisations who reasonably rely on QuoVadis Certificates in accordance with the terms and conditions of this CP/CPS and all applicable laws and regulations.

Before relying on or using a QuoVadis Certificate, Relying Parties are advised to: (i) read this CP/CPS in its entirety; (ii) visit the QuoVadis Repository to determine whether the Certificate has expired or been revoked and to find out more information concerning the Certificate; and (iii) make their own judgment as to whether and to what degree to rely upon a Certificate.

1.4 Certificate Usage

1.4.1. Appropriate Certificate Uses

Certificates issued pursuant to this CP/CPS may be used for all legal authentication, encryption, access control, and digital signature purposes, as designated by the key usage and extended key usage fields found within the Certificate.

1.4.2. Prohibited Certificate Usage

QuoVadis Certificates may not be used and no participation is permitted in the QuoVadis PKI (i) in circumstances that breach, contravene, or infringe the rights of others; or (ii) in circumstances that offend, breach, or contravene any applicable law, statute, regulation, order, decree, or judgment of a court of competent jurisdiction or governmental order; or (iii) in connection with fraud, pornography, obscenity, hate, defamation, harassment, or other activity that is contrary to public policy.

No reliance may be placed on Certificates and Certificates may not be used in circumstances (i) where applicable law or regulation prohibits their use; (ii) in breach of this CP/CPS or the relevant Certificate Holder Agreement; (iii) in any circumstances where the use of Certificates could lead to death, injury, or damage to property; or (iv) as otherwise

1.5. Policy Administration

1.5.1. Organisation Administering the CP/CPS

Participants: A Participant is an individual or entity within the QuoVadis PKI and may include: CAs and their Subsidiaries and Holding Companies; Certificate Holders including Applicants; and Relying Parties.

Relying Party: The Relying Party is an individual or entity that relies upon the information contained within the Certificate.

Relying Party Agreement: The Relying Party Agreement is an agreement which must be read and accepted by a Relying Party prior to validating, relying on or using a Certificate or accessing or using the QuoVadis Repository.

Repository: The Repository refers to the CRL, OCSP, and other directory services provided by QuoVadis containing issued and revoked Certificates.

Reserved IP Address: An IPv4 or IPv6 address that the IANA has marked as reserved:
http://www.iana.org/assignments/ipv4-address-space/ipv4-address-space.xml
http://www.iana.org/assignments/ipv6-address-space/ipv6-address-space.xml

Acronyms

CA	Certificate Authority or Certification Authority
CP/CPS	Certificate Policy & Certification Practice Statement
CRL	Certificate Revocation List
CSR	Certificate Signing Request
PMA	QuoVadis Policy Management Authority
EV	Extended Validation
FIPS	Federal Information Processing Standard
ICANN	Internet Corporation for Assigned Names and Numbers
IETF	Internet Engineering Task Force
ITU	International Telecommunication Union
LRA	Local Registration Authority
OID	Object Identifier
PKI	Public Key Infrastructure
PKIX	IETF Working Group on Public Key Infrastructure
PKCS	Public Key Cryptography Standard
RA	Registration Authority
SSL	Secure Sockets Layer
TLS	Transaction Layer Security
X.509	The ITU-T standard for Certificates and their corresponding authentication framework

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

2.1. Repositories

The QuoVadis Repository serves as the primary repository for revocation data on issued Certificates. However, copies of QuoVadis directories may be published at such other locations as required for efficient operation of the QuoVadis PKI.

2.2. Publication of Certificate Information

QuoVadis operates and maintains its Repository with resources sufficient to provide a commercially reasonable response time for the number of queries generated by all of the Certificates issued by its CAs.

QuoVadis publishes Certificate Revocation Lists (CRL) and Online Certificate Status Protocol (OCSP) resources to allow Relying Parties to determine the validity of a QuoVadis Certificate. Each CRL contains entries for all revoked un-expired Certificates issued. QuoVadis maintains revocation entries on its CRLs, or makes Certificate status information available via OCSP, until after the expiration date of the revoked Certificate.

2.3. Time or Frequency of Publication

QuoVadis issues a new CRL at least every twelve (12) hours and prior to the expiration of the current CRL. QuoVadis also provides an OCSP resource that is updated at least every twelve (12) hours. Certificate information is published promptly following generation and issue, and within 20 minutes of revocation.

2.4. Access Controls on Repositories

Participants (including Certificate Holders and Relying Parties) accessing the QuoVadis Repository and other QuoVadis directory resources are deemed to have agreed with the provisions of this CP/CPS and any other conditions of usage that QuoVadis may make available. Participants demonstrate acceptance of the conditions of usage of this CP/CPS by using a QuoVadis Certificate. Failure to comply with the conditions of usage of the QuoVadis Repository DQG ZHE VLWH PD\ UHVXOW LQ WHUPLQDWLRQ RI WKH UHODWLRQVKLS EHWZ discretion, and any unauthorised reliance on a Certificate shall be at that party's risk. QuoVadis is the only entity that has write access to Repositories.

3. IDENTIFICATION AND AUTHENTICATION

The identification and authentication procedures used by QuoVadis depend on the class of Certificate being issued. See Appendix B for Certificate Profiles and the relevant verification requirements.

3.1. Naming

3.1.1. Types Of Names

All Certificate Holders require a distinguished name that is in compliance with the ITU X.500 standard for Distinguished Names (DN). SSL Certificates are issued using the Fully Qualified Domain Name (FQDN) name of the server, service, or application that has been confirmed with the Certificate Holder. The Distinguished Names of a Code Signing Certificate must identify the legal entity that intends to have control over the use of the Private Key when signing code. QuoVadis may issue Certificates for Intranet use, which may contain entries that are not intended to be relied upon by the general public (e.g., they contain non-standard Top Level Domains, like ³local´ or are addressed to an IP number space that has been allocated as private by RFC 1918). Wildcard SSL Certificates have a wildcard asterisk character for the server name in the Subject field. Wildcard EV Certificates may not be issued under the EV Guidelines. The FQDN or authenticated domain name is placed in the Common Name (CN) attribute of the Subject field and, when applicable, the Subject Alternative Name extension.

3.1.2. Need For Names To Be Meaningful

Distinguished names must be meaningful, unambiguous, and unique. QuoVadis ensures that the Organization (O)

3.2. Initial Identity Validation

3.2.1. Method To Prove Possession Of Private Key

The Applicant must submit a digitally signed PKCS#10 Certificate Signing Request (CSR) to establish that it holds the private key corresponding to the public key to be included in a Certificate. QuoVadis parses the PKCS#10 CSR VXEPLWWHG E\ WKH $SSOLFDQW LQ D VHFXUH PDQQHU DQG YHULILHV WKDW WK created by the private key corresponding to the public key in the PKCS#10 CSR. If any doubt exists, QuoVadis will not perform certification of the key.

3.2.2. Authentication Of Organisation Identity

Authentication of Organisation identity is conducted in compliance with this CP/CPS and the Certificate Profiles detailed in Appendix B.

3.2.3. Authentication Of Individual Identity

Where applicable, authentication of Individual identity is conducted in compliance with this CP/CPS and the Certificate Profiles detailed in Appendix B.

3.2.4. Non-Verified Certificate Holder Information

QuoVadis does not verify information contained in the Organisation Unit (OU) field in Certificates. Other information may be designated as non-verified in specific Certificate Profiles.

3.2.5. Validation Of Authority

Validation of authority is conducted in compliance with this CP/CPS and the Certificate Profiles detailed in Appendix B.

For Certificates issued at the request of a Certificate Holder's Agent, both the Agent and the Certificate Holder shall jointly and severally indemnify and hold harmless QuoVadis, and its parent companies, subsidiaries, directors, officers, and employees. The Certificate Holder shall control and be responsible for the data that an Agent of the Certificate Holder supplies to QuoVadis. The Certificate Holder must promptly notify QuoVadis of any misrepresentations and omissions made by an Agent of the Certificate Holder.

3.3. Identification And Authentication For Re-Key Requests

3.3.1. Identification And Authentication For Routine Re-Key

Identification and Authentication procedures are the same for re-key as for a new application. Key pairs must always expire at the same time as the associated Certificate.

3.3.2. Identification and Authentication For Re-Key After Revocation

After revocation, a Certificate Holder must submit a new application.

3.4. Identification and Authentication For Revocation Requests

See Section 4.9 for information about Certificate Revocation procedures.

4. CERTIFICATE LIFE-CYCLE OPERATION REQUIREMENTS

4.1. Certificate Application

The process to apply for QuoVadis Certificates varies by Certificate Policy and is described in Appendix B.

4.2. Certificate Application Processing

4.2.1. Performing Identification And Authentication Functions

During application processing, QuoVadis Validation Specialists employ controls to validate the identity of the Certificate Holder and other information featured in the Certificate Application to ensure compliance with this CP/CPS.

4.2.2. Approval Or Rejection Of Certificate Applications

From time to time, QuoVadis may modify the requirements related to application information requested, based on QuoVadis requirements, business context of the usage of Certificates, or as may be required by law, changes to the EV Guidelines or changes to other relevant industry standards.

QuoVadis, in its sole discretion, may refuse to accept an application for a Certificate or for the renewal of a Certificate, and may refuse to issue a Certificate, without incurring any liability for loss or damages arising out of such refusal. QuoVadis reserves the right not to disclose reasons for such a refusal. Applicants whose applications have been rejected may subsequently re-apply.

4.2.3. Time To Process Certificate Applications

QuoVadis makes reasonable efforts to confirm Certificate Application information and issue a Certificate within a

Relying Parties are obliged to seek further independent assurances before any act of reliance is deemed reasonable and at a minimum must assess:

- The appropriateness of the use of the Certificate for any given purpose and that the use is not prohibited by this CP/CPS;
- That the Certificate is being used in accordance with its key usage field extensions specified in this CP/CPS and contained in the Certificate; and
-

- If QuoVadis receives notice or otherwise becomes aware that a Certificate Holder has been added as a denied party or prohibited person to a blacklist, or is operating from a prohibited destination;
- Either the Certificate Holder ¶V RU 4XRgations under this CP/CPS are delayed or prevented by a natural disaster, computer or communications failure, or other cause beyond the person's reasonable control, and as a UHVXOW DQRWKHU SHUVRQ¶V LQIRUPDWLRQ LV PDWHULDOO\ WKUHDWHQHG

QuoVadis updates and publishes a new CRL of revoked Certificates on a 12-hour basis (or more frequently under special circumstances) and within 5 minutes of a Digital Certificate Revocation. The CRLs for Certificates issued pursuant to this CP/CPS can be accessed via the URLs contained in the Certificate Profile for that Certificate. The CRL is published and is available 24 hours a day, 7 days a week, and 52 weeks of the year every year

4.9.8. Maximum Latency For CRL
The maximum latency for the CRL is 10 minutes.

4.9.9. On-Line Revocation/Status Checking Availability
QuoVadis provides Online Certificate Status Protocol (OCSP) checking. The URL for the OCSP responder may be found within the Authority Information Access extension of the Certificate.

4.9.10. On-Line Revocation Checking Requirement
Relying Parties are required to consult the QuoVadis Repository of issued and revoked Certificates at all times prior to relying on information featured in a Certificate. Failure to do so negates the ability of the Relying Party to claim that it acted on a Certificate with reasonable reliance.

4.9.11. Other Forms Of Revocation Advertisements Available
Not applicable.

4.9.12. Special Requirements for Key Compromise
QuoVadis will use commercially reasonable efforts to notify potential Relying Parties if it discovers or suspects that a & $ ¶ ivate key has been compromised.

4.9.13. Circumstances For Suspension
The QuoVadis PKI does not support suspension of Certificates.

4.9.14. Who Can Request Suspension
The QuoVadis PKI does not support suspension of Certificates.

4.9.15. Procedure For Suspension Request
The QuoVadis PKI does not support suspension of Certificates.

4.9.16. Limits On Suspension Period
The QuoVadis PKI does not support suspension of Certificates.

4.10. Certificate Status Services
Not applicable.

4.11. End Of Subscription
A Certificate Holder may terminate its subscription to the QuoVadis PKI by allowing a Certificate or applicable agreement to expire without renewal, or by voluntarily revoking a Certificate.

4.12. Key Escrow And Recovery
The QuoVadis PKI does not support key escrow or recovery of Certificate Holder private keys.

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS
The section of the CP/CPS provides a high level description of the security policy, physical and logical access control

18095); burglary and vandalism (ET2 according to DIN 18103); and protection against electromagnetic influences and radiation (such as electromagnetic pulse).

5.4.5. Audit Log Backup Procedures

Each Issuing CA performs an onsite backup of the audit log daily. The backup process includes weekly physical removal of the audit log copy from the Issuing CA premises and storage at a secure, offsite location.

5.4.6. Audit Collection System

The security audit process of each Issuing CA runs independently of the Issuing CA software. Security audit processes are invoked at system start up and cease only at system shutdown.

5.4.7. Notification To Event-Causing Subject

Where an event is logged, no notice is required to be given to the individual, organisation, device, or application that caused the event.

5.4.8. Vulnerability Assessment

QuoVadis undergoes periodic penetration tests conducted by an external third party. QuoVadis also performs internal vulnerability assessments on a regular basis.

5.5. Records Archival

5.5.1. Types Of Records Archived

5.6. Key Changeover

Key changeover is not automatic but procedures enable the smooth transition from expiring CA Certificates to new CA Certificates. Towards the end of the CA private k H \ ¶ V O L I H W L P H 4 X R 9 D G L V n g F A p r i v a t e k e y W o L Q J L W V H [sign Certificates (well in advance of expiration) and uses the old private key only to sign CRLs associated with that key. A new CA signing key pair is commissioned and all subsequently issued Certificates and CRLs are signed with the new private signing key. Both the old and the new key pairs may be concurrently active.

5.7. Compromise And Disaster Recovery

QuoVadis has a CA Operations Disaster & Recovery Plan (QuoVadis Business Continuity Plan). The purpose of this plan is to restore core business operations as quickly as practicable when systems and/or operations have been significantly and adversely impacted by fire, strikes, or other crisis events.

QuoVadis has in place business resumption procedures that provide for the immediate continuation of Certificate revocation services in the event of an unexpected emergency. QuoVadis regards its disaster recovery and business resumption plan as proprietary and it contains sensitive confidential information. Accordingly, it is not intended to be made generally available.

QuoVadis has in place an appropriate key compromise plan detailing its activities in the event of a compromise of an Issuing CA private key. This plan includes procedures for:

- Revoking all Certificates signed with that Issuing & $ ¶ p r i v a t e key;
- Promptly notifying all Certificate Holders with Certificates issued by that Issuing CA; and
- Generating a new key pair and signing a new CA Certificate.

5.7.1. QuoVadis Business Continuity Plan

The QuoVadis Business Continuity Plan is strictly confidential and provides for:

- Incident and compromise handling procedures;
- Computing resources, software, and/or corrupted data handling procedures;
- Entity private key compromise procedures; and
- Entity public key revocation procedures; and
- Business continuity capabilities and procedures after a disaster.

5.8. CA And/Or RA Termination

In case of termination of CA operations, QuoVadis will provide timely notice and transfer of responsibilities to succeeding entities. Before terminating its own CA activities, QuoVadis will where possible take the following steps:

- Give timely notice of revocation to each affected Certificate Holder.
- Revoke all Certificates that are still un-revoked or un-expired at the end of the notice period without seeking Certificate Holder ¶ V F R Q V H Q W
- Make reasonable arrangements to preserve its records according to this CP/CPS.
- Reserve its right to provide succession arrangements for the re-issuance of Certificates by a successor CA that has all relevant permissions to do so and complies with all necessary standards.
- Notify relevant government and accreditation bodies under applicable laws and related regulations or standards.

Upon termination of a CA, QuoVadis personnel shall destroy the CA private key by deleting, overwriting, or physical destruction.

6. TECHNICAL SECURITY CONTROLS

6.1. Key Pair Generation And Installation

6.1.1. Key Pair Generation

CA private keys are generated in a physically secure environment within cryptographic modules that are validated to FIPS 140-2 Level-3. CA Certificate signing keys are only used within this secure environment. Access to the modules within the QuoVadis environment, including the private keys, is restricted by the use of token/smart cards and associated pass phrases. These smartcards and pass phrases are allocated among multiple members of the QuoVadis management team. Such allocation ensures that no one member of the team holds total control over any component of the system. The hardware security modules are always stored in a physically secure environment and are subject to security controls throughout their lifecycle.

6.4.3. Other Aspects Of Activation Data

No stipulation.

6.5. Computer Security Controls

QuoVadis has a formal Information Security Policy that documents the QuoVadis policies, standards and guidelines relating to information security. This Information Security Policy has been approved by management and is communicated to all employees.

Computer security technical requirements are achieved utilising a combination of hardened security modules and software, operating system security features, PKI and CA software and physical safeguards, including security Policies and Procedures that include but are not limited to:

- Access controls to CA services and PKI roles;
- Enforced separation of duties for CA Services and PKI roles;
- Identification and Authentication of personnel that fulfil roles of responsibility in the QuoVadis PKI;
- Use of cryptography for session communication and database security;
- Archive of CA history and audit data;
- Use of cryptographic smart cards and x.509 Certificates for all administrators.

6.5.1. Computer Security Rating

A version of the core Certificate Authority software used by QuoVadis has obtained the globally recognised Common Criteria EAL 4+ certification.

6.6. Life Cycle Technical Controls

All hardware and software procured for the QuoVadis PKI must be purchased in a manner that will mitigate the risk that any particular component was tampered with, such as random selection of specific components. Equipment developed for use within the QuoVadis PKI shall be developed in a controlled environment under strict change control procedures.

A continuous chain of accountability, from the location where all hardware and software that has been identified as supporting a CA within the Qen-GBthatGBthodcodevMCIm .r d4(w)-du70(a)5(b595( )-3o/Lang55(th)0-12(iniIm)-46(.r o)i)3mu(d)s Tc 1

6.7 Network Security Controls

All access to Issuing CA equipment via a network is protected by network firewalls and filtering routers. Firewalls and filtering routers used for Issuing CA equipment limits services to and from the Issuing CA equipment to those required to perform Issuing CA functions.

All unused network ports and services on Issuing CA equipment are turned off to provide protection against known network attacks. Any network software present on the Issuing CA equipment is software required for the functioning of the Issuing CA application. All Root CA equipment is maintained and operated in stand-alone (offline) configurations.

6.8. Time-Stamping

See Section 5.5.5.

7. CERTIFICATE, CRL, AND OCSP PROFILES

7.1. Certificate Profile

7.1.1. Version Numbers

Information for interpreting Certificate and CRL Profiles may be found in IETF RFC 5280. QuoVadis Certificates follow the ITU X.509v3 standard, which allows a CA to add certain Certificate extensions to the basic Certificate structure.

7.1.2. Certificate Extensions

See Appendix A and Appendix B.

7.1.3. Algorithm Object Identifiers

See Appendix A and Appendix B.

7.1.4. Name Forms

See Appendix A and Appendix B.

7.1.5. Name Constraints

See Appendix A and Appendix B.

7.1.6. Certificate Policy Object Identifier

An object identifier (OID) is a number unique within a specific domain that allows for the unambiguous identification of a policy, including a CP/CPS such as this. The Certificate Policy OIDs that incorporate this CP/CPS into a given Certificate by reference (and identify that this CP/CPS applies to a given Certificate containing the OID) are listed in Appendix A and Appendix B.

7.1.7 Usage Of Policy Constraints Extension

Not applicable.

7.1.8. Policy Qualifiers Syntax And Semantics

QuoVadis Certificates include a brief statement in the Policy Qualifier field of the Certificate Policy extension to inform potential Relying Parties on notice of the limitations of liability and other terms and conditions on the use of the Certificate, including those contained in this CP/CPS, which are incorporated by reference into the Certificate.

- Any business continuity, incident response, contingency, and disaster recovery plans;
- Any other security practices, measures, mechanisms, plans, or procedures used to protect the confidentiality, integrity or availability of information;
- Any information held by QuoVadis as private information in accordance with Section 9.4;
- Any transactional, audit log, and archive records including Certificate Application records and documentation submitted in support of Certificate Applications whether successful or rejected; and
- Transaction records, financial audit records and external or internal audit trail records and any audit reports ZLWK WKH H[FHSWLRQ RI DQ DXGLWRU¶V OHWWHU FRQILUPLQJ WKH HIIHFWL

9.3.2. Information Not Within The Scope Of Confidential Information

Information appearing in Certificates or stored in the Repository is considered public and not within the scope of confidential information, unless statutes or special agreements so dictate.

9.4. Responsibility To Protect Private Information

All Participants in the QuoVadis PKI QuoVadis and all others using or accessing any personal data in connection with matters dealt with this CP/CPS shall comply with the Council Directive 95/46/EC of the European Parliament and of the Council of 24 October 1995 on the protection of individuals with regard to the processing of personal data and on the free movement of such data, and any amending and/or implementing legislation enacted from time to time, and any other relevant legislation relating to data protection, and any equivalent legislation or regulations in any relevant jurisdiction. QuoVadis complies with the Swiss Federal Act on Data Protection of June 19, 1992 (SR 235.1).

9.4.1. Privacy Plan

QuoVadis has implemented a privacy policy in compliance with this CP/CPS. The QuoVadis privacy policy is published

any information in the EV Certificate is or becomes incorrect or inaccurate, or (b) there is any actual or suspected misuse or compromise of the Certificate Holder ¶ V 3 e U L Y D W associated with the Public Key listed in the Certificate; and

- Termination of Use of Certificate: An obligation and warranty to promptly cease all use of the Private Key corresponding to the Public Key listed in an Certificate upon expiration or revocation of that Certificate.

Without limiting other Certificate Holder obligations stated in this CP/CPS, Certificate Holders are solely liable for any misrepresentations they make in Certificates to third parties that reasonably rely on the representations contained therein.

Upon accepting a Certificate the Certificate Holder represents to QuoVadis and to Relying Parties that at the time of acceptance and until further notice:

- The Certificate Holder retains control of the Certificate Holder ¶ V S U L Y D W H Ha W U V W Z R U W K y system, and takes reasonable precautions to prevent its loss, disclosure, modification, or unauthorised use and that no un

- Any other damages except for those due to reliance, on the information featured on a Certificate, or on the verified information in a Certificate;
- Any liability incurred in this case or any other case if the fault in this verified information is due to fraud or wilful misconduct of the Applicant or Certificate Holder;
- Any liability that arises from the usage of a Certificate that has not been issued or used in conformance with this CP/CPS;
- Any liability that arises from the usage of a Certificate that is not valid;
- Any liability that arises from usage of a Certificate that exceeds the limitations in usage and value and transactions stated upon it or in this CP/CPS;
- Any liability that arises e 2 2 2 ge thv3(ns)4(5( )6()-313(tn86(202AsT(5( )6()-313(t(en-GB)/MCID( )-226()-313(2)-141(a)-7(-9

- If the private key associated with the Certificate held by the claiming party or otherwise the subject of any claim has been compromised;
- If the Certificate held by the claiming party was issued in a manner that constituted a breach of any applicable law or regulation;
- Computer hardware or software, or mathematical algorithms, are developed that tend to make public key cryptography or asymmetric cryptosystems insecure, provided that QuoVadis uses commercially reasonable practices to protect against breaches in security resulting from such hardware, software, or algorithms;
- Power failure, power interruption, or other disturbances to electrical power, provided QuoVadis uses commercially reasonable methods to protect against such disturbances;
- Failure of one or more computer systems, communications infrastructure, processing, or storage media or mechanisms, or any sub components of the preceding, not under the exclusive control of QuoVadis and/or its subcontractors or service providers; or
- One or more of the following events: a natural disaster or Act of God (including without limitation flood, earthquake, or other natural or weather related cause); a labour disturbance; war, insurrection, or overt military hostilities; adverse legislation or governmental action, prohibition, embargo, or boycott; riots or civil

9.10.3. Effect Of Termination And Survival

9.16.5. Enforcement (Waiver Of Rights)

Except where an express time frame is set forth in this CP/CPS, no delay or omission by QuoVadis to exercise any right, remedy, or power it has under this CP/CPS shall impair or be construed as a waiver of such right, remedy, or power. A waiver by QuoVadis of any breach or covenant in this CP/CPS shall not be construed to be a waiver of any other or succeeding breach or covenant. No waiver shall be effective unless it is in writing. Bilateral agreements between QuoVadis and the parties to this CP/CPS may contain additional provisions governing enforcement.

9.16.6. Force Majeure

QUOVADIS ACCEPTS NO LIABILITY FOR ANY BREACH OF WARRANTY, DELAY, OR FAILURE IN PERFORMANCE THAT RESULTS FROM EVENTS BEYOND ITS CONTROL SUCH AS ACTS OF GOD, ACTS OF WAR, ACTS OF TERRORISM, EPIDEMICS, POWER OR TELECOMMUNICATION SERVICES FAILURE, FIRE, AND OTHER NATURAL DISASTERS.

9.17. Other Provisions

No stipulation.

APPENDIX-5(uo)32NA

QuoVadis Global SSL ICA

ueC Q /P ≠MCI4(d Ra0 /P ∝ n BT 0 g DC q 162.26 682.9 6.14 4.88 re)-2(e)6(ria)7.14 Td [667 48 re10.006 T4.87

Field	Value
Version	V3
Serial Number	Unique number 057a

Appendix B ±Certificate Holder Certificate Profiles

Business SSL

Field	Value
Version	V3
Serial Number	Unique number

Certificate Policies	c=no; Certificate Policies; {1.3.6.1.4.1.8024.0.2.100.1.1 } [1,1] Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.quovadisglobal.com/repository [1,2] Policy Qualifier Info: Policy Qualifier Id=User Notice Qualifier: Notice Text= Any use of this Certificate constitutes acceptance of the QuoVadis Root CA 2 Certification Policies and Certificate Practice Statement.
Subject Alternative Name	c=no; DNS = FQDN of Device (e.g., domain.com)
Authority Information Access	c=no; Access Method= - Id-ad-ocsp (On-line Certificate Status Protocol - 1.3.6.1.5.5.7.48.1); URL =http://ocsp.quovadisglobal.com
CRL Distribution Points	c = no; CRL HTTP URL =http://crl.quovadisglobal.com/QVSSLICA.crl

Purposes of Business SSL

Extended Validation SSL

Field			

State/Province of Incorporation	subject:jurisdictionOfIncorporationStateOrProvinceName (1.3.6.1.4.1.311.60.2.1.2)	ASN.1 - X520StateOrProvinceName as specified in RFC 5280 Full name of Jurisdiction of Incorporation for an Incorporating or Registration Agency at the state or province level, including country information as follows, but not city or town information above.
Country of Incorporation	subject:jurisdictionOfIncorporationCountryName (1.3.6.1.4.1.311.60.2.1.3)	ASN.1 - X520countryName as specified in RFC 5280 Jurisdiction of Incorporation for an Incorporating or Registration Agency at the country level would include country information but would not include state or province or city or town information. Country information MUST be specified using the applicable ISO country code.
Registration Number	Subject:serialNumber (2.5.4.5)	For Private Organisations and Business Entities, this field MUST contain the unique Registration Number assigned to the Subject by the Incorporating or Registration Agency in its Jurisdiction of Incorporation. If the Incorporating or Registration Agency does not provide Registration Numbers, then the field will contain the date of incorporation or registration. For Government Entities, that do not have a Registration Number or verifiable date of creation, the field ZLOO FRQWDLQ WKH ODE (QW.LW\´
Business Category	Subject:businessCategory (2.5.4.15)	This field MUST contain one of the following strings: "Private Organization", "Gove54 156.14 re W*n BT

Additional Warranties and Representations for EV Certificates
QuoVadis makes the following EV Certificate Warranties solely to Certificate Holders, Certificate Subjects, Application Software Vendors with whom QuoVadis has entered into a contract for inclusion of its Root Certificate in software distributed by such Application Software Vendors, and all Relying Parties that actually rely on such EV Certificate during the period when it is valid, that it followed the requirements of the EV Guidelines and this CP/CPS in issuing the EV Certificate and in verifying the accuracy of the information contained in the EV Certificate (EV Certificate Warranties).

The EV Certificate Warranties specifically include, but are not limited to, warranties that:

- Legal Existence: QuoVadis has confirmed with the Incorporating or Registration $JHQF\ LQ WKH 6XEMHFW Jurisdiction of Incorporation or Registration that, as of the date the EV Certificate was issued, the Subject named in the EV Certificate legally exists as a valid organisation or entity in the Jurisdiction of Incorporation or Registration;

- Identity: QuoVadis has confirmed that, as of the date the EV Certificate was issued, the legal name of the Subject named in the EV Certificate matches the name on the official government records of the Incorporating or Registration $JHQF\ LQ WKH 6XEMHFW¶V -XULVGLFWLRQ RI ,QFRUSRUDWLRQ RU 5HJLVWUDWLRQ and, if an assumed name is also included, that the assumed name is properly registered by the Subject in the jurisdiction of its Place of Business;

- Right to Use Domain Name: QuoVadis has taken all steps reasonably necessary to verify that, as of the date the EV Certificate was issued, the Subject named in the EV Certificate has the exclusive right to use the domain name(s) listed in the EV Certificate;

- Authorization for EV Certificate: QuoVadis has taken all steps reasonably necessary to verify that the Subject named in the EV Certificate has authorised the issuance of the EV Certificate;

- Accuracy of Information: QuoVadis has taken all steps reasonably necessary to verify that all of the other information in the EV Certificate is accurate, as of the date the EV Certificate was issued;

- Certificate Holder Agreement: The Subject named in the EV Certificate has entered into a legally valid and enforceable Certificate Holder Agreement with QuoVadis that satisfies the requirements of the EV Guidelines or

- Verify that a Certificate Approver has signed or otherwise approved the EV Certificate Request.

The vetting regime of the EV Guidelines includes detailed verification procedures, which vary by Certificate Holder, and may include direct confirmation with Incorporating Agencies as well as correlation of information from certain qualified commercial data providers, site visits, and independent confirmations from senior officers of the Applicant. Verified opinion letters from attorneys and accountants representing the Applicant, as well as bank account verifications, may also be used to fulfil aspects of the vetting process.

Applicant Contacts

The EV Guidelines specify a number of Applicant roles involved in the EV verification process. All must be filled by natural persons (i.e., specific individuals as opposed to generic titles or automated systems). The Applicant may authorize one individual to occupy two or more of these roles. The Applicant may authorize more than one individual

actual or suspected misuse or compromise of the Certificate Holder ¶ V 3 U L Y D W H .H with the Public Key W H listed in the EV Certificate; and

- Termination of Use of EV Certificate: An obligation and warranty to promptly cease all use of the Private Key corresponding to the Public Key listed in an EV Certificate upon expiration or revocation of that EV Certificate.

Application Process
During the Certificate approval process, QuoVadis Validation Specialists employ controls to validate the identity of the Certificate Holder and other information featured in the Certificate Application to ensure compliance with the Guidelines.

Step 1: The Certificate Requester provides a signed Certificate Application to QuoVadis, which includes information about the Applicant, personnel within the organisation who have authority to approve the request and also agreement to the Certificate Holder Agreement. In addition, the Certificate Requester provides a PKCS#10 CSR as well as billing information for processing the request and issuing the EV Certificate.

Step 2: QuoVadis independently verifies all information that is required to be verified by the EV Guidelines using a variety of sources.

Step 3: QuoVadis requests and receives a signed EV Authority Letter from the Applicant (unless a valid EV Authority Letter from the Applicant is already in its possession). Alternate procedures may also be used to authenticate the identity and authority of individuals involved in the Certificate Application.

Step 4: The Certificate Approver is contacted to obtain approval of Certificate issuance.

Step 5: All signatures by Certificate Requesters, Certificate Approvers and Contract Signers are verified through follow-up procedures or telephone calls.

Step 6: QuoVadis obtains and documents further explanation or clarification from the Applicant, Certificate Approver, Certificate Requester, and/or other sources of information as necessary to resolve discrepancies or details requiring further explanation. QuoVadis procedures ensure that a second Validation Specialist who is not responsible for the collection and review of information reviews all of the information and documentation assembled in support of the EV

Authority Information Access	c=no; Access Method= - Id-ad-ocsp (On-line Certificate Status Protocol - 1.3.6.1.5.5.7.48.1); URL =.

Step 5: QuoVadis obtains and documents further explanation or clarification as necessary to resolve discrepancies or details requiring further explanation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the Certificate Request and notify the Applicant accordingly. Two QuoVadis Validation Specialists must approve issuance of the Certificate.

Step 6: QuoVadis creates the Trusted Code Signing Certificate.

Step 7: The Certificate is delivered to the Applicant.

Renewal
Renewal requirements and procedures include verification that the Applicant continues to have authority to publish code using the name in the Certificate, and that the Certificate Application is approved by an authorised representative of the Applicant.