QUOVADIS ROOT CERTIFICATION AUTHORITY
CERTIFICATE POLICY/
CERTIFICATION PRACTICE STATEMENT

OIDs: 1.3.6.1.4.1.8024.0.1
1.3.6.1.4.1.8024.0.3

Effective Date: 31 January 2013

Version: 4.11

5.3. Personnel Controls 23
5.4. Audit Logging Procedures 24
5.5. Records Archival 26
5.6. Key Changeover 26
5.7. Compromise And Disaster Recovery 27
5.8. Certification Authority And/Or Registration Authority Termination 27
6. TECHNICAL SECURITY CONTROLS 28
6.1. Key Pair Generation And Installation 28
6.2. Private Key Protection And Cryptographic Module Engineering Controls 29

The diagram below illustrates the components of the QuoVadis PKI:

	For Qualified Digital Certificates according to the Swiss Digital Signature Law, all identification processes for individuals require applicants to present themselves for face-to-face verification.
	For Qualified Digital Certificates according to the European/Dutch Digital Signature Law, all identification processes for individuals require applicants to present themselves for face-to-face verification.

This CP/CPS describes all subordinate services that operate under the QuoVadis Root CA, i.e. that are within the QuoVadis "chain of trust".

Participants ("Participants") within the QuoVadis PKI include:

- Certification Authorities;
-

This CP/CPS relates to the QuoVadis Root Certification Authority, QuoVadis Root CA 1 G3, QuoVadis Root CA 3, and QuoVadis Root CA 3 G3. QuoVadis Root CA 2 and QuoVadis Root CA 2 G3 have a separate CP/CPS.

QuoVadis is obligated to operate the QuoVadis Root Certification Authority, QuoVadis Issuing CAs, and QuoVadis RAs in accordance with this QuoVadis CP/CPS and other relevant operational policies and procedures with respect e5.>BDC -s6(t)c-12(t)

Certificate Holders are required to act in accordance with this CP/CPS and Certificate Holder Agreement. A Certificate Holder represents, warrants and covenants with and to QuoVadis, Relying Parties, Application Software Vendors and the Registration Authority processing their application for a Digital Certificate that:

- Both as an applicant for a Digital Certificate and as a Certificate Holder, submit complete and accurate information in connection with an application for a Digital Certificate and will promptly update such information and representations from time to time as necessary to maintain such completeness and accuracy.
- Comply fully with any and all information and procedures required in connection with the Identification and Authentication requirements relevant to the Digital Certificate issued. See Appendix A.
- Promptly review, verify and accept or reject the Digital Certificate that is issued and ensure that all the information set out therein is complete and accurate and to notify the Issuing

1.4.1. Appropriate Certificate Usage

Digital Certificates may be used for identification, providing data confidentiality and data integrity, and for creating digital signatures.

The use of Digital Certificates supported by this CP/CPS is restricted to parties authorised by contract to do so. Persons and entities other than those authorised by contract may not use Digital Certificates for any purpose. No reliance may be placed on a Digital Certificate by any Person unless that Person is an Authorised Relying Party.

A Digital Certificate does not convey evidence of authority of an Individual to act on behalf of any person or to undertake any particular act, and Authorised Relying Parties are solely responsible for exercising due diligence and reasonable judgement before choosing to place any reliance whatsoever on a Digital Certificate. A Digital Certificate is not a grant, assurance, or confirmation from QuoVadis of any authority, rights, or privilege save as expressly set out in this CP/CPS or expressly set out in the Digital Certificate.

Any person participating within the QuoVadis PKI irrevocably agrees, as a condition to such participation, that the issuance of all products and services contemplated by this CP/CPS shall occur and shall be deemed to occur in Bermuda and that the performance of QuoVadis' obligations hereunder shall be performed and be deemed to be performed in Bermuda.

1.4.2. Prohibited Certificate Usage

Digital Certificates may not be used and no participation is permitted in the QuoVadis PKI (i) in circumstances that breach, contravene, or infringe the rights of others or (ii) in circumstances that offend, breach, or contravene any applicable law, statute, regulation, order, decree, or judgment of a court of competent jurisdiction or governmental order in Bermuda or (iii) in connection with fraud, pornography, obscenity, hate, defamation or harassment.

QuoVadis will revoke any unexpired Certificate whose subjectAlternativeName extension or Subject commonName field contains a Reserved IP Address or Internal Server Name. The FQDN or authenticated domain name is placed in the Common Name (CN) attribute of the Subject field and, when applicable, the Subject Alternative Name extension.

	For Qualified Certificates issued according to the Swiss Digital Signature law, all fields containing information must be verified by the appropriate Registration Authority by reference to appropriate documentation and face-to-face presentation of Government-Issued ID or Passport.
	For Qualified Certificates issued according to European/Dutch Digital Signature law, all fields containing information must be verified by the appropriate Registration Authority by reference to appropriate documentation and face-to-face presentation of Government-Issued ID or Passport.

3.1.2. Need For Names To Be Meaningful

Distinguished Names must be meaningful, unambiguous and unique. QuoVadis supports the use of Digital Certificates as a form of identification within a particular community of interest.

The contents of the Digital Certificate Subject Name fields must have a meaningful association with the name of the Individual, Organisation, or Device. In the case of Individuals, the name should consist of the first name, last name, and any middle initial. In the case of Organisations, the name shall meaningfully reflect the legal name or registered domain name of the Organisation or the trading or business name of that Organisation. In the case of a Device, the name shall state the name of the Device and the legal name or registered domain name of the Organisation responsible for that Device.

3.1.3. Pseudonymous Certificate Holders

Pseudonym Digital Certificates may only be issued if permitted for that class/type of Digital Certificates and only in accordance with relevant industry standards.

3.1.4. Rules For Interpreting Various Name Forms

Fields contained in Digital Certificates are in compliance with this CP/CPS and the Digital Certificate Profiles detailed in Appendix A. In general, the rules for interpreting name forms can be found in International Telecommunication (ITU) and Internet Engineering Task Force (IETF) Standards, such as the ITU-T X.500 series of standards and applicable IETF RFCs.

3.1.5. Uniqueness Of Names

For Qualified Certificates, in accordance with Swiss Digital Signature law, Private Keys are generated on secure signature smartcards in the presence of the Certificate Holder. The Certificate Holder is responsible for securing the smartcard with a Personal I

An Issuing CA within the QuoVadis PKI may accept the following Non-Verified Certificate Holder Information for other classes of Digital Certificate:

- Organisational Unit (OU)
- Other information that is permitted as Non-Verified according to the Certificate class or relevant industry standards

---

For Qualified Certificates, in accordance with the Swiss Digital Signature law, all Certificate fields and Registration Information are verified by appropriate documentation.

x Applying in person to the Registration Authority, Issuing CA or QuoVadis supplying either original proof of identification in the form of a valid Driving License or Passport;

For Qualified Certificates, in accordance with the Swiss Digital Signature law, proof of identification can only take the form of a Passport or Government-issued ID Card.

4.2.3. Time To Process Certificate Applications

Registration Authorities and Issuing CAs operating within the QuoVadis PKI are under no obligation to process Digital Certificate Applications other than within a commercially reasonable time.

4.3. Certificate Issuance

4.3.1. Certification Authority Actions During Certificate Issuance

Digital Certificate issuance is governed by and should comply with the practices described in and any requirements imposed by the QuoVadis CP/CPS.

4.3.1.1. QuoVadis Root Certification Authority

The Root Certification Authority Certificate has been self-generated and self-signed.

4.3.1.2. QuoVadis Issuing Certification Authority Certificates

Upon accepting the terms and conditions of the QuoVadis Issuing CA Agreement by the Issuing CA, successful completion of the Issuing CA application process as prescribed by QuoVadis, and final approval of the application by the QuoVadis Root Certification Authority, the QuoVadis Root Certification Authority issues the Issuing CA Digital Certificate and returns the reTe(e)5(v)-10(a)4(n)-3(t I)-15(s)5(s)5(u(te)-85.3a)-1(di)-4vbed apR.00i0biIfQues ev 0 Td [(A)-6(grT74.853 0 7853

- Circumstances for Certificate Renewal.
- Who may request certification of a new Public Key.
- Processing Certificate Renewal Requests.
- Notification of new Digital Certificate issuance to Certificate Holder.
- Conduct constituting acceptance of a Renewed Digital Certificate.
- Publication of the Renewed Digital Certificate by the Certification Authority.
- Notification of Digital Certificate issuance by the Certification Authority to other entities.

4.7. Certificate Re-Key

Certificate Re-Key is when all the identifying information from a Digital Certificate is duplicated in a new Digital Certificate, but there is a different public key and a different validity period. Due diligence, Key Pair generation, delivery and management are performed in accordance with this CP/CPS.

4.7.1. Circumstance For Certificate Re-Key

Digital Certificates may be Re-Keyed upon request.

4.7.2. Who May Request Re-Key

Certificate Holders and Nominating Registration Authorities may request Digital Certificate Re-Keys.

4.7.3. Processing Certificate Re-Key Request

Digital Certificate Re-Key requests are processed in the same manner as requests for new Digital Certificates and in accordance with the provisions of this CP/CPS. In order to process a Re-Key request, the Certificate Holder is required to confirm that:

- Details contained in the original Digital Certificate application have not changed.
- Authenticate their identity to the Registration Authority.

Using their existing Digital Certificate, the Certificate Holder may digitally sign an electronic message to the Nominating Registration Authority requesting that the Digital Certificate be Re-Keyed and confirming that the original application details have not changed. Appropriate vetting will be performed in relation to the details to be included in the Digital Certificate.

4.7.4. Notification Of New Certificate Issuance To Certificate Holder

- QuoVadis Certification Authority key compromise
- Certificate Holder profile creation error
- Key Compromise including unauthorised access or suspected unauthorised access to Private Keys, lost or suspected lost keys, stolen or suspected stolen keys, destroyed or suspected destroyed keys or superseded by replacement keys and a new Certificate.
- The Certificate Holder has failed to meet his, her or its obligations under this QuoVadis CP/CPS or any other agreement, regulation, or law that may be in force with respect to that Digital Certificate;
- The Certificate was not issued in accordance with the terms and conditions of this CP/CPS or the Certificate Holder provided inaccurate, false or misleading information;
- The Private Key corresponding to the Certificate has been used to sign, publish or distribute spyware, Trojans, viruses, rootkits, browser hijackers, or other content, for phishing, or conduct that is harmful, malicious, hostile or to download malicious content onto a user's system without their consent;
- The Certificate Holder is a denied party or prohibited person on a government-issued blacklist, or is operating from a prohibited destination;
- Where a Certificate Holder's employer or company that operates the Nominating Registration Authority, or its res(t)-5( )-5(,)-16 Tw 1.54res(t)-5( )-5(,)-16 Tw 1.54ssute i(,)-10((e,)- 6( )1(Tc 0()-195( )-10(54)s-0Ab4-5(i)-17(ea)-14)-1(t76(t)-

Holder (o

4.10. Certificate Status Services

4.10.1. Operational Characteristics

The Status of Digital Certificates issued within the V [illegible]5O:5sg9ched [/O:5s5O:5 [/]/BBox [6622 Tw 30.8361(Kt)-5Iics

5.2.1. Trusted Roles

In order to ensure that one person acting alone cannot circumvent

5.7. Compromise And Disaster Recovery

QuoVadis has a CA Operations Disaster & Recovery Plan (QuoVadis Business Continuity Plan). The purpose of this plan is to restore core business operations as quickly as practicable when systems and/or operations have been significantly and adversely impacted by fire, strikes, etc.

QuoVadis and each Issuing CA have in place an appropriate disaster recovery and business resumption plan that provides for the immediate continuation of Digital Certificate revocation services in the event of an unexpected emergency. QuoVadis regards its disaster recovery and business resumption plan as proprietary

haha

Copyright QuoVadis Limited: Public Document

6.2.11. Cryptographic Module Rating

The cryptographic modules used by the QuoVadis PKI are validated to FIPS 140-2 Level-3 and/or EAL 4 security standards.

	For Qualified Certificates, in accordance with Swiss Digital Signature law, the Certificate Holder Private Keys are generated and stored on a Secure Signature Creation Device that meets or exceeds EAL 4 standards.
	For Qualified Certificates, in accordance with European/Dutch Digital Signature law, the Certificate Holder Private Keys are generated and stored on a Secure Signature Creation Device that meets or exceeds EAL 4 standards.

6.3. Other Aspects Of Key Pair Management

6.3.1. Public Key Archival

Public Keys will be recorded in Digital Certificates that will be archived in the Repository. No separate archive of Public Keys will be maintained.

6.3.2. Certificate Operational Periods And Key Pair Usage Periods

Usage periods for Public Keys and Private Keys s

6.5. Computer Security Controls

QuoVadis has a formal Information Security Policy that documents the QuoVadis policies, standards and guidelines relating to information security. This Information Security Policy has been approved by management and is communicated to all employees.

Computer security technical requirements are achieved utilising a combination of hardened security modules and software, operating system security features, internal PKI and Certificate Authority Software and physical safeguards, including security Policies and Procedyyion 06 Tc 0.0ip(P)Tj 2(b)8(i)4(na)7(t)3(i(0.0ipTd [[(st)-5(a)e)4(7t112( )1(Atf006 -8(lu)-4(d)4(

The QuoVadis Chief Security Officer periodically verifies the integrity of the Certificate Authority software and monitors the configuration of the Certificate Authority systems.

6.7. Network Security Controls

All access to Issuing CA equipment via a network is protected by network firewalls and filtering routers. Firewalls and filtering routers used for Issuing CA equipment limits services to and from the Issuing CA equipment to those required to perform Issuing CA functions.

Any and all unused network ports and services are turned off to ensure that Issuing CA equipment is protected against known network attacks. Any network software present on the Issuing .

FIELDS	CONTENT	DEMARCATION
Certificate Policies	This extension contains Object Identifiers (OIDS) as well as a URL with a link to the QuoVadis Repository at http://www.quovadisglobal.com/repository. QuoVadis Certificates issued up to and including version 4.6 of this CP/CPS contain the OIDs for QuoVadis Root 1 (1.3.6.1.4.1.8024.0.1) or QuoVadis Root 3 (1.3.6.1.4.1.8024.0.3). QuoVadis Certificates issued from version 4.7 onwards will instead contain an OID that relates to the QuoVadis Certificate Class. Refer to section 10.1.1 for further information in relation to QuoVadis Certificate Classes and the related OIDS.	Fixed
Subject Alternative Name	This extension allows identities to be bound to the subject of the Certificate and can include Internet e- mail address, Microsoft UPN, a DNS name, IP address, or a Uniform Resource Identifier (URI). Refer to Appendix A for the Subject Alternative Name specific to each class of QuoVadis Certificates. All parts of the Subject Alternative Name included in the Digital Certificate will be subject to verification.	Holder Variable
Extended Key Usage (EKU)	This extension indicates one or more purposes for which the certified Public Key may be used, in addition to or in place of the basic purposes indicated in the key usage extension. The main EKUs used by QuoVadis include: x smartcardlogon x clientAuth x emailProtection The EKU in QuoVadis Digital Certificates is dependant on the QuoVadis(n)(ed)-13 186.24 36-Tm 0.00de99 de TemailProt-21(e)-13(k)-1(e)-.tR19(i)(p)-18(o)-1ditoThe	

7.1.5. Name Constraints
See 3.1.1

7.1.6. CP/CPS Object Identifier
The Object Identifiers (OIDs) assigned to this CP/CPS are 1.3.6.1.4.1.8024.0.1 and 1.3.6.1.4.1.8024.0.3.

7.1.7. Usage Of Policy Constraints Extension
No Stipulation.

7.1.8. Policy Qualifiers Syntax And Semantics
Digital Certificates issued within the QuoVadis PKI contain one of the Object Identifiers for this CP/CPS and an Object Identifier representing the QuoVadis Certificate Class.

7.1.9. Processing Semantics For The Critical Certificate Policies Extension
No Stipulation.

7.2. Certificate Revocation List Profile
Certificate Revocation Lists are issued in the X.509 version 2 format in accordance with RFC 5280.

7.2.1. Version Number
Issuing CAs within the QuoVadis PKI issue X.509 version 2 Certificate Revocation Lists.

7.2.2. Certificate Revocation List And Certificate Revocation List Entry Extensions
All User PKI software must correctly process all Certificate Revocation List extensions identified in the Digital Certificate and Certificate Revocation List profile.

7.3. Online Certificate Status Protocol Profile
Online Certificate Status Protocol is enabled for all Digital Certificates within the QuoVadis PKI.

7.3.1. Online Certificate Status Protocol Version Numbers
Version 1 of the Online Certificate Status Protocol, as defined by RFC2560, is supported within the QuoVadis PKI.

7.3.2. Online Certificate Status Protocol Extensions
No Stipulation.

7.4. Lightweight Directory Access Protocol Profile
QuoVadis will host a repository in the form of a Lightweight Directory Access Protocol directory for the purpose of (i) storing and making available all X.509 v. 3 Digital Certificates issued under the QuoVadis PKI, (ii) facilitating public access to download these Digital Certificates for Certificate Holder and relying party requirements, and (iii) receiving (from the QuoVadis PKI), storing and making publicly available, regularly updated Certificate Revocation List v. 2 information, for the purpose of Digital Certificate validation.

7.4.1. Lightweight Directory Access Protocol Version Numbers
LDAP V3 in accordance with RFC-4510

7.4.2. Lightweight Directory Access Protocol Extensions
No Stipulation.

7.5. Digital Certificate Fields and Root CA Certificate Hashes

7.5.1. Digital Certificate Fields



8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

8.1. Frequency, Circumstance And Standards Of Assessment

8.1.1. QuoVadis

8.1.3. Registration Authorities

Selected Registration Authorities

9.5.3. IETF Guidelines

The use of the PKIX IETF Guidelines is acknowledged.

9.5.4. Breach

QuoVadis excludes all liability for breach of any other intellectual property rights.

9.6. Representations And Warranties

9.6.1. Certification Authority Representations

9.6.1.1 Root Certification Authority Representations

QuoVadis discharges its obligations by:

- providing the operational infrastructure and certification services, including X.500 Directory and service provider software;
- making reasonable efforts to ensure it conducts an efficient and trustworthy operation. “Reasonable efforts” include but do

- documented operational procedures; and
- applicable law and regulation.

9.6.2.2 Warranties

Authorised Registration Authorities operating within the QuoVadis PKI hereby warrant that (a) they take reasonable steps to verify that the information contained in any Digital Certificate is accurate at the time of issue, and (b) they will request that Digital Certificates be revoked by QuoVadis if they believe or are notified that the contents of the Digital Certificate are no longer accurate, or that the key associated with a Digital Certificate has been compromised in any way.

9.6.3. Certificate Holder Representations And Warranties

Certificate Holders represent and warrant that:

- The Private Key is protected and has never been accessed by another person.
- All representations made by the Certificate Holder in the Digital Certificate Application are true.
- All information in the Digital Certificate is true and accurate.
- The Digital Certificate is being used for its intended, authorised and legal purpose consistent with this CP/CPS.
- They will promptly request revocation of the Digital Certificate in the event that: (a) any information in the Certificate is or becomes incorrect or inaccurate, or (b) there is any actual or suspected misuse or compromise of the Private Key associated with the Public Key listed in the Digital Certificate.

9.6.4. Relying Parties Representations And Warranties

Relying Parties represent and warrant that:

- They will collect enough information about a Digital Certificate and its Corresponding Holder to make an informed decision as to the extent to which they can rely on the Digital Certificate.
- That they are solely responsible for making the decision to rely on a Digital Certificate.
- That they shall bear the legal consequences of any failure to perform Relying Party obligations under the terms of this CP/CPS and the Relying Party agreement.

9.6.5. Representations And Warranties Of Other Participants

Participants within the QuoVadis PKI represent and warrant that they accept and will perform any and all duties and obligations as specified by this CP/CPS.

9.7. Disclaimers Of Warranties

To the extent permitted by applicable law, this CP/CPS, the Certificate Holder Agreement, the Relying Party Agreement, the Issuing CA Agreement, the Registration Authority Agreement and any other contractual documentation applicable within the QuoVadis PKI shall disclaim QuoVadis' possible warranties, including any warranty of merchantability or fitness for a particular purpose.

To the extent permitted by applicable law, QuoVadis makes no express or implied representations or warranties pursuant to this CP/CPS. QuoVadis expressly disclaims any and all express or implied warranties of any type to any person, including any implied warranty of title, non infringement, merchantability, or fitness for a particular purpose.

9.8. Liability and Limitations of Liability

9.8.1. QuoVadis Liability

QuoVadis shall be liable to Certificate Holders or relying parties only for direct loss arising from any breach of this CP/CPS or for any other liability it may incur in contract, tort or otherwise, including liability for negligence up to an aggregated maximum limit specified below in section 9.8.3.1

10.2. QV Standard

PURPOSE		
Standard Digital Certificates provide flexibility for a range of uses appropriate to their reliance value including electronic signatures, authentication, and encryption.		
REGISTRATION PROCESS		
Validation procedures for QuoVadis Standard Digital Certificates collect either direct evidence or an attestation from an appropriate and authorised source, of the identity (such as name and organisational affiliation) and other specific attributes of the Certificate Holder.		
FIELDS	**CONTENT**	**DEMARCATION**
Subject		

10.3. QV Advanced

PURPOSE
Advanced Digital Certificates provide reliable vetting of the holder's identity and may be used for a broad range of applications including digital signatures, encryption, and authentication.

REGISTRATION PROCESS
Validation procedures for QuoVadis Advanced Digital Certificates are based on the Normalised Certificate Policy (NCP) described in ETSI TS 102 042. Advanced validation is intended to provide equivalent quality to the QCP policy specified in ETSI TS 101 456 but without the legal constraints of the Electronic Signatures Directive (1999/93/EC). Unless the Certificate Holder has already been identified by the RA through a face-to-face identification meeting, accepted Know Your Customer (KYC) standards or a contractual relationship with the RA, validation requirements for a Certificate Holder shall include the following: If the Certificate Holder is a physical person, evidence of the Certificate Holder's identity shall be checked against a physical person either directly, or shall have been checked indirectly using means which provide equivalent assurance to physical presence. Evidence shall be provided of: x Full name (including surname and given names consistent with applicable law and national identification practices); and x Date and place of birth, reference to a nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name. If the Certificate Holder is a physical person who is identified in association with an organizational entity, additional evidence shall be provided of: x Full name and legal status of the associated organizational entity; x Any relevant existing registration information (e.g. company registration) of the organizational entity; and x Evidence that the Certificate Holder is associated with the organizational entity. If the Certificate Holder is an organizational entity, evidence shall be provided of: x Full name of the organizational entity; and x Reference to a nationally recognized registration or other attributes which may be used to, as far as possible, distinguish the organizational entity from others with the same name.

FIELDS	CONTENT	DEMARCATION
Subject		
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com	Holder Variable
Common Name (CN)	First Name - Last Name	Holder Variable
Organisational Unit (OU)	Variable Data	Holder Variable
Organisation (O)	Organisation legal name	Holder Variable
Country/Locality	Variable Data	Holder Variable
Subject Public Key Information	RSA (2048-bit2048-bit) / System Generated	Fixed
Extensions		
Subject Alternative Name	Principle Name = Email Address	Holder Variable
Certificate Policies	This extension includes the	

10.5. QV Qualified

10.5.1. Qualified Certificate Profile

Please note that where a Qualified Personal Digital Certificate is issued within the meaning of EU Directive 1999/93/EC, the individual applying for the Qualified Personal Digital Certificate must undergo a face-to-face identity verification procedure.

PURPOSE
The purpose of a Qualified Digital Certificate is to identify the Certificate Holder with a high level of assurance, for the purpose of creating Qualified electronic signatures meeting the qualification requirements defined by the applicable legal framework of the Electronic Signatures Directive (1999/93/EC). The QuoVadis Qualified Certificate Class is trusted in the Adobe Approved Trust List (AATL).

REGISTRATION PROCESS

Validation procedures for QuoVadis Qualified Digital Certificates are consistent with the Qualified Certificate Policy + SSCD (QCP public +SSCD) policy described in ETSI TS 101 456.

If the Certificate Holder is a physical person, evidence of the Certificate Holder's identity shall be checked against a physical person either directly, or shall have been checked indirectly using means which provide equivalent assurance to physical presence.

Evidence shall be provided of:

- Full name (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.

If the Certificate Holder is a physical person who is identified in association with an organisational entity, additional evidence shall be provided of:

- Full name and legal status of the associated organisational entity;
- Any relevant existing registration information (e.g. company registration) of the organisational entity; and
- Evidence that the Certificate Holder is associated with the organisational entity.

QuoVadis Qualified Digital Certificates require a Secure Signature Creation Device (SSCD) thatsD

10.6.1.1. Grid End User Certificate

PURPOSE
Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid End User Certificate is to help the Certificate Holder to access the Grid services that require Certificate-based authentication.
REGISTRATION PROCESS
The identity vetting of all Applicants must be performed by an approved Registration Authority (RA). Face to face registration is required at the RA or alternatively the Applicants can have their identity vetted at a post office providing an approved identity vetting service. The Applicant must present a valid photo ID and/or valid official documents in accordance with formally documented RA procedures. The RA is responsible for recording, at the

10.7. QuoVadis Device

PURPOSE

QuoVadis Device Certificates may be used for authentication, encryption, access control and digital signature purposes, as designated by the Key Usage and EKU fields found within the Digital Certificate.

REGISTRATION PROCESS

Before issuing a QV Device Certificate, QuoVadis performs procedures to verify that the information in the Digital Certificate is correct, and that the Applicant is authorised to use, for example, the domain name and that has accepted a Subscriber Agreement for the requested Certificate.

If the device or system is operated by or on behalf of an organisational entity, evidence shall be provided of:

- x identifier of the device by which it may be referenced (e.g. Internet domain name);
- x full name of the organisational entity; and
- x a nationally recognised identity number, or other attributes which may be used to, as far as possible, distinguish the organisational entity from others with the same name.

Documentation requirements for organisation Applicants may include, Certificate of Incorporation, Memorandum of Association, Articles of Incorporation or equivalent documents.

FIELDS	CONTENT	DEMARCATION
Subject		
Common Name (CN)	Subject Common Name	Holder Variable
Organisational Unit (OU)	Variable Data	Holder Variable
Organisation (O)	Organisation legal name	Holder Variable
Locality (L)	Subject Locality (Optional)	Holder Variable
State/Province (ST)	Subject State/Province (Optional)	Holder Variable
Country (C)	Subject Country	Holder Variable
Subject Public Key Information	RSA (2048-bit) / System Generated	Fixed
Extensions		
Key Usage	Digital Signature	Fixed
Key Usage	Key Encipherment	Fixed
Enhanced Key Usage	Client Authentication	Holder Variable
Enhanced Key Usage	Server Authentication	Holder Variable
Subject Alternative Name	DNS = Fully Qualified Domain Name of the Device (e.g. domain.com)	Holder Variable
Certificate Policies	This extension includes the QV Device Certificate 1.3.6.1.4.1.8024.0.346.68 3	

"**Certificate Revocation List**" means a list of Digital Certificates signed by the Issuing Certification Authority that have been revoked.

"**Counterparty**" means a person that is known to a Nominating Registration Authority or its respective Subsidiaries or Holding Companies and where the relationship with the Counterparty was established in accordance with recognised and documented Know Your Customer standards and with whom the Registration Authority is reliably able to identify the Counterparty through business records maintained by the Registration Authority or obtained from its respective Subsidiaries or Holding Companies.

"**Cryptographic Module**" means secure software, device or utility that (i) generates Key Pairs; (ii) stores cryptographic information; and/or (iii) performs cryptographic functions.

"**Digital Certificate**" means a digital identifier within the QuoVadis PKI that: (i) identifies the Issuing CA; (ii) identifies the Holder; (iii) contains the Holder's Public and Private Keys; (iv) specifies the Digital Certificate's Operational Term; (v) is digitally signed by the Issuing CA; and (vi) has prescribed Key Usages and Reliance Factor that governs its issuance and use whether expressly included or incorporated by reference to this CP/CPS.

"**Digital Signature**" means data appended to, or a cryptographic transmission of, a data unit that allows a recipient of the data to prove the source and integrity of the data unit.

"**Digital Transmission**" means the transmission of information in an electronic format.

"**Device**" means software, hardware or other electronic or automated means configured to act in a particular way without human intervention.

"**Device Certificate**" means a Digital Certificate issued to identify a Device.

"**Distinguished Name**" means the unique identifier for the Holder of a Digital Certificate.

"**Federal Information Processing Standards**" (FIPS) means the standards that deal with a wide range of computer system components including: hardware, storage media, data files, codes, interfaces, data transmission,

"**Repository**" means one or more databases of Digital Certificates and other relevant information maintained by Issuing CAs.

"**Reserved IP Address**" means an IPv4 or IPv6 address that the IANA has marked as reserved:
http://www.iana.org/assignments/ipv4-address-space/ipv4-address-space.xml
http://www.iana.org/assignments/ipv6-address-space/ipv6-address-space.xml

"**Root Certification Authority Certificate**" means the self-signed Digital Certificate issued to the QuoVadis Root Certification Authority.

"**Root Certification Authority**" means QuoVadis as the source Certification Authority being a self-signed Certification Authority that signs Issuing CA Certificates.

"Secure Signature Creation Device" (SSCD) means a secure container specifically designed to carry and protect a digital certificate, which meets the following requirements laid down in annex III of Directive 1999/93/EC:

1. Secure signature-creation devices must, by appropriate technical and procedural means, ensure at the least that:
   (a) the signature-creation-data used for signature generation can practically occur only once, and that their secrecy is reasonably assured;
   (b) the signature-creation-data used for signature generation cannot, with reasonable assurance, be derived and the signature is protected against forgery using currently available technology;
   (c) the signature-creation-data used for signature generation can be reliably protected by the legitimate signatory
   against the use of others.
2. Secure signature-creation devices must not alter the data to be signed or prevent such data from being presented to the signatory prior to the signature process.

"**Subscriber**