

Certificate Holders are required to act in accordance with this CP/CPS and Certificate Holder Agreement. A Certificate Holder represents, warrants and covenants with and to QuoVadis, Relying Parties, Application Software Vendors and the Registration Authority processing their application for a Digital Certificate that:

- Both as an applicant for a Digital Certificate and as a Certificate Holder, submit complete and accurate information in connection with an application for a Digital Certificate and will promptly update such information and representations from time to time as necessary to maintain such completeness and accuracy.
- Comply fully with any and all information and procedures required in connection with the Identification and Authentication requirements relevant to the Digital Certificate issued. See Appendix A.
- Promptly review, verify and accept or reject the Digital Certificate that is issued and ensure that all the information set out therein is complete and accurate and to notify the Issuing CA, Registration Authority, or QuoVadis immediately in the event that the Digital Certificate contains any inaccuracies.
- Secure the Private Key and take all reasonable and necessary precautions to prevent the theft, unauthorised viewing, tampering, compromise, loss, damage, interference, disclosure, modification or unauthorised use of its Private Key (to include password, hardware token or other activation data used to control access to the 3 D U W L F L S D Q W ¶ V Private Key).
- Exercise sole and complete control and use of the Private Key W K D W F R U U H V S R Q G V W R W K H & H U W L I L F Key.
- Immediately notify the Issuing CA, Registration Authority or QuoVadis in the event that their Private Key is compromised, or if they have reason to believe or suspect or ought reasonably to suspect that their Private Key has been lost, damaged, modified or accessed by another person, or compromised in any other way whatsoever.) R O O R Z L Q J F R P S U R P L V H W K H X V H U ¶ V Private Key should be immediately and permanently discontinued.
- Take all reasonable measures to avoid the compromise of the security or integrity of the QuoVadis PKI.
- Forthwith upon termination, revocation or expiry of the Digital Certificate (howsoever caused), cease use of the Digital Certificate absolutely.
- At all times utilise the Digital Certificate in accordance with all applicable laws and regulations.
- Use the signing Key Pairs for electronic signatures in accordance with the Digital Certificate profile and any other limitations known, or which ought to be known, to the Certificate Holder.
- Discontinue the use of the digital signature Key Pair in the event that QuoVadis notifies the Certificate Holder that the QuoVadis PKI has been compromised.

Digital Certificates include a reference to the relevant CP/CPS, which contains statements detailing limitations of liability and disclaimers of warranty. In accepting a Digital Certificate, Certificate Holders acknowledge and agree to all such limitations and disclaimers documented in the CP/CPS.

Any .,

Digital Certificates may be used for identification, providing data confidentiality and data integrity, and for creating digital signatures.

The use of Digital Certificates supported by this CP/CPS is restricted to parties authorised by contract to do so. Persons and entities other than those authorised by contract may not use Digital Certificates for any purpose. No reliance may be placed on a Digital Certificate by any Person unless that Person is an Authorised Relying Party.

A Digital Certificate does not convey evidence of authority rted al5(nd)ivigidl533(t9(to)-2( )5314(a)5(c)-5(t)52)6(o)-3(n 168-6(b)6(e

The QuoVadis Root Certification Authority approves naming conventions for the creation of distinguished names for Issuing CA applicants. Different naming conventions may be used by different Issuing CAs.

The Subject Name of all Digital Certificates issued to Individuals shall be the authenticated common name of the Certificate Holder. Each User must have a unique and readily identifiable X.501 Distinguished Name (DN). The Distinguished Name may include the following fields:

x

requirements of this section. In all such cases, the Issuing CA or Registration Authority shall record the specific records upon which it relied for this purpose.

For Qualified Certificates, in accordance with Swiss Digital Signature law, Certificate

Identification and Authentication for routine Re-Key is based on the same requirements as issuance of new Certificates.

Identification and Authentication for Re-Key after revocation is based on the same requirements as issuance of new Certificates.

A request to revoke Keys and Digital Certificates may be submitted by persons authorised to do so under relevant contractual documentation.

An authorised individual acting under the authority of the Issuing CA may revoke a Digital Certificate by communicating with the QuoVadis Digital Certificate administration system using a QV Utility Digital Certificate.

A Registration Authority may request the revocation of Digital Certificates it has caused to be issued by requesting, in person, by digitally signed electronic mail or by authenticating to the QuoVadis Digital Certificate administration system that an authorised member of the Issuing CA staff revoke the Digital Certificate/s in question.

A Certificate Holder may request that his or her Digital Certificate be revoked by:

- Applying in person to the Registration Authority, Issuing CA or QuoVadis supplying either original proof of identification in the form of a valid Driving License or Passport;

	For Qualified Certificates, in accordance with the Swiss Digital Signature law, proof of identification can only take the form of a Passport or Government-issued ID Card.
	For Qualified Certificates, in accordance with the European/Dutch Digital Signature law, proof of identification can only take the form of a Passport or Government-issued ID Card.

- Sending a digitally signed email message to the Issuing Registration Authority, Issuing CA or QuoVadis requesting that their Digital Certificate be revoked.
- Telephonic communication using a pre-existing shared secret or password associated with & H U W L I L F D W H + R O G H account with the Certification Authority following appropriate Identification.

Digital Certificate applications are subject to various assessment procedures depending upon the tygBT1 0 0 6t(o)-3(r)f208(the)7(

Issuing CAs and Registration Authorities within the QuoVadis PKI may choose to notify Applicants that their Digital Certificate has been issued.

Digital Certificate acceptance is governed by and should comply with the practices described in, and any requirements imposed by, this CP/CPS.

Until a Digital Certificate is accepted, it is not published in any Repository or otherwise made publicly available. By using a Digital Certificate, the Holder thereof certifies and agrees to the statements contained in the notice of approval. This CP/CPS sets out what constitutes acceptance of a Digital Certificate. An Applicant that accepts a Digital Certificate warrants to the relevant Issuing CA, and all Authorised Relying Parties who reasonably rely, that all information supplied in connection with the application process and all information included in the Digital Certificate

Issuing CAs and Registration Authorities within the QuoVadis PKI shall

In the event that an Issuing CA determines that its Digital Certificates or the QuoVadis PKI could become compromised and that revocation of Digital Certificates is in the interests of the PKI, following remedial action, QuoVadis will authorise the reissue of Digital Certificates to Holders at no charge, unless the actions of the Holders were in breach of the QuoVadis CP/CPS or other contractual documents.

The following entities may request revocation of a Digital Certificate:

- QuoVadis may revoke any Digital Certificate issued within the QuoVadis PKI at its sole discretion, and shall publish the list of revoked Digital Certificates in a publicly accessible Certificate Revocation List.
- An Issuing CA operating within the QuoVadis PKI may revoke Digital Certificates that it has issued.
- A Registration Authority or Subscriber operating within the QuoVadis PKI may request revocation of Digital Certificates that it requested to be issued.
- Certificate Holders within the QuoVadis PKI may request revocation of their own Digital Certificates.
- An Application Software Vendor who has embedded a QuoVadis Root Certification Authority Certificate in its application as a trusted root may request the revocation of Digital Certificate chained to that Root Certificate.

QuoVadis will revoke a Digital Certificate upon receipt of a valid request. A revocation request should be promptly and directly communicated to the Issuing CA and the Registration Authority that approved or acted in connection with the issue thereof. The Certificate Holder may be required to submit the revocation request via the QuoVadis Support Line or directly over an Internet connection. The QuoVadis website (http://www.quovadisglobal.com) provides a mechanism in which to submit revocation requests. The Certificate Holder, Registration Authority or Issuing CA may be required to provide a shared secret or pass phrase that will be used to activate the revocation process. Digital Certificate revocation requests may also be issued by contacting the administrators of the Issuing CA or Registration Authority directly. A revocation request may be communicated electronically if it is digitally signed with the Private Key of the Holder requesting revocation (or the Organisation, where applicable). Alternatively, the

The validity of a QuoVadis Digital Certificate must be checked online using the QuoVadis Repository, the appropriate Certificate Revocation List or using the appropriate Online Certificate Status Protocol responder by a Relying Party seeking to become an Authorised Relying Party.

Failure to do so negates the ability of the Authorised Relying Party to claim that it acted on the Digital Certificate with Reasonable Ree6-11(e(V)5-4(o)5ita)8(l)-4(C)-11(e)6(rtin4s)-3382 Tm[(R)-5(en-GB)>> BDC BT1 0 0 1 72.02i436( )-9-5(/)10(C)104689

Properly authenticated Certificate Holders may subsequently retrieve their own Private Keys.

In addition, properly authenticated RA Officers with specific Key Recovery permissions may request retrieval of a Certificate's Private Keys under the following conditions:

- RAs must procure Private Keys from Root authorized Disclosure
- RAs may archive Private Keys only for properly authenticated and authorized requests for recovery.
- RAs shall recover a Certificate's Private Keys only for lawful purposes, such as to comply with judicial or administrative process or a search warrant, and not for any illegal, fraudulent, or other wrongful purpose.
- RAs must retain control and security of Private Keys.
- RAs may not disclose or allow to be disclosed archived keys or archive key-related information to any third party unless required by the law, government rule or regulation by a court of competent jurisdiction.
- RAs are not required to communicate any information concerning a key recovery to the Certificate Holder except when the Certificate Holder has requested recovery.

QuoVadis does not support the use of independent contractors to fulfil roles of responsibility.

QuoVadis provides personnel with all required training materials needed to perform their job function and their duties under the job rotation program. This includes specific documentation of the validation, issuance, and revocation processes for Certificates.

All events involved in the generation of the Certification Authority Key Pairs are recorded. This includes all configuration data used in the process.

Individuals who have access to particular Key Pairs and passwords will be audited. Key pair access will take the form of PIN-protected cryptographic smart cards. Access to the Oracle database will take the form of a user name and password. Access control in certain cases may take the form of one individual having access to the smart card and

In most cases, a Private Key will be generated and remain within the Cryptographic Module. If the owner of the Cryptographic Module generates the Key, then there is no need to deliver the Private Key. If a Key is not generated by the intended Key holder, then the person generating the Key in the Cryptographic Module (e.g., smart card) must securely deliver the Cryptographic Module to the intended Key holder. Accountability for the location and state of the Cryptographic Module must be maintained until delivery and possession occurs. The recipient will acknowledge receipt of the Cryptographic Module to the Issuing CA or Registration Authority. If the recipient generates the Key, and the Key will be stored by and used by the application that generated it, or on a Token in the possession of the recipient, no further action is required. If the Key must be extracted for use by other applications or in other locations, a protected data structure (such as defined in PKCS#12) will be used. The resulting password-protected file may be kept on a magnetic medium or transported electronically.

Public Keys must be delivered in a secure and trustworthy manner, such as a Digital Certificate request message. Delivery may also be accomplished via non-electronic means. These means may include, but are not limited to, USB drive (or other storage medium) sent via registered mail or courier, or by delivery of a Token for local Key generation at the point of Digital Certificate issuance or request. Offline means will include Identity checking and will not inhibit establishing proof-of-possession of a corresponding Private Key. Any other methods used for Public Key delivery will be stipulated in a Certificate Holder Agreement or other agreement. In those cases where Key Pairs are generated by the Issuing CA on behalf of the Holder, the Issuing CA will implement secure mechanisms to ensure that the Token on which the Key Pair is held is securely sent to the proper Holder, and that the Token is not activated prior to receipt by the proper Holder.

QuoVadis Public Keys are securely delivered to software providers to serve as trust anchors in commercial browsers and operating syst

Level 3 and/or EAL 4 security standards in both the generation and the maintenance in all Root and Issuing CA Private Keys.

	For Qualified Certificates, in accordance with Swiss Digital Signature law, the Certificate Holder Private Keys are generated and stored on a Secure Signature Creation Device that meets or exceeds EAL 4 standards.

A Certificate Holder must be authenticated to the Cryptographic Module before the activation of the Private Key. This Authentication may be in the form of a password. When deactivated, Private Keys must be kept in encrypted form only.

Cryptographic Modules that have been activated must not be left unattended or otherwise open to unauthorised access. After use, they must be deactivated, using, for example, a manual logout procedure or a passive timeout. When not in use, hardware Cryptographic Modules should be removed and stored, unless they are within the + R O G H U ¶ V V Issuing CA Private Key are not usually deactivated, but are kept in locked computer cabinets with appropriate physical and logical security controls. Other cryptographic modules used by QuoVadis are deactivated through a manual logout procedure or a passive timeout.

Two-factor authentication shall be used to protect access to a Private Key. One of these factors is a randomly and automatically generated key that protects the Private Key.
A unique Personal Identification Code may be generated by a Registration Authority during Key Pair creation, to protect the transport of the Keys and Digital Certificates to the Certificate Holder.

QuoVadis Certification Authority Officers are also required to use strong passwords to further prevent unauthorized access to CA systems.

If activation data must be transmitted, it shall be via a channel of appropriate protection, and distinct in time and place from the associated Cryptographic Module. Personal Identification Codes may be supplied to Users in two portions using different delivery methods, for example by e-mail and by standard post, to provide increased security against third-party interception of the Personal Identification Code. Activation Data should be memorised, not written down. Activation Data must never be shared. Activation data must not consist solely of information that could be easily guessed, e.g., a Certificate Holder¶s personal information.

Where a Personal Identification Code is used, the User is required to enter the Personal Identification Code and identification details such as their distinguished name before they are able to access and install their Keys and Digital Certificates.

QuoVadis has a formal Information Security Policy that documents the QuoVadis policies, standards and guidelines relating to information security. This Information Security Policy has been approved by management and is communicated to all employees.

Computer security technical requirements are achieved utilising a combination of hardened security modules and software, operating system security features, internal PKI and Certificate Authority Software and physical safeguards, including security Policies and Procedures that include but are not limited to:

- Access controls to Certificate Authority services and PKI roles, see Section 5.1
- Enforced separation of duties for Certificate Authority Services and PKI roles, see Section 5.2
- Identification and Authentication of personnel that fulfil roles of responsibility in the QuoVadis PKI, see Section 5.3
- Use of cryptography for session communication and database security, mutually authenticated and encrypted SSL/TLS is used for all communications
- Archival of Certificate Authority history and audit data, see Sections 5.4 and 5.6
- Use of x.509 Digital Certificates for all administrators.

A version of the core Certificate Authority software used by QuoVadis has obtained the globally recognised Common Criteria EAL 4+ certification.

	The version of the encoded certificate. QuoVadis certificates are Version 3	Fixed
	Unique system generated number assigned to each certificate	Fixed
	The algorithm identifier for the algorithm used to sign the certificate.	Fixed
	Issuer is the entity that has signed and issued the certificate	
Common Name (CN)	Issuing Certification Authority Common Name	Fixed
Organisational Unit (OU)	Issuing Certification Authority	Fixed
Organisation (O)	Organisation legal name	Fixed
Country (C)	Issuing CA Jurisdiction	Fixed
	The date on which the Certificate validity period begins (MM/DD/YYYY HH:MM A.M/P.M)	Fixed
	The date on which the Certificate validity period ends MM/DD/YYYY HH:MM A.M/P.M	Fixed

QuoVadis maintains in full force and effect a liability insurance policy. In accordance with the requirement of ZERT ES, policy limits concerning Qualified Digital Certificates are maintained in excess of the minimum requirement of CHF 2 (Two) Million per occurrence and CHF 8 (Eight) Million annual aggregate.

Within the QuoVadis PKI the Root CA and all Issuing CAs and Registration Authorities are required to demonstrate that they have the financial resources necessary to discharge their obligations under this CP/CPS and any other relevant and associated documentation or agreements.

QuoVadis and each Issuing CA and/or Registration Authority shall maintain appropriate insurances necessary to provide for their respective liabilities as Participants within the QuoVadis PKI

QuoVadis, Issuing CAs, Registration Authorities, Certificate Holders, Relying Parties and all others using or accessing any personal data in connection with matters dealt with this CP/CPS shall comply with the Council Directive 95/46/EC of the European Parliament and of the Council of 24 October 1995 on the protection of individuals with regard to the processing of personal data and on the free movement of such data, and any amending and/or implementing legislation enacted from time to time, and any other relevant legislation relating to data protection, and any equivalent legislation or regulations in any relevant jurisdiction. QuoVadis complies with the Swiss Federal Act on Data Protection of June 19, 1992 (SR 235.1).

All information about Certificate Holders that is not publicly available through the content of issued Digital Certificates, Digital Certificate directories or online Repositories is treated as private.

All registration records are considered confidential information and treated as private.

Except for reason codes contained in a Certificate Revocation List, the detailed reason for a Digital Certificate being revoked, (if applicable), is considered to be confidential information, with the sole exception of the revocation of an Issuing C $ ¶ Issuing Certificate due to:

- the compromise of the Issuing CA ¶ Private Key, in which case a disclosure may be made that the Private Key has been compromised;
- the termination of a Issuing CA within the QuoVadis PKI, in which case prior disclosure of the termination may be given.

The content of Digital Certificates issued by QuoVadis is public information and deemed not private.

Digital Certificates published in the X.500 Directory are not considered to be confidential information.

This QuoVadis CP/CPS is a public document and is not confidential information and is not treated as Private.

Information supplied to QuoVadis as a result of the practices described in this CP/CPS may be covered by national government or other privacy legislation or guidelines. QuoVadis will not divulge any private Certificate Holder information to any third party for any reason, unless compelled to do so by law or competent regulatory authority.

In the course of accepting a Digital Certificate, all Certificate Holders have agreed to allow their personal data submitted in the course of registration to be processed by and on behalf of the QuoVadis Certification Authority, and used as explained in the registration process. They have also been given an opportunity to decline from having their personal data used for particular purposes. They have also agreed to let certain personal data appear in publicly accessible directories and be communicated to others.

For Qualified Certificates issued in accordance with European/Dutch Digital Signature laws, Certificate Holders expressly con

The use of the PKIX IETF Guidelines is acknowledged.

QuoVadis excludes all liability for breach of any other intellectual property rights.

QuoVadis discharges its obligations by:

- providing the operational infrastructure and certification services, including X.500 Directory and service provider software;
- PDNLQJ UHDVRQDEOH HIIRUWV WR HQVXUH LW FRQGXFWV DQ HIILFLHQW D include but do not limit QuoVadis to operating in compliance with:
  - documented operational procedures; and
  - within applicable law and regulation;
- approving the establishment of all Issuing CAs and on approval, executing an Issuing CA Agreement (save in respect of the QuoVadis Issuing CA);
- maintaining this CP/CPS and enforcing the practices described within it and in all relevant collateral documentation;
- publishing its QuoVadis CA Certificates at http://www.quovadisglobal.com/repository and other nominated web sites;
- issuing CA Certificates to Issuing CAs that comply with X.509 standards and are suitable for the purpose required;
- issuing CA Certificates that are factually correct from the information known to it at the time of issue, and that are free from data entry errors;
- publishing issued Issuing CA Certificates without alteration in the X.500 Directory;
- investigating any suspected compromise which may threaten the integrity of the QuoVadis PKI;
- revoking Issuing CA Certificates and posting such revoked Certificates in the X.500 Directory Certificate Revocation List; and
- conducting compliance audits of Issuing CAs.

- If the Private Key associated with the Digital Certificate held by the claiming party or otherwise the subject of any claim has been compromised; or
- If the Digital Certificate held by the claiming party was issued in a manner that constituted a breach of any applicable law or regulation.
- Computer hardware or software, or mathematical algorithms, are developed that tend to make public key cryptography or asymmetric cryptosystems insecure, provided that QuoVadis uses commercially reasonable practices to protect against breaches in security resulting from such hardware, software, or algorithms;

New or amended CP/CPSs are published on the web site at http://www.quovadisglobal.com/repository.

Any change that increases the level of trust* that can be placed in Digital Certificates issued under this CP/CPS or under policies that make reference to this CP/CPS requires thirty (30) days prior notice. Any change that decreases the level of trust that can be placed in Digital Certificates issued under this CP/CPS or under policies that make reference to this CP/CPS requires forty-five (45) days prior notice. The QuoVadis CP/CPS applicable to any Digital Certificate supported by this CP/CPS shall be the QuoVadis CP/CPS currently in effect.

* NOTE: In this section, "level of trust" does not include those parts of the specification relating to the liabilities of the parties. Reference to "level of trust" applies solely to the technical/administrative functions and any changes provided for under this clause shall not materially change this specification unless there is a significant business reason to do so.

The QuoVadis Policy Management Authority reserves the right to amend this CP/CPS without notification for amendments that are not material, including corrections of typographical errors, changes to URLs and changes to contact details. The decision to designate amendments as material or non-material to this CP/CPS is at the sole discretion of the QuoVadis Policy Management Authority. Unless the QuoVadis Policy Management Authority determines otherwise, the Object Identifier to this CP/CPS shall not change.

Any controversy or claim between two or more Participants in the QuoVadis PKI (for these purposes, QuoVadis shall E H G H H P H D G U D W L³F L S D Q W ´ Z L W K L Q 4 X R 9 D G L V 3 . ,) arising out of or relating to this QuoVadis CP/CPS shall be shall be referred to an arbitration tribunal.

	For Qualified Certificates, in accordance with the Swiss Digital Signature law, such arbitration shall, unless agreed otherwise between the parties take place in Switzerland.
	For Qualified Certificates, in accordance with Dutch Digital Signature law, such arbitration shall, unless agreed otherwise between the parties take place in The Netherlands.

The Relationships between the Participants are dealt with under the system of laws applicable under the terms of the contracts entered into. In general these can be summarised as follows;

- Dispute between the Root CA and an Issuing CA is dealt with under Bermuda Law.
- Dispute between an

Not Applicable.

Not Applicable.

Not Applicable.

Any provision of this QuoVadis CP/CPS that is determined to be invalid or unenforceable will be ineffective to the extent of such determination without invalidating the remaining provisions of this QuoVadis CP/CPS or affecting the validity or enforceability of such remaining provisions.

(Q I R U F H P H Q W $ W W R U Q H \ V ¶) H H

The failure or delay of QuoVadis to exercise or enforce any right, power, privilege, or remedy whatsoever, howsoever or otherwise conferred upon it by this QuoVadis CP/CPS ; shall not be deemed to be a waiver of any such right or operate so as to bar the exercise or enforcement thereof at any time or times thereafter, nor shall any single or partial exercise of any such right, power, privilege or remedy preclude any other or further exercise thereof or the exercise of any other right or remedy. No waiver shall be effective unless it is in writing. No right or remedy conferred by any of the provisions of this

Different QuoVadis Certificate Profiles may be issued with different key usages, and be eligible for key archive, according to the following table:

Standard Digital Certificates provide flexibility for a range of uses appropriate to their reliance value including electronic signatures, authentication, and encryption.
Validation procedures for QuoVadis Standard Digital Certificates collect either direct evidence or an attestation from an appropriate and authorised source, of the identity (such as name and organisational affiliation) and other specific attributes of the Certificate Holder.

QuoVadis Advanced+ Digital Certificates are used for the same purposes as QuoVadis Advanced Digital Certificates, with the only difference being that they are issued on a Secure Signature Creation Device (SSCD) that meets the requirements laid down in annex III of Directive 1999/93/EC. The QuoVadis Advanced + Certificate Class is trusted in the Adobe Approved Trust List (AATL).

QuoVadis Advanced+ Digital Certificates are based on with the Normalised Certificate Policy (NCP+) described in ETSI TS 102 042. Advanced validation is intended to provide equivalent quality to the QCP policy specified in ETSI TS 101 456 but without the legal constraints of the Electronic Signatures Directive (1999/93/EC).

Unless the Certificate Holder has already been identified by the RA through a face-to-face identification meeting, accepted Know Your Customer (KYC) standards or a contractual relationship with the RA, validation requirements for a Certificate Holder shall include the following:

,I WKH &HUWLILFDWH +ROGHU LV D SK\VLFDO SHUVRQ HYLGHQFH RI physical person either directly, or shall have been checked indirectly using means which provide equivalent assurance to physical presence.

Evidence shall be provided of:

- Full name (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognized identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.

If the Certificate Holder is a physical person who is identified in association with an organisational entity, additional evidence shall be provided of:

- Full name and legal status of the associated organisational entity;
- Any relevant existing registration information (e.g. company registration) of the organisational entity; and
- Evidence that the Certificate Holder is associated with the organisational entity.

If the Certificate Holder is an organisational entity, evidence shall be provided of:

- Full name of the organisational entity; and
- Reference to a nationally recognised registration or other attributes which may be used to, as far as possible, distinguish the organisational entity from others with the same name.

QuoVadis Advanced+ Digital Certificates must be issued on a SSCD and adhere to the following requirements:

- SSCD storage, preparation, and distribution is securely controlled by CA or RA;
- User activation data is securely prepared and distributed separately from the SSCD;
- ,I NH\V DUH JHQHUDWHG XQGHU WKH &HUWLILFDWH +ROGHU V signing or decrypting;
- 7KH &HUWLILFDWH +ROGHU PDLQWDLQV
- 2QO\ XVH WKH &HUWLILFDWH

Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com	Holder Variable
Common Name (CN)		

Enhanced Key Usage	Smart Card Logon (Optional)	Holder Variable
Subject Alternative Name	Principle Name = Email Address	Holder Variable
Certificate Policies	This extension includes the QV Advanced + Certificate Class OID = 1.3.6.1.4.1.8024.1.300.	Fixed
Adobe OIDs	Note these Adobe OIDs are only relevant for signing Certificates.	
Adobe Time Stamp (OID = 1.2.840.113583.1.1.9.1)	http://tsa01.quovadisglobal.com/TSS/HttpTspServer	Fixed
Adobe Archive RevInfo (OID = 1.2.840.113583.1.1.9.2)	This relates to OCSP revocation checking within Adobe products for long term validation purpo76.9 TmaDFvalidati-GB	

SuisseID is the first standardised electronic proof of identity in Switzerland (http://www.suisseid.ch/). QuoVadis SuisseID Identity and Authentication (IAC) Certificates help provide strong and secure authentication to applications.

Either a Common Name or a Pseudonym is required for a QuoVadis SuisseID IAC Certificate. Use of both Common Name and Pseudonym in the same Certificate is not permitted.

Please note that where a Qualified Personal Digital Certificate is issued within the meaning of EU Directive 1999/93/EC, the individual applying for the Qualified Personal Digital Certificate must undergo a face-to-face identity verification procedure.

The purpose of a Qualified Digital Certificate is to identify the Certificate Holder with a high level of assurance, for the purpose of creating Qualified electronic signatures meeting the qualification requirements defined by the applicable legal framework of the Electronic Signatures Directive (1999/93/EC). The QuoVadis Qualified Certificate Class is trusted in the Adobe Approved Trust List (AATL).

Validation procedures for QuoVadis Qualified Digital Certificates are consistent with the Qualified Certificate Policy + SSCD (QCP public +SSCD) policy described in ETSI TS 101 456.

,I WKH &HUWLILFDWH +ROGHU LV D SK\VLFDO SHUVRQ HYLGHQFH RI physical person either directly, or shall have been checked indirectly using means which provide equivalent assurance to physical presence.

Evidence shall be provided of:

- Full name (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.

If the Certificate Holder is a physical person who is identified in association with an organisational entity, additional evidence shall be provided of:

- Full name and legal status of the associated organisational entity;
- Any relevant existing registration information (e.g. company registration) of the organisational entity; and
- E

Key Usage	Digital Signature Non Repudiation	Holder Variable Fixed

Organisation (O)	Organisation legal name	Holder Variable
Locality	Locality	Holder Variable
State/Province	State/Province	Holder Variable
Country	Country	Holder Variable
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com	

± ±

Please note that where a Qualified Organisation Digital Certificate is issued within the meaning of EU Directive 1999/93/EC, the individual applying for the Qualified Organisation Certificate must undergo a face-to-face identity verification procedure.

The purpose of a Qualified Organisation Digital Certificate is to identify the signatory with a high level of assurance, for the purpose of creating advanced electronic signatures meeting the qualification requirements defined by the applicable legal framework of the Electronic Signatures Directive (1999/93/EC).

These Certificates are issued LQ DFFRUGDQFH ZLWK WKH ³4&3 3XEOLF´ SURILOH issued on a SSCD.

Validation procedures for QuoVadis Qualified Organisation Digital Certificates are consistent with the Qualified Certificate Policy (QCP public) policy described in ETSI TS 101 456.

In all cases, an authorized individual is responsible for all aspects of Certificate management and entering into the QuoVadis Certificate Holder Agreement on behalf of the named organisation.

Evidence of the DXWKRUL]HG LQGLYLGXDO VKDOO EH FKHFNHG against a physical person either directly, or shall have been checked indirectly using means which provide equivalent assurance to physical presence.

Evidence shall be provided of:

- Full name of authorized individual (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.
- Full name and legal status of the associated organisational entity;
- Any relevant existing registration information (e.g. company registration) of the organisational entity; and
- Evidence that the authorized individual is associated with and authorized by the organisational entity.

Common Name (CN)		

Grid technology proT(-/1B)>> BDC q( )4

Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid Server Certificate is to help secure communications with Grid servers.

The identity vetting of all Applicants must be performed by an approved Registration Authority (RA). For Grid Server Certificates, the RA must validate the identity and eligibility of the person in charge of the specific entities using a secure method. The RA is responsible for recording, at the time of validation, sufficient information regarding the Applicant to identify the Applicant.

As part of the registration process the RA must ensure that the Applicant is appropriately authorised by the owner of the associated Fully Qualified Domain Name (FQDN) or the responsible administrator of the machine to use the FQDN identifiers asserted in the Digital Certificate. The RA is responsible for maintaining documented evidence on retaining the same identity over time.

The RA must validate the association of the Certificate Signing Request. The Certificate Request submitted for certification must be bound to the act of identity vetting.

Private Keys pertaining to Grid Server Certificates may be stored without a passphrase, but must be adequately protected by system methods if stored without passphrase.

QuoVadis Device Certificates may be used for authentication, encryption, access control, code signing or digital signature purposes, as designated by the Key Usage and EKU fields found within the Digital Certificate.

SSL Certificates issued under this policy comply with the Baseline Requirements.

The primary purpose of QuoVadis Code Signing Certificates is to establish that executable code originates from a source identified by QuoVadis. QuoVadis Certificates focus only on the identity of the Subject named in the Certificate, and not on the behaviour of the Subject.

As such, Certificates to provide any assurances, or otherwise represent or warrant:

- That the Subject named in the Certificate is actively engaged in doing business;
- That the Subject named in the Certificate complies with applicable laws;
- That the Subject named in the Certificate is trustworthy, honest, or reputable in its business dealings; or
- 7KDW LW LV ³VDIH´ WR GR EXVLQHVV ZLWK WKH 6XEMHFW QDPHG

Before issuing a QV Device Certificate, QuoVadis performs procedures to verify that the

	Time Stamping (1.3.6.1.5.5.7.3.8) Secure Email (1.3.6.1.5.5.7.3.4) Smart Card Logon (1.3.6.1.4.1.311.20.2.2) CodeSigning (1.3.6.1.5.5.7.3.3)	
Subject Alternative Name	Where relevant, the DNS = Fully Qualified Domain Name of the Device (e.g. domain.com)	Holder Variable
Certificate Policies	This extension includes the QV Device Certificate Class OID = 1.3.6.1.4.1.8024.1.600.	Fixed

In this QuoVadis CP/CPS the following Key terms and Abbreviations shall have the following meaning in the operation of the QuoVadis PKI unless context otherwise requires:

- ´ PHDQV DQ ,QGLYLGXDO RU 2UJDQLVDWLRQ WKDW KDV VXEPLWWHG D Certificate.
- ´ PHDQ WKH developers of Internet browser software or other software that displays or uses certificates and distribute Root Certificates embedded in their software, including but not limited to KDE, Microsoft Corporation, Mozilla Corporation, Opera Software ASA, Red Hat Inc., Adobe, etc.
- ´ PHDQV a QV issuing CA managed and operated by an external third party.
- ´ PHDQV DQ ,QGLYLGXDO RU 2UJDQLVDWLRQ WKDW KDV HQWH authorizing that person or Organisation to exercise Reasonable Reliance on Digital Certificates, subject to the terms and conditions set forth in the applicable Relying Party Agreement.
- ´ PHDQV WKH SURFHGXUHV DQG the production of documentation (X GLQJ applicable) necessary to ascertain and confirm an Identity. Authentication procedures are designed and intended to SURYLGH DJDLQVW IUDXG LPLWDWLRQ DQG GHFHSWLRQ ³$XWKHQWLFDWH´ DQ
- ´ PHDQV WKH SURFHVV RI FUHDWLQJ D 'LJLWDO &HUWLILFDWH IRU DQ the Digital Certificate.
- ´ PHDQV DQ HQWLW\ WUXVWHG E\ RQH RU PRUH Digital Certificates.
- ´ PHDQV D UHVSRQVLEOH SHUVRQ who is involved in the day-to-day operations of a Certification Authority.
- ´ is a publicly available document that details the QuoVadis PKI and describes the practices employed in issuing Digital Certificates.
- ´ PHDQV D +ROGHU RI D 'LJLWDO &HUWLILFDWH FKDLQHG WR WKI without limitation, organisations, individuals and/or hardware and/or software devices. A Certificate Holder is (i) named in a Digital Certificate or responsible for the Device named in a Digital Certificate and (ii) holds a Private Key corresponding to the Public Key listed in that Digital Certificate.
- ´ PHDQV D FRQWUDFW EHWZHHQ D &HUWLILFDWH +ROGH Authority that contains, expressly or by reference, the terms and conditions of use within the QuoVadis PKI.
-

[3] ´means a list of Digital Certificates signed by the Issuing Certification Authority that have been revoked.

[3]

³ ´PHDQV RQH RU PRUH GDWDEDVHV RI 'LJLWDO &HUWLILFDWHV DQG R
Issuing CAs.

³ ´PHDQV DQ IPv4 or IPv6 address that the IANA has marked as reserved:
http://www.iana.org/assignments/ipv4-address-space/ipv4-address-space.xml
http://www.iana.org/assignments/ipv6-address-space/ipv6-address-space.xml

³ ´means the self-signed Digital Certificate issued to the QuoVadis Root Certification Authority.

³ ´PHDQV 4XR9DGLV DV WKH &HUWLILFDWH $XWKRULW\ EHLQJ a self-signed Certification Authority that signs Issuing CA Certificates.

³6HFXUH 6LJQDWXUH &UHDWLRQ'HYLFH´ means a secure container specifically designed to carry and protect a digital certificate, which meets the following requirements laid down in annex III of Directive 1999/93/EC:

> 1. Secure signature-creation devices must, by appropriate technical and procedural means, ensure at the least that:
>
> (a) the signature-creation-data used for signature generation can practically occur only once, and that their secrecy is reasonably assured;
> (b) the signature-creation-data used for signature generation cannot, with reasonable assurance, be derived and the signature is protected against forgery using currently available technology;
> (c) the signature-creation-data used for signature generation can be reliably protected by the legitimate signatory
> against the use of others.
>
> 2. Secure signature-creation devices must not alter the data to be signed or prevent such data from being presented to the signatory prior to the signature process.

³ ´PHDQV D QDWXUDO RU OHJDO SHUVRQ WKDW KDV HQWHUHG D IRUPDO Digital Certificates to Certificate Holders. The Subscriber may be responsible for the identity vetting of these Certificate Holders. A Subscriber may also hold a Digital Certificate (but is not required to).

³ ´PHDQV D &U\SWRJUDSKLF 0RGXOH FRQVLVWLQJ RI hardware, software and microchip.

³ ´PHDQV D 'LJLWDO &HUWLILFDWH LVVXHG WR D 5HJLVWUDQVLEOH 3H administration of the QuoVadis PKI.

³ ´PHDQV DQ RQOLQH FKHFN E\ 2QOLQH &HUWLILFDWH 6WDWXV `ÅöLU