QUOVADIS ROOT CERTIFICATION AUTHORITY
CERTIFICATE POLICY / CERTIFICATION PRACTICE STATEMENT

OID s: 1.3.6.1.4.1.8024.0.1
1.3.6.1.4.1.8024.0.3

Effective Date: 11 March 2014

Version: 4.14

Copyright © QuoVadis 2014. All rights reserved. This document shall not be duplicated, used, or disclosed in whole or in part for any purposes other than those approved by QuoVadis.

Important Note About this Document

This is the Certificate Policy/Certification Practice Statement (CP/CPS) of QuoVadis Limited, (QuoVadis). It contains an overview of the practices and procedures that QuoVadis employs as a Certification Authority (CA). This document is not intended to create contractual relationships between QuoVadis Limited and any other person. Any person seeking to rely on Digital Certificates or participate within the QuoVadis Public Key Infrastructure (the QuoVadis PKI) must do so pursuant to a definitive contractual document. This document is intended for use only in connection with QuoVadis and its business. This version of the CP/CPS has been approved for use by the QuoVadis Policy Management Authority (PMA) and is subject to amendment and change in accordance with the policies and guidelines adopted, from time to time, by the PMA and as otherwise set out herein. The date on which this version of the CP/CPS becomes effective is indicated on this CP/CPS. The most recent effective copy of this CP/CPS supersedes all previous versions. No provision is made for different versions of this CP/CPS to remain in effect at the same time

3 py ainc-Tly IA7(t)--

1. INTRODUCTION

1.1. Overview

This QuoVadis CP/CPS sets out the policies, processes and procedures followed in the generation, issue, use and management of Key Pairs and Digital Certificates. It also describes the roles, responsibilities and relationships of Participants within the QuoVadis PKI.

This CP/CPS outlines the trustworthiness and integrity of the QuoVadis Root CAs' operations. A fundamental concept underpinning the operation of the QuoVadis PKI is trust. Trust must be realised in each and every aspect of the provision of Certification Services and Operations including Certificate Holder applications, issuance, renewal, revocation or expiry.

With the exception of Certification Authorities issuing Qualified Certifi440 9 122.28 580.43Td -1(l)-4(i)-4(f)--23( )3Tj .24 0 T

This CP/CPS undergoes a regular review process and is subject to amendment as prescribed by the QuoVadis Policy Management Authority.

The structure of this CP/CPS is based on the RFC 3647 Certificate Policy and Certification Practices Framework, but does not seek to adhere to or follow it exactly.

Any and all references to a Certificate Policy within every aspect the QuoVadis PKI refers to policies contained in the current and in-force CP/CPS

Where applicable, QuoVadis conforms to the current version of the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates ("Baseline Requirements") published at http://www.cabforum.org

1.3.1.5 Approved Client Issuing

requirements of this section. In all such cases, the Issuing CA or Registration Authority shall record the specific records upon which it relied for this purpose.

3.3.1. Identification a nd Authentication For Routine Re -Key

Identification and Authentication for routine R e-Key is based on the same requirements as issuance of new Certificates.

3.3.2. Identification and Authentication For Re -Key After Revocation

Identification and Authentication for Re -Key after revocation is based on the same requirements as issuance of new Certificates.

3.4. Identification and Authentication For Revocatio n Requests

A request to revoke Keys and Digital Certificates may be submitted by persons authorised to do so under relevant contractual documentation.

3.4.1. Issuing Certification Authority

An authorised individual acting under the authority of the Issui ng CA may revoke a Digital Certificate by communicating with the QuoVadis Digital Certificate administration system using a QV Utility Digital Certificate.

3.4.2. Registration Authority

A Registration Authority may request the revocation of Digital Certif icates it has caused to be issued by requesting, in person, by digitally signed electronic mail or by authenticating to the QuoVadis Digital Certificate administration system that an authorised member of the Issuing CA staff revoke the Digital Certificate/ s in question.

3.4.3. Certificate Holder

A Certificate Holder may request that his or her Digital Certificate be revoked by:

- Applying in person to the Registration Authority, Issui ng CA or QuoVadis supplying either original proof of identification in th e form of a valid Driving License or Passport;

	For Qualified Certificates, in accordance with the Swiss Digital Signature law, proof of identification can only take the form of a Passport or Government-issued ID Card.
	For Qualified Certificates, in accordance with the European/Dutch Digital Signature law, proof of identification can only take the form of a Passport or Government -issued ID Card.

- Sending a digitally signed email message to the Issuing Registration Authority, Issuing CA or QuoVadis requesting that their Digital Certificate be revoked.
- Telephonic communication using a pre-existing shared secret or password associated with Certificate Holder's account with the Certification Authority following appropriate Identification.

4. CERTIFICATE LIFE -CYCLE OPERATION REQUIREMENTS

4.1. Certificate Application

Digital Certificate applications are subject to various assessment procedures depending upon the type of Digital Certificate applied for.

4.1.1. Who Can Submit A Certificate Applica tion

An application in a form prescribed by the Issuing CA must be completed by Applicants, which includes all registration information as described by this CP/CPS (including, without limitation, that information set out in Appendix A) and the relevant Certificate Holder Agreement or other terms and conditions upon which the Digital Certificate is to be issued. All applications are subject to review, approval, and acceptance by the Issuing CA in its discretion.

4.1.2. Enrolment Process And Responsibilitie s

Certain information concerning applications for Digital Certificates is set out in this QuoVadis CP/CPS However, the issue of Digital Certificates by Issuing CAs

Copyright QuoPQuoPT/72 7l9VLder /m.ioa8e /Hea: (e)9( )5 7l9VaD oc7l9Ve8enl9VVer2-2(s)5(i209 Tw 2836( )1(4)-P72 7lgeTw 6.2003 T 37.68 Tm [(C50

Upon the Applicant's acceptance of the terms and conditions of the Certificate Holder Agreement or other relevant agreement, the successful completion of the application process and final approval of the application by the Issuing CA, the Issuing CA issues the Digital Certificate to the Applicant or Device.

4.3.2. Notification To Applicant Certificate Holder By The Certification Authority Of Issuance Of Certificate

Issuing CAs and Registration Authorities within the QuoVadis PKI may choose to notify Applicants that their Digital Certificate has been issued.

4.4. Certificate Acceptance

Digital Certificate acceptance is governed by and should comply with the practices described in, and any requirements imposed by, this CP/CPS

Until a Digital Certificate is accepted, it is not published in any Repository or otherwise made publicly available. By using a Digital Certificate, the Holder thereof certifies and agrees to the statements contained in the notice of approval. This CP/CPS sets out what constitutes acceptance of a Digital Certificate. An Applicant that accepts a Digital Certificate warrants to the relevant Issuing CA, and all Authorised Relying Parties who reasonably rely, that all information supplied in connection with the application process and all information included in the Digital Certificate issued to them is true, complete, and not misleading. Without limitation to the generality of the foregoing, the use of a Digital Certificate or the reliance upon a Digital Certificate signifies acceptance by that person of the terms and conditions of this QuoVadis CP/CPS and Certificate Holder Agreement (as the same may, from time to time, be amended or supplemented) by which they irrevocably agree to be bound.

By accepting a Digital Certificate issued by an Issuing CA operating within the QuoVadis PKI, the Certificate Holder expressly represents and warrants to QuoVadis and all Authorised Relying Parties who reasonably rely on the information contained in the Digital Certificate that at the time of acceptance and throughout the operational period of the Digital Certificate, until notified otherwise by the Certificate Holder, that:

- No unauthorised person has ever had access to the Certificate Holder's Private Key,
- All representations made by the Certificate Holder to QuoVadis regarding the information contained in the Digital Certificate are true;
- All information contained in the Digital Certificate is true to the extent that the Certificate Holder had knowledge or notice of such information, and does not promptly notify QuoVadis of any material inaccuracies in such information; and
- The Digital Certificate is being used exclusively for authorised and legal purposes, consistent with this CP/CPS

4.4.1. Notice Of Acceptance

BY ACCEPTING A DIGITAL CERTIFICATE, THE CERTIFICATE HOLDER ACKNOWLEDGES THAT HE OR SHE IS AGREE TO THE TERMS AND CONDITIONS CONTAINED IN THIS CERTIFICATE POLICY & CERTIFICATION PRACTICE STATEMENT AND THE APPLICABLE CERTIFICATE HOLDER AGREEMENT. ALSO BY ACCEPTING A DIGITAL CERTIFICATE, THE CERTIFICATE HOLDER ASSUMES A DUTY TO RETAIN CONTROL OF THE PRIVATE KEY CORRESPONDING TO THE PUBLIC KEY CONTAINED IN THE CERTIFICATE, TO USE A TRUSTWORTHY SYSTEM AND TO TAKE REASONABLE PRECAUTIONS TO PREVENT THE PRIVATE KEY'S LOSS, EXCLUSION, MODIFICATION, OR UNAUTHORISED USE.

4.4.2. Conduct Constituting Certificate Acceptance

The downloading, installing or otherwise taking delivery of a Digital Certificate constitutes acceptance of a Digital Certificate within the QuoVadis PKI.

4.4.3. Publication Of The Certificate By The Certification Authority

All Digital Certificates issued within the QuoVadis PKI are made available in public repositories, except where Certificate Holders have requested that their Digital Certificates not be published.

4.4.4. Notification Of Certificate Issuance By The Certification Authority To Other Entities

Issuing CAs and Registration Authorities within the QuoVadis PKI may choose to notify other Entities of Digital Certificate Issuance.

Using their existing Digital Certificate, the Certificate Holder may digitally sign an electronic message to the Nominating Registration Authority requesting that the Digital Certificate be Re-Keyed and confirming that the original application details have not changed. Appropriate vetting will be performed in relation to the details to be included in the Digital Certificate.

4.7.4. Notification Of New Certificate Issuance To Certificate Holder

Issuing CAs and Registration Authorities within the QuoVadis PKI shall notify Certificate Holders of Digital Certificate Issuance.

4.7.5. Conduct Constituting Acceptance Of A Re-Key Certificate

Downloading, installing or otherwise taking delivery of a Re-Keyed Digital Certificate constitutes acceptance of the Digital Certificate Re-Key within the QuoVadis PKI.

4.7.5.1. Publication Of The Re-Key Certificate By The Certification Authority

All Digital Certificate Re-Keys issued within the QuoVadis PKI are made available in public repositories except where Certificate Holders have requested that their Digital Certificates not be published.

4.7.6. Notification Of Certificate Re-Key By The Certification Authority To Other Entities

Issuing CAs and Registration Authorities within the QuoVadis PKI may choose to notify other entities of Digital Certificate Re-Key.

4.8. Certificate Modification

Certificate Modification refers to the issuance of a new Digital Certificate due to changes in the information in an existing Digital Certificate (other than its associated Public Key). Digital Certificate Modification requests are processed in the same manner as requests for new Digital Certificates and in accordance with the provisions of this CP/CPS.

4.9. Certificate Revocation And Suspension

4.9.1. Circumstances For Revocation

Digital Certificates shall be revoked when any of the information on a Digital Certificate changes or becomes obsolete or when the Private Key associated with the Digital Certificate is compromised or suspected to be compromised. A Digital Certificate will be revoked in the following instances upon notification of:

- QuoVadis

- Certificate Holder death
- Certificate Holder request
- Issuing Registration Authority Request
- Breach of Certificate Holder agreement with QuoVadis

In the event that an Issuing CA determines that its Digital Certificates or the QuoVadis PKI could become compromised and that revocation of Digital Certificates is in the interests of the PKI, following remedial action, QuoVadis will authorise the reissue of Digital Certificates to Holders at no charge, unless the actions of the Holders were in breach of the QuoVadis CP/CPS or other contractual documents.

4.9.2. Who Can Request Revocation

The following entities may request revocation of a Digital Certificate:

- QuoVadis may revoke any Digital Certificate issued within the QuoVadis PKI at its sole discretion, and shall publish the list of revoked Digital Certificates in a publicly accessible Certificate Revocation List.
- An Issuing CA operating within the QuoVadis PKI may revoke Digital Certificates that it has issued.
- A Registration Authority or Subscriber operating within the QuoVadis PKI may request revocation of Digital Certificates that it requested to be issued.
- Certificate Holders within the QuoVadis PKI may request revocation of their own Digital Certificates.
- An Application Software Vendor who has embedded a QuoVadis Root Certification Authority Certificate in its application as a trusted root may request the revocation of Digital Certificate chained to that Root Certificate.

Issuance

4.9.3. Procedure For Revocation Request

QuoVadis will revoke a Digital Certificate upon receipt of a valid request. A revocation request should be promptly and directly communicated to the Issuing CA and the Registration Authority that approved or acted in connection with the issue thereof. The Certificate Holder may be required to submit the revocation request via the QuoVadis Support Line or directly over an Internet connection. The QuoVadis website (http://www.quovadisglobal.com) provides a mechanism in which to submit revocation requests. The Certificate Holder, Registration Authority or Issuing CA may be required to provide a shared secret or pass phrase that will be used to activate the revocation process. Digital Certificate revocation requests may also be issued by contacting the administrators of the Issuing CA

Archived Private Keys are stored in encrypted form using the QuoVadis Trust/Link application. Certificate Holders are notified when their Private Keys are archived.

Properly authenticated Certificate Holders may subsequently retrieve their own Private Keys.

In addition, properly authenticated RA Officers with specific Key Recovery permissions may request retrieval of a Certificate Holder's Private Keys under the following conditions:

- RAs must protect Certificate Holder's archived Private Keys from unauthorized disclosure.
- RAs may retrieve Certificate Holder's archived Private Keys only for properly authenticated and authorized requests for recovery.
- RAs shall recover a Certificate Holder's archived Private Keys without the Subscriber's authority only for legitimate and lawful purposes, such as to comply with judicial or administrative process or a-10(r1,)-4(m)92.263(a)-1(* [((a)-1m

key recovery in disaster recovery situations. To best ensure the integrity of the Issuing CA equipment and operation, Issuing CAs will use commerc

5.5.5. Requirements For Time- Stamping Of Records

QuoVadis supports time stamping of all of its records. All events that are recorded within the QuoVadis Service include the date and time of when the event took place. This date and time are based on the system time on which the CA system is operating. QuoVadis uses procedures to review and ensure that all systems operating within the QuoVadis PKI rely on a trusted time source.

5.5.6. Archive Collection System

The QuoVadis Archive Collection System is internal. QuoVadis provides assistance to Issuing CAs and Registration Authorities within the QuoVadis PKI to preserve their audit trails.

5.5.7. Procedures To Obtain And Verify Archive Information

Only Issuing CA officers and auditors may view the archives in whole. The contents of the archives will not be released as a whole, except as required by law. QuoVadis may decide to release records of individual transactio

- ensure that archived records of the Issuing CA are retained;
- ensure that prompt notification of termination is provided to Certificate Holder

6.1.2. Private Key Delivery To Certificate Holder

In most cases, a Private Key will be generated and remain within the Cryptographic Module. If the owner of the Cryptographic Module generates the Key, then there is no need to deliver the Private Key. If a Key is not generated by the intended Key holder, then the person generating the Key in the Cryptographic Module (e.g., smart card) must securely deliver the Cryptographic Module to the intended

6.4. Activation Data

6.4.1. Activation Data Generation And Installation

Two-factor authentication shall be used to protect access to a Private Key. One of these factors is a randomly and automatically generated key that protects the Private Key.

A unique Personal Identification Code may be generated by a Registration Authority during Key Pair creation, to protect the transport of the Keys and Digital Certificates to the Certificate Holder.

QuoVadis Certification Authority Officers are also required to use strong passwords to further prevent unauthorized access to CA systems.

6.4.2. Activation Data Protection

If activation data must be transmitted, it shall be via a channel of appropriate protection, and distinct in time and Ke cpr8Ot2d 0 Td s 0 Tdevensa must be 1(D)-1(t)-5h-6(a)-14()( )1mittirr(a)-1(t)2d,s3(pr)-6(o0(n)-8(g .(v)-1(en)A)-6-1(s)-1-5(a)-14( )1(n

QuoVadis has established an approved System Security Policy that incorporates computer security controls that are specific to QuoVadis and address the following:

6.6.1. System Development Controls

Formal procedures are followed for the development and implementation of new systems. An analysis of security requirements is carried out at the design and requirements specification stage. Outsourced software development projects are closely monitored and controlled.

6.6.2. Security Management Controls

The QuoVadis Certificate Authority follows the Certificate Issuing and Management Components (CIMC) Family of Protections Profiles that defines the requirements for components that issue, revoke and manage Public Key Certificates, such as X.509 Certificates. The CIMC is based on the common Criteria/ISO IS15408 standards.

FIELDS	CONTENT	DEMARCATION
Extensions		
Authority Key Identifier	Provides a means of identifying the Public Key corresponding to the Private Key used to sign a Certificate. This field contains the Subject Key Identifier of the issuer's Certificate.	Fixed

Copyright QuoVadis Limited: Public Documen(m)9d

7.5. Digital Certificate Fields and Root CA Certificate Hashes

7.5.1. Digital Certificate Fields



In circumstances where any irregularities are found with respect to QuoVadis, in its capacity as an Issuing CA, the principles enunciated above will be followed by the QuoVadis Root CA.

8.5.2. Registration Authorities

If irregularities are found, the QuoVadis Root CA, or if applicable the Issuing CA, will address the issues raised with the relevant entity. Any action to be taken will be determined by QuoVadis by reference to its determination as to the severity or materiality of the irregularity. In the event that QuoVadis determines that remedial action is required, the relevant entity will be advises determinatiedto th41(Q)-5(s1f-(e)-13)ottied with ie-41(Qh)-(s1f-(e)-13)otdsTJ 2m91(d)-13(v)-1(i)- irregu

9.2.1. Insurance Coverage

QuoVadis maintains in full force and effect a liability insurance policy. In accordance with the requirement of ZERTES, policy limits concerning Qualified Digital Certificates are maintained in excess of the minimum requirement of CHF 2 (Two) Million per occurrence and CHF 8 (Eight) Million annual aggregate.

Within the QuoVadis PKI the Root CA and all Issuing CAs and Registration Authorities are required to demonstrate that they have the financial resources necessary to discharge their obligations under this CP/CPS and any other relevant and associated documentation or agreements.

QuoVadis and each Issuing CA and/or Registration Authority shall maintain appropriate insurances necessary to provide for their respective liabilities as Participants within the QuoVadis PKI. Failure to establish and maintain insurances may be the basis for the revocation of their respective Digital Certificates.

9.2.2. Other Assets

Issuing CAs and Registration Authorities shall maintain sufficient assets and financial resources to perform their duties within the QuoVadis PKI and be reasonably able to bear liability to Certificate Holders and Relying Parties.

9.2.3. Insurance Or Warranty Coverage For End-Entities

QuoVadis will give advice to and support the QuoVadis Certificate Holders and QuoVadis Relying Parties on questions relating to the different types of insurance available.

QuoVadis Certificate Holders are entitled to apply to commercial insurance providers for financial protection against accidental occurrences such as theft, corruption, loss or unintentional disclosure of the Private Key that corresponds to the Public Key in their QuoVadis Digital Certificate.

QuoVadis

For Qualified Certificates issued in accordance with European/DutchDigital Signature laws, Certificate Holders expressly con

For Qualified Certificates, in accordance with the Swiss Digital Signature law, namely, Art 16 of ZertES:

1. QuoVadis is liable to the Certificate Holder or the Relying Party who relies on a valid Qualified Certificate, for damages that arise because QuoVadis has not followed the procedures required by ZertES.
2. QuoVadis has the obligation to prove that such procedures were followed in accordance with ZertES.
3. QuoVadis cannot disclaim liability to either the Certificate Holder or Relying Party except where the Certificate Holder or Relying Party has not complied with the terms and conditions of use of the Certificate.

Sections 9.8.2; 9.8.3; 9.8.4; 9.8.5 DO NOT apply to Qualified Certificates.

For Qualified Certificates, in accordance with the European/Dutch Digital Signature law, QuoVadis is liable under:

- The Dutch Electronic Signatures Act of 8 May 2003 (entered into force on 21 May 2003)
-

- If the Private Key associated with the Digital Certificate held by the claiming party or otherwise the subject of any claim has been compromised; or
- If the Digital Certificate held by the claiming party was issued in a manner that constituted a breach of any applicable law or regulation.
- Computer hardware or software, or mathematical algorithms, are developed that tend to make public key cryptography or asymmetric cryptosystems insecure, provided that QuoVadis uses commercially reasonable practices to protect against breaches in security resulting from such hardware, software, or algorithms;
- Power failure, power interruption, or other disturbances to electrical power, provided QuoVadis uses commercially reasonable methods to protect against such disturbances;
- Failure of one or more computer systems, communications infrastructure, processing, or storage media or mechanisms, or any sub components of the preceding, not under the exclusive control of QuoVadis and/or its subcontractors or service providers; or
- One or more of the following events: a natural disaster or Act of God (including without limitation flood, earthquake, or other natural or weather related cause); a labour disturbance; war, insurrection, or overt military hostilities; adverse legislation or governmental action, prohibition, embargo, or boycott; riots or civil disturbances; fire or explosion; catastrophic epidemic; trade embargo; restriction or impediment (including, without limitation, export controls); any lack of telecommunications availability or integrity; legal compulsion including, any judgments of a court of competent jurisdiction to which QuoVadis is, or may be, subject; and any event or occurrence or circumstance or set of circumstances that is beyond the control of QuoVadis.

9.8.3.1. Certificate Loss Limits

Without prejudice to any other provision of this Section 9 , QuoVadis' liability for breach of its obligations pursuant to this QuoVadis CP/CPS shall, absent fraud or wilful misconduct on the part of QuoVadis, be subject to a monetary limit determined by the type of Digital Certificate held by the claiming party and shall be limited absolutely to the monetary amounts set out below.

Loss Limits/ Reliance Limits	Maximum per Certificate
Advanced Certificates	US $250,000
Device Certificate	US $250,000
SuisseID Identity and Authentication (IAC) Certificates	CHF 10,000

In no event shall QuoVadis' liability exceed the loss limits set out in the table above. The loss limits apply to the life cycle of a particular Digital Certificate to the intent that the loss limits reflect QuoVadis' total potential cumulative liability per Digital Certificate per year (irrespective of the number of claims per Digital Certificate). The foregoing limitation applies regardless of the number of transactions or causes of action relating to a particular Digital Certificate in any one year of that Digital Certificate's life cycle.

9.8.4. Mitigation Of QuoVadis' Liability

QuoVadis has introduced a number of measures to reduce or limit its liabilities in the event that the safeguards in place to protect its resources fail to:

- inhibit misuse of those resources by authorised personnel; or
- prohibit access to those resources by unauthorised individuals.

These measures include but are not limited to:

- identifying contingency events and appropriate recovery actions in a Contingency & Disaster Recovery Plan;
- performing regular system data backups;
- performing a backup of the current ope

9.8.5. Claims Against QuoVadis Liability

9.8.5.1. Notification Period

QuoVadis shall have no obligation pursuant to any claim for breach of its obligations hereunder unless the claiming party gives notice to QuoVadis within ninety (90) days after th e claiming party knew or ought reasonably to have known of a claim, and in no event more than three years after the expiration of the Digital Certificate held by the claiming party.

9.8.5.2. Mitigating Acts And Disclosure Of Supporting Information

As a precondition to QuoVadis' payment of any claim under the terms of this QuoVadis CP/CPS, a claiming party shall do and perform, or cause to be done and performed, all such further acts and things, and shall execute and deliver all such further agreements, in struments, and documents as QuoVadis may reasonably request in order to investigate a claim of loss made by a claiming party.

9.9. Indemnities

grd ms s 13.561.2 Tded (t)-5(a)-14(s)-10(c)-1 -1[illegible] by [illegible] 0.014 (l)-4y6(ea [(Asu

9.12.2. Notification Mechanism And Perio d
New or amended CP/CPSs are published on the web site at http://www.quovadisglobal.com/repository .

Any change that increases the level of trust* that can be placed in Digital Certificates issued under this CP/CPS or under policies that make reference to this CP/CPS requires thirty (30) days prior notice. Any change that decreases the level of trust that can be placed in Digital Certificates issued under this CP/CPS or under policies that make reference to this CP/CPS requires forty-five (45) days prior notice. The QuoVadis CP/CPS applicable to any Digital Certificate supported by this CP/CPS shall be the QuoVadis CP/CPS currently in effect

* NOTE: In this section, "level of trust" does not in clude those parts of the specification relating to the liabilities of the parties. Reference to "level of trust" applies solely to the technical/administrative functions and any changes provided for under this clause shall not materially change this specification unless there is a significant business reason to do so.

9.12.3.

9.16. Miscellaneous Provisions
Not Applicable.

9.16. 1. Entire Agreement
Not Applicable.

9.16. 2. Assignment
cable. 2

10. APPENDIX A

10.1. Digital Certificate Profiles

Within the QuoVadis PKI an Issuing CA can only issue Digital Certificates with approved Digital Certificate Profiles. All Digital Certificate Profiles within the QuoVadis PKI are detailed below.

Procedures for Certificate Holder registration as well as descriptions of fields are described below for each type of Digital Certificate issued. Additionally, specific Certif

10.1. 2. Key Usage and Archive

Different QuoVadis Certificate Profiles may be issued with different key usages, and be eligible for key archive, according to the following table:

QuoVadis Certificate Type	Key Usage / Extended Key Usage	Applicability of Certificate Types to QuoVadis Certificate Classes			
		QV Standard	QV Advanced	QV Advanced +	QV Qu383.04 465d

10.2. QV Standard

PURPOSE
Standard Digital Certificates provide flexibility for a range of uses appropriate to their reliance value including electronic signatures, authentication, and encryption.

10.3. QV Advanced

PURPOSE
Advanced Digital Certificates provide reliable vetting of the holder's identity and may be used for a broad range of applications including digital signatures, encryption, and authentication.

REGISTRATION PROCESS

Validation procedures for QuoVadis Advanced Digital Certificates are based on the Normalised Certificate Policy (NCP) described in ETSI TS102 042. Advanced validation is intended to provide equivalent quality to the QCP policy specified in ETSI TS 101 456 but without the legal constraints of the Electronic Signatures Directive (1999/93/EC).

Unless the Certificate Holder has already been identified by the RA through a face-to-face identification meeting, accepted Know Your Customer (KYC) standards or a contractual relationship with the RA, validation requirements l180 Tw ( )TC2_0T EMC <8.587T

Enhanced Key Usage	Smart Card Logon (Optional)	Holder Variable
Subject Alternative Name	Principle Name = Email Address	Holder Variable
Certificate Policies	This extension includes the QV Advanced + Certificate Class OID = 1.3.6.1.4.1.8024.1.300.	Fixed
Adobe OIDs	Note these Adobe OIDs are only relevant for signing Certificates.	
Adobe Time Stamp (OID = 1.2.840.113583.1.1.9.1)	http://tsa01.quovad isglobal.com/TSS/HttpTspServer	Fixed
Adobe Archive RevInfo (OID = 1.2.840.113583.1.1.9.2)	This relates to OCSP revocation checking within Adobe products for long term validation purposes.	Fixed

10.4.1. ElDI -V/GeBüV Certificates

The procedure below assumes an application by a company or organisation on behalf of its employees or devices for Digital Certificates.

PURPOSE
The ElDI-V/GeBüV Certificate is issued to organisations (companies, municipalities, etc.) and issued primarily to digitally sign electronic invoices. The Certificates may also be used for commercial purposes (such as legally-compliant electronic archiving according to GeBüV).
REGISTRATION PROCESS
These Digital Certificates are issued in accordance with ElDI-V (SR 641.201.1 and SR641.201.1.1). Validation of these Certificates is performed in accordance with the validation procedures for QuoVadis Qualified Certificates and any additional validation requirements required by ElDI-V.

FIELDS	CONTENT	DEMARCATION
Subject		
Common Name (CN)	Commercial Subject Name or First Name- Last Name	Holder Variable
Organisational Unit (OU)	Variable Data	Holder Variable
Organisational Unit (OU)	Accounting Services (OelDI)/Third Party Services (art. 9 OelDI)	Fixed
Organisation (O)	Organisation Name	Holder Variable

State/Province	State/Province	Holder Variable
Country	Country	Holder Variable
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com	Holder Variable
Subject Public Key Information	RSA (2048-bit) / System Generated	Fixed
Extensions		
Key Usage (Critical)	DigitalSignature	Fixed
Certificate Policies CertPolicyID (Sui		

Extensions		
Key Usage	Digital Signature Non Repudiation	Holder Variable Fixed
Subject Alternative Name	Principal Name = Email Address	Holder Variable
QC Statement PKIX Compliance	1.3.6.1.5.5.7.11.2	Fixed
QC Statement ETSI Compliance	0.4.0.1862.1.1	Fixed
Monetary Statement	A monetary limit on the value of transactions for which the Certificate can be used. (OID 0.4.0.1862.1.2)	Holder Variable
SSCD Statement	0.4.0.1862.1.4	Fixed
Certificate Policies	This extension includes the following OIDs: 1. The QV Qualified Certificate Class OID = 1.3.6.1.4.1.8024.1.400 2. The QCP Public + SSCD OID (0.4.0.1456.1.1)	

10.5. 4. SuisseID Qualified Certificates

PURPOSE
SuisseID is the first standardised electronic proof of identity in Switzerland (http://www.suisseid.ch/). QuoVadis SuisseID Qualified Certificates are used to sign documents electronically. The digital signature is tamperproof and legally equivalent to a handwritten signature. Either a Common Name or a Pseudonym is required for QuoVadis SuisseID Qualified Certificate. Use of both Common Name and Pseudonym in the same Certificate is not permitted.
REGISTRATION PROCESS
QuoVadis SuisseID Qualified Certificates are issued in accordance with the SuisseID requirements (including the "SuisseID Specification" document). Unless stated otherwise in the SuisseID Specification document, the guidelines in TAV-ZERTES apply to the specification of SuisseID Qualified Certificates. For the issuance and life cycle management of SuisseID Qualified Certificates, QuoVadis adheres to the same organizational and operational procedures and uses the same technical infrastructure as for a ZertES compliant qualified certificate. Validation procedures for QuoVadis SuisseID Qualified Certificates are consistent with the Qualified Certificate Policy + SSCD (QCP public +SSCD) policy described in ETSI TS 101 456. Evidence of the Certificate Holder's identity shall be checked against a physical person either directly, or shall have been checked indirectly using means which provide equivalent assurance to physical presence. Only a valid passport or national ID is accepted as evidence. Storage of personal data is in accordance with ZertES. Evidence shall be provided of: x Full name (including surname and given names consistent with applicable law and national identification practices); and x Date and place of birth, reference to a nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name. If the Certificate Holder is identified in association with an organisational entity, additional evidence shall be provided of: x Full name and legal status of the associated organisational entity; x Any relevant existing registration information (e.g. company registration) of the organisational entity; x Authorization from an authorized Organisation representative; and x Evidence that the Certificate Holder is associated with the organisational entity. QuoVadis SuisseID Qualified Certificates require a Secure Signature Creation Device (SSCD) that meets the requirements laid down in annex III of Directive 1999/93/EC . x SSCD storage, preparation, and distribution is securely controlled by CA or RA; x User activation data is securely prepared and distributed separately from the SSCD; x The Certificate Holder's Private Keycan be maintained under the subject's sole control; and x Only use the Certificate Holder's Private Keyfor signing or decrypting with the SSCD. QuoVadis SuisseID Qualified Certificates have a maximum validity of three years.

FIELDS	CONTENT	DEMARCATION
Issuer		
Common Name (CN)	QuoVadis SuisseID Qualified CA	Fixed
Organisational Unit (OU)	Issuing Certification Authority	Fixed
Organisation (O)	QuoVadis Trustlink Switzerland Ltd.	Fixed q 72.24 206.

10.5. 5 Qualified Certificate Profile

10.6. QV Closed Community

10.6.1.1. Grid End User Certificate

PURPOSE
Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid End User Certificate is to help the Certificate Holder to access the Grid services that require Certificate-based authentication.
REGISTRATION PROCESS
The identity vetting of all Applicants must be performed by an approved Registration Authority (RA). Face to face registration is required at the RA or alternatively the Applicants can have their identity vetted at a post office providing an approved identity vetting service. The Applicant must present a valid photo ID and/or valid official documents in accordance with formally documented RA procedures. The RA is responsible for recording, at the

QuoVadis verifies that the communication came from either the Domain Name Registrant (including any private, anonymous, or proxy registration service) or the Domain Name Registrar listed in the WHOIS. QuoVadis verifies that the Domain Authorization Document was either (i) dated on or after the certificate request date or (ii) used by QuoVadis to verify a previously issued certificate and that the Domain Name's WHOIS record has not been modified since the previous certificate's issuance.

High Risk Domains
QuoVadis maintains a list of High Risk Domains and has implemented technical controls to prevent the issuance of Certificates to certain domains. QuoVadis follows documented procedures that identify and require additional verification activity for High Risk Certificate Requests prior to the Certificate's approval.

FIELDS	CONTENT	DEMARCATION
Subject		
Common Name (CN)	Subject Common Name	Holder Variable
Organisational Unit (OU)	Variable Data	Holder Variable
Organisation (O)	Organisation legal name	Holder Variable
Locality (L)	Subject Locality	Holder Variable
State/Province (ST)	Subject State/Province	Holder Variable
Country (C)	Subject Country	Holder Variable
Subject Public Key Information	RSA (2048-bit) / System Generated	Fixed
Extensions		
Key Usage (Critical)	Depends on the type of certificate.	Holder Variable
Extended Key Usage	Depends on the type of certificate. May include (where relevant): Server Authentication (1.3.6.1.5.5.7.3.1) Client Authentication (1.3.6.1.5.5.7.3.2) Time Stamping (1.3.6.1.5.5.7.3.8) Secure Email (1.3.6.1.5.5.7.3.4) Smart Card Logon (1.3.6.1.4.1.311.20.2.2) Code Signing (1.3.6.1.5.5.7.3.3) KDC Authentication (1.3.6.1.5.2.3.5)	Holder Variable
Subject Alternative Name	If the Server Authentication EKU is present then this field must contain either a dNSName containing the Fully-Qualified Domain Name or an iPAddress containing the IP address of a server.	Holder Variable
Certificate Policies	This extension includes the QV Device Certificate Class OID = 1.3.6.1.4.1.8024.1.600.	Fixed

11. APPENDIX B

"Operational Term" means the term of validity of a Digital Certificate commencing on the date of its issue and terminating on the earlier of (i) the date disclosed in that Digital Certificate or (ii) the date of that Digital Certificate's Revocation.

"Organisation" means an entity that is legally recognised in its jurisdiction of domicile (and can include a body corporate or un-incorporate, partnership, trust, non-profit making Organisation, or Government entity).

"Participants" means participants within the QuoVadis PKI and include (i) Issuing CAs and their Subsidiaries and Holding Companies; (ii) Registration Authorities and their Subsidiaries and Holding Companies; (iii) Certificate Holders, (including Certificate Applicants); (iv) Authorised Relying Parties.

"PKCS" means Public-Key Cryptography Standard.

"Policy Management Authority" means the QuoVadis body responsible for overseeing and approving CP/CPS amendments and general management.

"Proprietary Marks" means any patents (pending or otherwise), trade marks, trade names, logos, registered designs, symbols, emblems, insignia, fascia, slogans, copyrights, know-how, information, drawings, plans and other identifying materials whether or not registered or capable of registration and all other proprietary rights whatsoever owned by or available to QuoVadis adopted or designated now or at any time hereafter by QuoVadis for use in connection with the QuoVadis PKI.

"Private Key" means a Key forming part of a Key Pair that is required to be kept secret and known only to the person that holds it.

"Public Key" means a Key forming part of a Key Pair that can be made public.

"Public Key Infrastructure" (PKI) means a system for publishing the Public Key values used in public key cryptography. Also a system used in verifying, enrolling, and certifying users of a security application.

"Qualified Certificate" A Digital Certificate whose primary purpose is to identify a person with a high level of assurance, where the Digital Certificate meets the qualification requirements defined by the applicable legal framework of the European Directive on Electronic Signature, Directive 1999/93/EC of the European Parliament and of the Council of 13 December 1999 on a Community framework for electronic signatures, 1999.

"QuoVadis" means QuoVadis Limited, a Bermuda exempted company.

"QuoVadis Issuing Certification Authority" means QuoVadis in its capacity as an Issuing CA.

"QuoVadis PKI" means the infrastructure implemented and utilised by QuoVadis for the generation, distribution, management and archival of Keys, Digital Certificates and Certificate Revocation Lists and the Repository to which Digital Certificates and Certificate Revocation Lists are to be posted.

"QuoVadis Root Certification Authority"

"Repository" means one or more databases of Digital Certificates and other relevant information maintained by Issuing CAs.

"Reserved IP Address" means an IPv4 or IPv6 address that the IANA has marked as reserved:
http://www.iana.org/assignments/ipv4-address-space/ipv4-address-space.xml
http://www.iana.org/assignments/ipv6-address-space/ipv6-address-space.xml

"Root Certification Authority Certificate" means the self-signed Digital Certificate issued to the QuoVadis Root Certification Authority.

"Root Certification Authority" means QuoVadis as the source Certification Authority being a self-signed Certification Authority that signs Issuing CA Certificates.

"Secure Signature Creation Device" (SSCD) means a secure container specifically designed to carry and protect a digital certificate, which meets the following requirements laid down in annex III of Directive 1999/93/EC:

1. Secure signature-creation devices must, by appropriate technical and procedural means, ensure at the least that:
   (a) the signature-creation-data used for signature generation can practically occur only once, and that their secrecy is reasonably assured;
   (b) the signature-creation-data used for signature generation cannot, with reasonable assurance, be derived and the signature is protected against forgery using currently available technology;
   (c) the signature-creation-data used for signature generation can be reliably protected by the legitimate signatory
   against the use of others.
2. Secure signature-creation devices must not alter the data to be signed or prevent such data from being presented to the signatory prior to the signature process.

"Subscriber" means a natural or legal person that has entered a formal contract with QuoVadis for the issuance of