Table of Contents

1. INTRODUCTION 1
1.1. Overview..... 1
1.2. Document Name And Identification..... 1
1.3. PK 11.2.52 Tm [(P)-1(K 12T)-7(.....)Tj Tc 0 Tw 11.04 -0 0 11.04 99.24 643.44 Tm ( )T Tcm mP.....28.....

1. INTRODUCTION

1.1. Overview

QuoVadis SSL Certificates are issued for use with the SSL 3.0/TLS 1.0 protocol to enable secure transactions of data through privacy, authentication, and data integrity.

QuoVadis Trusted Code Signing Certificates are used to provide users with reasonable assurance that the executable code they download comes from a source identified by QuoVadis.

This Certificate Policy/Certification Practice Statement (CP/CPS) sets out the certification processes that QuoVadis Root CA2 uses in the generation, issue, use, and management of Certificates and serves to notify Certificate Holders and Relying Parties of their roles and responsibilities concerning Certificates. The term "QuoVadis Root CA2" applies to all generations of this Root, including the SHA1 and SHA256 versions

QuoVadis ensures the integrity of its

nd mfand 14p -1u3 Tl f

- Certification Authorities (Root and Issuing);
- Registration Authorities (“RA”) and Local Registration Authorities (“LRA”);
- Certificate Holders including Applicants for Certificates prior to Certificate issuance; and
- Relying Parties.

The diagram below illustrates the components of the QuoVadis PKI:

1.3.1. Certification Authority

The following OIDs are pertinent to this CP/CPS:

QuoVadis Root CA2	QuoVadis Root CA 2 G3	1.3.6.1.4.1.8024.0.2

operations that include receiving requests; issuing, revoking and renewing a Certificate; and the maintenance, issuance, and publication of CRLs for users within the QuoVadis PKI. In its capacity as a CA, QuoVadis will:

- Conform its operations to this CP/CPS (or other relevant business practices);
- Issue and publish Certificates in a timely manner;
- Perform verification of Certificate Holder information in accordance with this CP/CPS;
- Revoke Certificates upon receipt of a valid request from an authorised person or on its own initiative when circumstances warrant; and
- Notify Certificate Holders of the imminent expiry of their Certificates.

Issuing CAs chaining to a QuoVadis Root must not be used for Man in the Middle (MITM) purposes or for the traffic management of domain names or IP addresses that the entity does not own or control. QuoVadis will not issue a subordinate Issuing CA Certificate to be used for these purposes.

1.3.2. Registration Authorities

QuoVadis acts as Registration Authority (RA) for Certificates it issues. An RA is an entity that performs verification of Certificate Holder information in accordance with this CP/CPS, and revokes Certificates upon receipt of a valid request from an authorised person.

Third parties, who enter into a contractual relationship with QuoVadis, may act as Local Registration Authorities (LRAs) and authorise the issuance of Certificates by QuoVadis for Organisations and Domains that have been pre-authenticated by QuoVadis. LRAs must abide by all the requirements of this CP/CPS and the terms of their services agreement with QuoVadis. LRAs may also implement more restrictive practices based on their internal requirements.

QuoVadis' Trust/Link Enterprise is a secure web application that facilitates RAs' activities as well as the ongoing management of the SSL Certificates for which they are responsible.

1.3.3. Certificate Holders

In the context of this CP/CPS, the Certificate Holder is the Individual responsible for requesting, installing and maintaining the trusted system for which an SSL Certificate has been issued. The Certificate Holder is referred to as a Subscriber in the Trust/Link system. (QuoVadis also refers to Registrants for End User Certificates as Certificate HoldersT841(T9-4(der)]T533 0 Td [(t)2827 0 Td [(()-10(Q)-5(u)-8(o)-10(V)-9(a)-1(di)-1/ 0 0 611.951 791 Tc 0.1-5(i)-452 Tm ( )Tj ET EM /P

1.4.2. Prohibited Certificate Usage

QuoVadis Certificates may not be used and no participation is permitted in the QuoVadis PKI (i) in circumstances that breach, contravene,

3.1.6. Recognition, Authentication, And Role Of Trademarks

Certificate Holders shall solely be responsible for the legality of the information they present for use in Certificates issued under this CP/CPS in any jurisdiction in which such content may be used or viewed. Certificate Holders represent and warrant that when submitting Certificate Requests to QuoVadis and using a domain and distinguished name (and all other Certificate Application information) they do not interfere with or infringe upon the rights of any

4.2. Certificate Application Processing

4.2.1. Performing Identification And Authentication Functions

During application processing, QuoVadis Validation Specialists employ controls to validate the identity of the Certificate Holder and other information featured in the Certificate Application to ensure compliance with this CP/CPS.

4.2.2. Approval Or Rejection Of Certificate Applications

From time to time, QuoVadis may modify the requirements related to application information requested, based on QuoVadis requirements, business context of the usage of Certificates, or as may be required by law, changes to the EV Guidelines or changes to the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates.

QuoVadis, in its sole discretion, may refuse to accept an application for a Certificate or for the renewal of a Certificate, and may refuse to issue a Certificate, without incurring any liability f or loss or damages arising out of such refusal. QuoVadis reserves the right not to disclose reasons for such a refusal. Applicants whose applications have been rejected may subsequently re-apply.

4.2.3. Time To Process Certificate Applications

QuoVadis makes reasonable efforts to confirm Certificate Application information and issue a Certificate within a reasonable time frame, which is dependent on the Applicant providing the necessary details and documentation in a

- QuoVadis is made aware of any circumstance indicating that use of a Fully-Qualified Domain Name or IP address in the Certificate is no longer legally permitted (e.g. a court or arbitrator has revoked a Domain Name Registrant's right to use the Domain Name, a relevant licensing or services agreement between the Domain Name Registrant and the Applicant has terminated, or the Domain Name Registrant has failed to renew the Domain Name);
- QuoVadis is made aware that a Wildcard Certificate has been used to authenticate a fraudulently misleading subordinate Fully-Qualified Domain Name;
- QuoVadis determines, in its sole discretion, that the Certificate was not issued in accordance with the terms and conditions of the EV Guidelines or QuoVadis' CP/CPS;
- QuoVadis receives notice or otherwise becomes aware that there has been some other modification of the information pertaining to the Certificate Holder that is contained within the Certificate;
- The Certificate Holder fails or refuses to comply, or to promptly correct inaccurate, false or misleading information after being made aware of such inaccuracy, misrepresentation or falsity;
- QuoVadis determines, in its sole discretion, that the Private Key corresponding to the Certificate was used to sign, publish or distribute spyware, Trojans, viruses, rootkits, browser hijackers, phishing, or other content , or that is harmful, malicious, hostile or downloaded onto a user's system without their consent ;
- If QuoVadis receives notice or otherwise becomes aware that a Certificate Holder has been added as a denied party or prohibited person to a blacklist, or is operating from a prohibited destination ;
- Either the Certificate Holder's or QuoVadis' obligations under this CP/CPS are delayed or prevented by a natural disaster, computer or communications failure, or other cause beyond the person's reasonable control, and as a result another person's information is materially threatened or compromised;
- A QuoVadis CA Private Key used to issue that Certificate has been compromised;
- Revocation is required by the QuoVadis CP/CPS
- The technical content or format of the Certificate pre sents an unacceptable risk to Application Software Suppliers or Relying Parties (e.g. the CA/Browser Forum might determine that a deprecated cryptographic/signature algorithm or key size presents an unacceptable risk and that such Certificates should be revoked and replaced by CAs within a given period of time).
- QuoVadis' right to issue and manage Certificates under the EV Guidelines or the Baseline Requirements expires or is revoked or terminated (unless arrangements have been made to continue maintaining the CRL/OCSP Repository); or
- QuoVadis ceases operations for any reason and has not arranged for another suitable CA to provide revocation support for the Certificate.

4.9.2. Who Can Request Revocation

QuoVadis may revoke any Certificate issued within the QuoVadis PKI at its sole discretion. The Certificate Holder and its appropriately authorised representatives can request revocation of a Certificate. QuoVadis may, if necessary, also confirm the revocation request by contact with additional, authorised representatives of the Certificate Holder.

Parties who are not the Certificate Holder (such as Relying Parties, Application Software Vendors, and other third parties) may file a Certificate Problem Report to initiate a Certificate revocation request. Problem reports may include complaints; suspected private key compromise or Certificate misuse; or other types of fraud, compromise, misuse, or inappropriate conduct related to the Certificate.

4.9.3. Procedure For Revocation Request

QuoVadis will revoke a Certificate upon receipt of a valid request from the Certificate Holder, verified through an out-of-band communication.
QuoVadis will begin an investigation of all Certificate Problem Reports within twenty-four (24) hours and decide whether revocation or other appropriate action is warranted based on at least the following criteria:

(i) The nature of the alleged problem;
(ii) Number of Certificate Problem Reports received about a particular Certificate or website;
(iii) The identity of the complainants (for example, complaints from a law enforcement official that a web site is engaged in illegal activities have more weight than a complaint from a consumer alleging they never received the goods they ordered); and
(iv) Relevant legislation in force.

QuoVadis maintains a continuous 24/7 ability to internally respond to any high priority Certificate Problem Report and will take such action as deemed appropriate based on the nature of such a report. This may include, but not be limited to, the revocation of a Certificate that is the subject of such a complaint.

4.9.4. Revocation Request Grace Period

No grace period is permitted once a revocation request has been verified. QuoVadis will revoke Certificates as soon as reasonably practical following verification of a revocation request.

4.9.5. Time Within Which The CA Must Process The Revocation Request

QuoVadis will take commercially reasonable steps to revoke the Digital Certificate within 4 hours of receipt of a valid revocation request.

4.9.6. Revocation Checking Requirement For Relying Parties

Ry prac f58(a)-1(a)-1(t)-1(t)-5(e)11(P)-28(a)-ed.

4.11. End Of Subscription

A Certificate Holder may terminate its subscription to the QuoVadis PKI by allowing a Certificate or applicable agreement to expire without renewal, or by voluntarily revoking a Certificate .

4.12. Key Escrow And Recovery

The QuoVadis PKIdoes not support key escrow or recovery of Certificate Holder private keys.

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS

The section of the CP/CPS provides a high level description of the security policy, physical and logical access control mechanisms, service levels, and personnel policies used by QuoVadis to provide trustworthy and reliable CA operations.

5.1. Physical Controls

5.1.1. Site Location and Construction

QuoVadis performs its CA operations from a secure datacentre located in an office complex in Bermuda. The QuoVadis datacentre meets the standards of an independent security certification body at a highly protected level. Standards and protections

5.5.5. Requirements For Time-Stamping Of Records

QuoVadis supports time stamping of all of its records. All events that are recorded within the QuoVadis service include the date and time of when the event took place. This dat e and time are based on the system time on which the CA program is operating. QuoVadis uses procedures to review and ensure that all systems operating within the QuoVadis PKI rely on a trusted time source

7.1.9. Processing Semantics For The Critical Certificate Policies Extension

No stipulation.

7.2. CRL Profile

7.2.1. Version Number

QuoVadis issues version 2 CRLs conforming to RFC 5280, and which contain the basic fields listed below:

Version
Issuer Signature Algorithm
Issuer Distinguished Name
thisUpdate (UTC format)
nextUpdate (UTC format – thisUpdate plus 12 hours)
Revoked Certificates list
Serial Number
Revocation Date (see CRL entry extension for Reason Code below)
Issuer's Signature

7.2.2. CRL And CRL Entry Extensions

CRL Number (monotonically increasing integer - never repeated)
Authority Key Identifier (same as Authority Key Identifier in Certificates issued by CA)
CRL Entry Extensions
Invalidity Date (UTC - optional)
Reason Code (optional)

7.3. Online Certificate Status Protocol Profile

OCSP is enabled for all Certificates within the QuoVadis PKI.

7.3.1. Online Certificate Status Protocol Version Numbers

OCSP Version 1, as defined by RFC2560, is supported within the QuoVadis PKI.

7.3.2. Online Certificate Status Protocol Extensions

9.2.5. Insurance Or Warranty Coverage For End-Entities

Certificate Holders are entitled to apply to commercial insurance providers for financial protection against accidental occurrences such as theft, corruption, loss or unintentional disclosure of the private key that corresponds to the public key in their QuoVadis Certificate. Relying Parties are entitled to apply to commercial insurance providers for protection against financial loss.

9.3. Confidentiality Of Business Information

9.3.1. Scope Of Confidential Information

QuoVadis keeps the following types of information confidential and maintains reasonable controls to prevent the exposure of such records to non-trusted personnel.

- All private keys;
- Any activation data used to access private keys or gain access to the CA system;
- Any business continuity, incident response, contingency, and disaster recovery plans;
- Any other security practices, measures, mechanisms, plans, or procedures used to protect the confidentiality, integrity or availability of information ;

9.6.4. Representations And Warranties Of Other Participants

Not applicable.

9.7. Disclaimers Of Warranties

QuoVadis disclaims all warranties and obligations of any type, including any warranty of fitness for a particular purpose, and any warranty of the accuracy of unverified information provided, save as contained herein and as cannot be excluded at law. In no event and under no circumstances (except for fraud or

9.8.2. Exclusions of Liability

QuoVadis shall bear absolutely no liability for any loss whatsoever involving or arising from any one (or more) of the following circumstances or causes:

- If the Certificate held by th e claiming party or otherwise the subject of any claim has been compromised by the unauthorised disclosure or unauthorised use of the Certificate or any password or activation data used to control access thereto;
- If the Certificate held by the claiming par ty or otherwise the subject of any claim was issued as a result of any misrepresentation, error of fact, or omission of any person, entity, or organisation ;
- If the Certificate held by the claiming party or otherwise the subject of any claim had expired or been revoked prior to the date of the circumstances giving rise to any claim;

(d)-13(by)-1( )1(t)-5(h)-21(e)-1(C)-12(e)-4(rt)-1(if)-4(ic)-1(a)-4(te)-1(d)-4(h)-1(e)-4(l)-1(d)-4(b)-1(y)-4(t)-1(h)-4(e)-4(c)-1(l)-4(a)-1(i)-4(m)-1(i)-4(n)-1(g)-4(p)-1(a)-4(r)-1(t)-5(y)-4(o)-1(r)-4(o)-1(t)-5(h)-4(e)-4(r)-1(w)-4(i)-1(s)-4(e)-4(t)-1(h)-4(e)-4(s)-1(u)-4(b)-1(j)-4(e)-4(c)-1(t)-4(o)-1(f)-4(a)-1(n)-4(y)-4(c)-1(l)-4(a)-1(i)-4(m)-4(h)-1(a)-4(s)-4(b)-1(e)-4(e)-4(n)-4(c)-1(o)-4(m)-1(p)-4(r)-1(o)-4(m)-1(i)-4(s)-1(e)-4(d)-4(t)-1(h)-4(e)-4(u)-1(n)-4(a)-1(u)-4(t)-1(h)-4(o)-1(r)-4(i)-1(s)-4(e)-4(d)-4(d)-1(i)-4(s)-1(c)-4(l)-1(o)-4(s)-1(u)-4(r)-1(e)-4(o)-1(r)-4(u)-1(n)-4(a)-1(u)-4(t)-1(h)-4(o)-1(r)-4(i)-1(s)-4(e)-4(d)-4(u)-1(s)-4(e)-4(o)-1(f)-4(a)-1(n)-4(y)-4(p)-1(a)-4(s)-1(s)-4(w)-1(o)-4(r)-1(d)-4(o)-1(r)-4(a)-1(c)-4(t)-1(i)-4(v)-1(a)-4(t)-1(i)-4(o)-1(n)-4(d)-1(a)-4(t)-1(a)-4(u)-1(s)-4(e)-4(d)-4(t)-1(o)-4(c)-1(o)-4(n)-1(t)-4(r)-1(o)-4(l)-4(a)-1(c)-4(c)-1(e)-4(s)-1(s)-4(t)-1(h)-4(e)-1(r)-4(e)-1(t)-4(o)-1(;)-4(-)-1(-)-4(I)-1(f)-4(t)-1(h)-4(e)-4(C)-1(e)-4(r)-1(t)-4(i)-1(f)-4(i)-1(c)-4(a)-1(t)-4(e

QuoVadis Certificate relating to: (i) Certificate Holder's breach of its obligations under the Certificate Holder Agreement or this CP/CPS; (ii) Certificate Holder's failure to protect its private key; or (iii) claims (including without limitation infringement claims) pertaining to content or other information or data supplied by Certificate Holder .

9.10. Term And Termination

9.10.1. Term

This CP/CPS and any amendments hereto shall become effective upon publication in the Repository and shall remain in effect perpetually until terminated in accordance with this Section 9.10.

9.10.2. Termination

This CP/CPS shall remain in force until it is amended or replaced by a new version in accordance with this Section

9.16. Miscellaneous Provisions

9.16.1. Entire Agreement

Not Applicable.

9.16.3. Assignment

Parties to this CP/CPS may not assign any of their rights or obligations under this CP/CPS or applicable agreements without the written consent of QuoVadis, and any such attempted assignment shall be void.

9.16.4. Severability

Any provision of this QuoVadis CP/CPS that is determined to be invalid or unenforceable will be ineffective to the extent of such determination without invalidating the remaining provisions of this QuoVadis CP/CPS or affecting the validity or enforceability of such remaining provisions.

9.16.5. Enforcement (Waiver Of Rights)

Except where an express time frame is set forth in this CP/CPS, no delay or omission by QuoVadis to exercise any right, remedy, or power it has under this CP/CPS shall impair or be construed as a waiver of such right, remedy, or power. A waiver by QuoVadis of any breach or covenant in this CP/CPS shall not be construed to be a waiver of any other or succeeding breach or covenant. No waiver shall be effective unless it is in writing. Bilateral agreements between QuoVadis and the parties to this CP/CPS may contain additional provisions governing enforcement.

9.16.6. Force Majeure

QUOVADIS ACCEPTS NO LIABILITY FOR ANY BREACH OF WARRANTY, DELAY, OR FAILURE IN PERFORMANCE THAT RESULTS FROM EVENTS BEYOND ITS CONTROL SUCH AS ACTS OF GOD, ACTS OF WAR, ACTS OF TERRORISM, EPIDEMICS, POWER OR TELECOMMUNICATION SERVICES FAILURE, FIRE, AND OTHER NATURAL DISASTERS.

9.17. Other Provisions

No stipulation.

Step 2: QuoVadis independently verifies information using a variety of sources.

Step 3: The Applicant accepts the Certificate Holder Agreement and approves Certificate issuance.

Step 4: All signatures are verified through follow-up procedures or telephone calls.

Step 5: QuoVadis obtains and documents further explanation or clarification as necessary to resolve discrepancies or details requiring further explanation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the Certificate Request and notify the Applicant accordingly. Two QuoVadis Validation Specialists must approve issuance of the Certificate.

Step 6: QuoVadis creates the Business SSL Certificate.

Step 7: The Business SSL Certificate is delivered to the Applicant.

Extended Validation SSL

Field	Value	Comments
Version	V3 (2)	
Serial Number	Unique number	
Issuer Signature Algorithm	sha-1WithRSAEncryption (1.2.840.113549.1.1.5) or sha256RSA(1.2.840.113549.1.1.11)	
Issuer Distinguished Name	Unique X.500 CA DN. CN = QuoVadis Global SSL ICA or CN = QuoVadis Global SSL ICA G3 O = QuoVadis Limited C = BM	
Validity Period	1 or 2 years expressed in UTC format	
Subject Distinguished Name		
Organization Name	subject:organisationName (2.5.4.10)	This field MUST contain the Subject's full legal organisation name as li ln t]TJ 0 (T)-9(h)-863C Nam

Subject Key Identifier	c=no; Octet String – Same as calculated by CA from PKCS#10	
Key Usage	c=yes; Digital Signature, Key Encipherment (a0)	
Extended Key Usage	c=no; Server Authentication (1.3.6.1.5.5.7.3.1) Client Authentication (1.3.6.1.5.5. 7.3.2)	

- The International Organization Entity MUST NOT be headquartered in any c digiasagc(A)-9asgi2(aga.)1 ct ih2(agbi)-y(h)8(t)-4h(h

- Use of EV Certificate: An obligation and warranty to install the EV Certificate only on the server accessible at a domain name listed on the EV Certificate, and to use the EV Certificate solely in compliance with all applicable laws, solely for authorised company business, and solely in accordance with the Certificate Holder Agreement.

- Reporting and Revocation Upon Compromise: An obligation and warranty to promptly cease using an EV Certificate and its associated Private Key, and promptly request the QuoVadis to revoke the EV Certificate, in the event that: (a) any information in the EV Certificate is or becomes incorrect or inaccurate, or (b) there is any actual or suspected misuse or compromise of the Certificate Holder's Private Key associated with the Public Key listed in the EV Certificate; and

- Termination of Use of EV Certificate: An obligation and warranty to promptly cease all use of the Private Key corresponding to the Public Key listed in an EV Certificate upon expiration or revocation of that EV Certificate.

Application Process

During the Certificate approval process, QuoVadis Validation Specialists employ controls to validate the identity of the Certificate Holder and other information featured in the Certificate Application to ensure compliance with the Guidelines.

Step 1: The Certificate Requester provides a signed Certificate Application to QuoVadis, which includes information about the Applicant, personnel within the organisation who have authority to approve the request and also agreement to the Certificate Holder Agreement. In addition, the Certificate Requester provides a PKCS#10 CSR as well as billing information for processing the request and issuing the EV Certificate.

In the case of outdated information, QuoVadis repeats the verification processes required by the EV Guidelines. If a company is no longer in good standing, or if any of the other required information cannot be verified, the Certificate is not renewed.

Authority Information Access	c=no; Access Method= - Id-ad-ocsp (On-line Certificate Status Protocol - 1.3.6.1.5.5.7.48.1); URL = http://ocsp.quovadisglobal.com
CRL Distribution Points	c = no; CRL HTTP URL =http://crl.quovadisglobal.com/QVTCSICA.crl

Purposes of Trusted Code Signing

The primary purpose of QuoVadis Trusted Code Signing Certificates is to establish

Step 5: QuoVadis obtains and documents further explanation or clarification as necessary to resolve discrepancies or details requiring further explanation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the Certificate Request and notify the Applicant accordingly. Two QuoVadis Validation Specialists must approve issuance of the Certificate.

Step 6: QuoVadis creates the Trusted Code Signing Certificate.