

Copyright © QuoVadis 2016. All rights reserved. This document shall not be duplicated, used, or disclosed in whole or in part for any purposes other than those approved by QuoVadis.

1.1. Overview 1
1.2. Document Name, Identification and Applicability 2
1.3. Public Key Infrastructure Participants 2
1.4. Certificate Usage 8
1.5. Policy Administration 9
1.6. Definitions and Acronyms 10

2.1. Repositories 10
2.2. Publication of Certificate Information 10
2.3. Time or Frequency of Publication 10
2.4. Access Controls on Repositories 10

3.1. Naming 10
3.2. Initial Identity Validation .....

to act in accordance with their respective Issuing CA Agreements and to be bound by the terms of this CP/CPS. Generally, Issuing CAs will be authorisedrisI3aam0 g0 G[( )] TJET3 0 0 12

- that the attributes of the Digital Certificate relied upon are appropriate in all respects to the reliance placed upon that Digital Certificate by the Authorised Relying Party including, without limitation to the generality of the foregoing, the level of f the

- x Common Name (CN)
- x Organisational Unit (OU)
- x Organisation (O)
- x Locality (L)
- x State or Province (S)
- x Country (C)
- x Email Address (E)

Alternatively, Distinguished Names may be based on domain name components, e.g. CN=John Smith, DC=QuoVadis, DC=BM.

irst and last name (surname). The Baseline Requirements contain provisions relating to Certificates containing Internal Server Names or Reserved IP Addresses. As of the Effective Date of the Baseline Requirements (July 1, 2012), the use of such Certificates is deprecated by the CA / Browser Forum and QuoVadis will not issue SSL with an Expiry Date later than November 1, 2015. Effective 1 October 2016, QuoVadis will revoke any unexpired Certificate whose subjectAlternativeName extension or Subject commonName field contains a Reserved IP Address or Internal Server Name. For certificates covered under the Baseline Requirements, the FQDN or authenticated domain name is placed in the Common Name (CN) attribute of the Subject field and the Subject Alternative Name extension.

	For Qualified Certificates issued according to the Swiss Digital Signature law, all fields containing information must be verified by the appropriate Registration Authority by reference to appropriate documentation and face-to-face presentation of Government-Issued ID or Passport.
	For Qualified Certificates issued according to European/ Dutch/ Belgian Digital Signature law, all fields containing information must be verified by the appropriate Registration Authority by reference to appropriate documentation and face-to-face presentation of Government-Issued ID or Passport.

Distinguished Names must be meaningful, unambiguous and unique. QuoVadis supports the use of Digital Certificates as a form of identification within a particular community of interest.

The contents of the Digital Certificate Subject Name fields must have a meaningful association with the name of the Individual, Organisation, or Device. In the case of Individuals, the name should consist of the first name, last name, and any middle initial. In the case of Organisations, the name shall meaningfully reflect the legal name or registered domain name of the Organisation or the trading or business name of that Organisation. In the case of a Device, the name shall state the name of the Device and the legal name or registered domain name of the Organisation responsible for that Device.

Pseudonym Digital Certificates may only be issued if permitted for that class/type of Digital Certificates and only in accordance with relevant industry standards.

Fields contained in Digital Certificates are in compliance with this CP/CPS and the Digital Certificate Profiles detailed in Appendix A. In general, the rules for interpreting name forms can be found in International Telecommunication (ITU) and Internet Engineering Task Force (IETF) Standards, such as the ITU-T X.500 series of standards and applicable IETF RFCs.

QuoVadis Registration (en-GB)>> BDC qJETQCQdoVtration (en-)-6()4(i)-10(b)6(l)NEac

The Subject Name of each Digital Certificate issued by an Issuing CA shall be unique within each Class of Digital Certificate issued by that Issuing CA and shall conform to all applicable X.500 standards for the uniqueness of names. The Issuing CA may, if necessary, insert additional numbers or letters to the Certificate Holder Subject Common Name, or other attribute, in order to distinguish between two Digital Certificates that would otherwise have the same Subject Name.

duly appointed, and appropriately trained and qualified staff members of the Registration Authority are eligible for Registration Authority Officer Digital Certificates.

¶

As part of the application process, Registration Authorities are required to nominate one or more persons within their Organisation to take responsibility for the operation their Registration Authority functions. Those nominated persons will each be issued a Registration Authority Officer s Digital Certificate.

Upon acceptance of the terms and conditions of the Certificate Holder Agreement or other relevant agreement, the successful completion of the application process and final approval of the application by the Issuing CA, the Issuing CA issues the Digital Certificate to the Applicant or Device.

Issuing CAs and Registration Authorities within the QuoVadis PKI may choose to notify Applicants that their Digital Certificate has been issued.

Digital Certificate acceptance is governed by and should comply with the practices described in, and any requirements imposed by, this CP/CPS.

Until a Digital Certificate is accepted, it is not published in any Repository or otherwise made publicly available. By using a Digital Certificate, the Holder thereof certifies and agrees to the statements contained in the notice of approval. This CP/CPS sets out what constitutes acceptance of a Digital Certificate. An Applicant that accepts a Digital Certificate warrants to the relevant Issuing CA, and all Authorised Relying Parties who reasonably rely, that all information supplied in connection with the application process and all information included in the Digital Certificate issued to them is true, complete, and not misleading. Without limitation to the generality of the foregoing, the use of a Digital Certificate or the reliance upon a Digital Certificate signifies acceptance by that person of the terms and conditions of this QuoVadis CP/CPS and Certificate Holder Agreement (as the same may, from time to time, be amended or supplemented) by which they irrevocably agree to be bound.

By accepting a Digital Certificate issued by an Issuing CA operating within the QuoVadis

All Digital Certificates issued within the QuoVadis PKI are made available in public repositories, except where Certificate Holders have requested that their Digital Certificates not be published.

- The Certificate Holder otherwise becomes unsuitable or unauthorised to hold a Digital Certificate on behalf of the employer or its respective Subsidiaries, Holding Companies or Counterparties.

- Affiliation change
- Cessation of operation
-

QuoVadis provides optional Key Archive services for certain Certificate Profiles (see Appendix A, section 10.1.2). Key archive is prohibited for QV Advanced+ and QV Qualified Certificates, or for any Private Key whose Key Usage is dedicated to Signing or Authentication.

Private Key for certain

The QuoVadis secure operating area provides protection against water. It is located on an upper floor with raised flooring, floors and walls are sealed.

The QuoVadis secure datacentre provides protection against fire and contains with an automatic FM200 extinguishing system.

All magnetic media containing QuoVadis PKI information, including backup media, are stored in containers, cabinets or safes with fire protection capabilities and are located either within the QuoVadis service operations area or in a secure off-site storage area.

Paper documents and magnetic media containing trusted elements of QuoVadis or commercially sensitive or confidential information are securely disposed of by:

- in the case of magnetic media:
  - physical damage to, or complete destruction of, the asset;
  - the use of an approved utility to wipe or overwrite magnetic media; and
- in the case of printed material, shredding, or destruction by an approved service.

An off-site location is used for the storage and retention of backup software and data. The off-site storage:

- is available to authorised personnel 24 hours per day seven days per week for the purpose of retrieving software and data; and
- has appropriate levels of physical security in place (i.e. software and data are stored in fire-rated safes and containers which are located behind access-controlled doors in areas accessible only by authorised personnel).

Administrative processes are dealt with and described in detail in the various documents used within and supporting the QuoVadis PKI.

Issuing CAs are required to ensure that administrative procedures related to personnel and procedural requirements, and physical and technological security mechanisms, are maintained in accordance with this CP/CPS and other relevant operational documents.

It is company policy that QuoVadis will not outsource any of its PKI operations to other organizations.

In order to ensure that one person acting alone cannot circumvent security safeguards, responsibilities are shared by multiple roles and individuals. This is accomplished by creating separate roles and accounts on various components of the CA system, and each role has a limited amount of capability. This method allows a system of "checks and balances" to occur among the various roles. Oversight may be in the form of a person who is not directly involved in issuing Digital Certificates (e.g. a security officer) examining system records or audit logs to ensure that other persons are acting within the realms of their responsibilities and within the stated security policy. The roles defined by this CP/CPS are:

- Certification Authority Officers who are responsible for CA hardware and software and the generation and signing of Issuing CA Keys.
- Registration Authority Officers who are appointed by Registration Authorities, issued Registration Authority Certificates, and given responsibility for the operation of Registration Authority functions and the interface with the Issuing CA.
- QuoVadis Chief Security Officer who is responsible for verifying the integrity of the Certification Authorities and Registration Authorities and their operations and configurations.

At least two people are assigned to each trusted role to ensure adequate support at all times, except for the role that performs the task of verifying and reviewing audit logs. Some roles are assigned to different people to ensure no

conflict of interest occurs and to prevent the possibility of accidental or intentional compromise of any component of the CA infrastructure, most especially the Root Certification Authority and Issuing CA Private Keys, and customer Private Keys if held temporarily by QuoVadis during the registration process.

CA Key Pair generation and initialisation of a Root CA or Issuing CA shall require the active participation of at least two trusted individuals in each case. Such sensitive operations also require the active participation and oversight of senior management.

Issuing CAs will utilis

to submitting a Digital Certificate request. Key Generation methods and requirements differ according to the type of Digital Certificate requested.

Certificate Holder Key Generation may be performed in hardware or software depending on the Digital Certificate type.

All Keys for Issuing CAs, Registration Authorities and Registration Authority Officers must be randomly generated on an approved cryptographic token in a physically secure environment. CA Certificate signing keys are only used w3i5o

Usage periods for Public Keys and Private Keys shall match the usage periods for the Digital Certificate that binds the Public Key to an Individual, Organisation, or Device. Please see the variable Issuing Certificate Authority Valid From fields in the Certificate Profiles outlined in Appendix A.

The maximum validity periods for Digital Certificates issued within the QuoVadis PKI are:

x	Root CA Certificate	30 years
x	All Issuing CA Certificates	10 15 years
x	Qualified Certificates	1 to 3 years
x	All other Digital Certificates (But less than the remainder of the appropriate Issuing Certificate Authority Certificate)	Variable

Two-factor authentication shall be used to protect access to a Private Key. One of these factors is a randomly and automatically generated key that protects the Private Key.
A unique Personal Identification Code may be generated by a Registration Authority during Key Pair creation, to protect the transport of the Keys and Digital Certificates to the Certificate Holder.

QuoVadis Certification Authority Officers are also required to use strong passwords to further prevent unauthorized access to CA systems.

If activation data must be transmitted, it shall be via a channel of appropriate protection, and distinct in time and place from the associated Cryptographic Module. Personal Identification Codes may be supplied to Users in two portions using different delivery methods, for example by e-mail and by standard post, to provide increased security against third-party interception of the Personal Identification Code. Activation Data should be memorised, not written down. Activation Data must never be sharf1 0 0 1 440 612 792 ographic Module.

All hardware and software procured for operating an Issuing CA within the QuoVadis PKI must be purchased in a manner that will mitigate the risk that any particular component was tampered with, such as random selection of specific components. Equipment developed for use within the QuoVadis PKI shall be developed in a controlled environment under strict change control procedures.

Stamps

[redacted]

URL=http://trust.quovadisglobal.com/<caname>.crt

Note that all

Selected Registration Authorities within the QuoVadis PKI are subject to annual compliance reviews performed by or

In circumstances where any irregularities are found with respect to QuoVadis, in its capacity as an Issuing CA, the principles enunciated above will be followed by the QuoVadis Root CA.

If irregularities are found, the QuoVadis Root CA, or if applicable the Issuing CA, will address the issues raised with the relevant entity. Any action to be taken will be determined by QuoVadis by reference to its determination as to the severity or materiality of the irregularity. In the event that QuoVadis determines that remedial action is required, the relevant entity will be advised by QuoVadis as to the procedures and action required to remedy the irregularity. Remedial action determined by QuoVadis shall be limited to the operations and procedures required to be taken in order to ensure that the Registration Authority operates in compliance with the QuoVadis CP/CPS. In the event that

severity or material558.9t 0.00000912 0 61ETOJ41 9 Tf41 riw Quo30\01 9 TfwRith b

QuoVadis, Issuing CAs, Registration Authorities, Certificate Holders, Relying Parties and all others using or accessing any personal data in connection with matters dealt with this CP/CPS shall comply with the Council Directive 95/46/EC of the European Parliament and of the Council of 24 October 1995 on the protection of individuals with regard to the processing of personal data and on the free movement of such data, and any amending and/or implementing legislation enacted from time to time, and any other relevant legislation relating to data protection, and any equivalent legislation or regulations in any relevant jurisdiction. QuoVadis complies with the Swiss Federal Act on Data Protection of June 19, 1992 (SR 235.1).

All information about Certificate Holders that is not publicly available through the content of issued Digital Certificates, Digital Certificate directories or online Repositories is treated as private.

The use of the PKIX IETF Guidelines is acknowledged.

Authorised Registration Authorities operating within the QuoVadis PKI hereby warrant that (a) they take reasonable steps to verify that the information contained in any Digital Certificate is accurate at the time of issue, and (b) they will request that Digital Certificates be revoked by QuoVadis if they believe or are notified that the contents of the Digital Certificate are no longer accurate, or that the key associated with a Digital Certificate has been compromised in any way.

Certificate Holders represent and warrant that:

- The Private Key is protected and has never been accessed by another person.
- All representations made by the Certificate Holder in the Digital Certificate Application are true.
- All information in the Digital Certificate is true and accurate.
- The Digital Certificate is being used for its intended, authorised and legal purpose consistent with this CP/CPS.
- They will promptly request revocation of the Digital Certificate in the event that: (a) any information in the Certificate is or becomes incorrect or inaccurate, or (b) there is any actual or suspected misuse or compromise of the Private Key associated with the Public Key listed in the Digital Certificate.

Relying Parties represent and warrant that:

- They will collect enough information about a Digital Certificate and its Corresponding Holder to make an informed decision as to the extent to which they can rely on the Digital Certificate.
- That they are solely responsible for making the decision to rely on a Digital Certificate.
- That they shall bear the legal consequences of any failure to perform Relying Party obligations under the terms of this CP/CPS and the Relying Party agreement.

Participants within the QuoVadis PKI represent and warrant that they accept and will perform any and all duties and obligations as specified by this CP/CPS.

To the extent permitted by applicable law, this CP/CPS, the Certificate Holder Agreement, the Relying Party Agreement, the Issuing CA Agreement, the Registration Authority Agreement and any other contractual documentation applicable within the QuoVadis PKI
fitness for a particular purpose.

To the extent permitted by applicable law, QuoVadis makes no express or implied representations or warranties

	For Qualified Certificates, in accordance with the Swiss Digital Signature law, namely, Art 16 of Zert ES: 1. QuoVadis is liable to the Certificate Holder or the Relying Party who relies on a valid Qualified Certificate, for damages that arise because QuoVadis has not followed the procedures required by ZertES. 2. QuoVadis has the obligation to prove that such procedures were followed in accordance with ZertES. 3. QuoVadis cannot disclaim liability to either the Certificate Holder or Relying Party except where the Certificate Holder or Relying Party has not complied with the terms and conditions of use of the Certificate. Sections 9.8.2; 9.8.3; 9.8.4; 9.8.5 DO NOT apply to Qualified Certificates.
	For Qualified Certificates, in accordance with the European/Dutch Digital Signature law, QuoVadis is liable under: x The Dutch Electronic Signatures Act of 8 May 2003 (entered into force on 21 May 2003) x The relevant sections of the eIDAS Regulation.
	For Qualified Certificates, in accordance with the European/Belgian Digital Signature law, QuoVadis is liable under: x The Belgian Law of 20 October 2000 and the Belgian Law of 9 July 2001 The relevant sections of the eIDAS Regulation.

4XR9DGLV¶ /LPLWDWLRQV 2I /LDELOLW\

QuoVadis shall not in any event be liable for any loss of profits, loss of sales or turnover, loss or damage to reputation, loss of contracts, loss of customers, loss of the use of any software or data, loss or use of any computer or other equipment (

Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com		Holder Variable
Common Name (CN)	Common Name		Holder Variable
givenName (G)	Given Name	Can use Pseudonym instead of givenName and surname	Holder Variable
Surname (S)	Surname		
Organisational Unit (OU)	Variable Data		Holder Variable
Organisation (O)	Organisation legal name		Holder Variable
Country/Locality	Variable Data		Holder Variable
Subject Public Key Information	RSA (2048-bit2048-bit) / System Generated		Fixed

QuoVadis Advanced+ Digital Certificates are used for the same purposes as QuoVadis Advanced Digital Certificates, with the only difference being that they are issued on a Secure Cryptographic Device. The QuoVadis Advanced + Certificate Class is trusted in the Adobe Approved Trust List (AATL).

QuoVadis Advanced+ Digital Certificates are based on with the Normalised Certificate Policy (NCP+) described in ETSI EN 319 411-1.
Unless the Certificate Holder has already been identified by the RA through a face-to-face identification meeting, accepted Know Your Customer (KYC) standards or a contractual relationship with the RA, validation requirements for a Certificate Holder shall include the following:

If the subject is a natural person (i.e. physical person as opposed to legal person) evidence of the subject's identity (e.g. name) shall be checked against this natural person either directly by physical presence of the person (the subject shall be witnessed in person unless a duly mandated subscriber represents the subject), or shall have been checked indirectly using means which provides equivalent assurance to physical presence.
If the subject is a natural person evidence shall be provided of:

- Full name (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.

If the subject is a natural person who is identified in association with a legal person (e.g. the Subscriber), evidence of the identity shall be checked against a natural person either directly by physical presence of the person (the subject shall be witnessed in person unless a duly mandated subscriber represents the subject), or shall have been checked indirectly using means which provides equivalent assurance to physical presence.

If the Certificate Holder is a natural person who is identified in association with a legal person (organizational entity), additional evidence shall be provided of:

- Full name and legal status of the associated legal person;
- Any relevant existing registration information (e.g. company registration) of the associated legal person; and
- Evidence that the Certificate Holder is affiliated with the legal person.

If the Certificate Holder is a 0 0 1 101.06 3BT/F1 9 T0361.71 555.43 re177.904 75.624 461.71 555.43 reW* nBT/F



The procedure below assumes an application by a company or organisation on behalf of its employees or devices for Digital Certificates.

The ElDI-V/GeBüV Certificate is issued to organisations (companies, municipalities, etc.) and issued primarily to digitally sign electronic invoices. The Certificates may also be used for commercial purposes (such as legally-compliant electronic archiving according to GeBüV).

These Digital Certificates are issued in accordance with ElDI-V (SR 641.201.1 and SR 641.201.1.1). Validation of these Certificates is performed in accordance with the validation procedures for QuoVadis Qualified Certificates and any additional validation requirements required by ElDI-V.

Common Name (CN)	Commercial Subject Name or First Name - Last Name	Holder Variable
Organisational Unit (OU)	Variable Data	Holder Variable
Organisational Unit (OU)		

State/Province	State/Province	Holder Variable

[redacted]

The purpose of these EU Qualified certificates are to identify the Certificate Holder with a high level of assurance, for the purpose of creating Qualified Electronic Signatures meeting the qualification requirements defined by Regulation (EU) No. 910/2014 on electronic identification and trust services for electronic transactions in the internal market (the

.

CommonName (CN)	CommonName		Required
givenName (G)	Given Name	Can use Pseudonym instead givenName and surname	Required
Surname (S)	Surname		
SerialNumber (SN)			

CommonName (CN)	CommonName	Required

Country of Citizenship	ISO Country Code	Nationality

SuisseID is the first standardised electronic proof of identity in Switzerland (http://www.suisseid.ch/). QuoVadis SuisseID Qualified Certificates are used to sign documents electronically. The digital signature is tamperproof and legally equivalent to a handwritten signature.

Either a Common Name or a Pseudonym is required for QuoVadis SuisseID Qualified Certificate. Use of both Common Name and Pseudonym in the same Certificate is not permitted.

QuoVadis SuisseID Qualified Certificates are issued in accordance with the SuisseID requirements (including the using the QuoVadis SuisseID Signing Service. Unless stated otherwise in the SuisseID Specification document, the guidelines in TAV-ZERTES apply to the specification of SuisseID Qualified Certificates.

For the issuance and life cycle management of SuisseID Qualified Certificates, QuoVadis adheres to the same organizational and operational procedures and uses the same technical infrastructure as for a ZertES compliant qualified certificate.

inst a physical person either directly, or shall have been checked indirectly using means which provide equivalent assurance to physical presence. Only a valid passport or national ID is accepted as evidence. Storage of personal data is in accordance with ZertES.

Evidence shall be provided of:

- Full name (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.

If the Certificate Holder is identified in association with an organisational entity, additional evidence shall be provided of:

- Full name and legal status of the associated organisational entity;
- Any relevant existing registration information (e.g. company registration) of the organisational entity;
- Authorization from an authorized Organisation representative; and
- Evidence that the Certificate Holder is associated with the organisational entity.

Private Keys for SuisseID Qualified Certificates are generated and stored on a Hardware Security Module that meets FIPS PUB 140-2, level 3 or EAL 4 standards. This Hardware Security Module is located in a QuoVadis data centre. Access by the Certificate Holder to the keys is protected using multifactor authentication aimed to achieve the same level of assurance of sole control as achieved by a stand-alone SSCD.

QuoVadis SuisseID Qualified Certificates have a maximum validity of three years.

Common Name (CN)	QuoVadis SuisseID Qualified CA	Fixed
Organisational Unit (OU)	Issuing Certification Authority	Fixed
Organisation (O)	QuoVadis Trustlink Switzerland Ltd.	Fixed
Country	CH	Fixed
Common Name (CN)	First Name - Last Name (Qualified Signature)	Holder Variable
Pseudonym	Pseudonym (Qualified Signature)	Holder Variable
Title	Title (e.g. Dr.) which must be as written in ID Document/ Passport)	Holder Variable
Serial Number	1200-xxxx-xxxx-xxxx	Fixed
Organisational Unit (OU)	Variable Data	Holder Variable
Organisation (O)	Organisation legal name	Holder Variable

Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid End User Certificate is to help the Certificate Holder to access the Grid services that require Certificate-based authentication.

The identity vetting of all Applicants must be performed by an approved Registration Authority (RA). Face to face registration is required at the RA or alternatively the Applicants can have their identity vetted at a post office providing an approved iden

Where QuoVadis relies upon a Domain Authorization Document t
QuoVadis verifies that the communication came from either the Domain Name Registrant (including any private, anonymous, or proxy registration service) or the Domain Name Registrar listed in the WHOIS. QuoVadis verifies that the Domain Authorization Document was either (i) dated on or after the certificate request date or (ii) used

modified since the previo

QuoVadis maintains a list of High Risk Domains and has implemented technical controls to prevent the issuance of Certificates to certain domains. QuoVadis follows documented procedures that identify and require additional

FIELDS	CONTENT	
Common Name (CN)	Subject Common Name	Holder Variable
Organisational Unit (OU)	Variable Data	Holder Variable
Organisation (O)	Organisation legal name	Holder Variable
Locality (L)	Subject Locality	Holder Variable
State/Province (ST)	Subject State/Province	Holder Variable
Country (C)	Subject Country	Holder Variable
Subject Public Key Information	RSA (2048-bit) / System Generated	Fixed

uthorised to perform the functions of that Registration Authority.