QUOVADIS ROOT CERTIFICATION AUTHORITY
CERTIFICATE POLICY / CERTIFICATION PRACTICE STATEMENT

OID s: 1.3.6.1.4.1.8024.0.1
1.3.6.1.4.1.8024.0.3

Effective Date: July 25, 2018

Version: 4.23

Copyright © QuoVadis 2018. All rights reserved. This document shall not be duplicated, used, or disclosed in whole or in part for any purposes other than those approved by QuoVadis.

Important Note About this Document

This is the Certificate Policy/Certification Practice Statement (CP/CPS) of QuoVadis Limited, (QuoVadis). It contains an overview of the practices and procedures that QuoVadis employs as a Certification Authority (CA). This document is not intended to create contractual relationships between QuoVadis Limited and any other person. Any person seeking to rely on Digital Certificates or participate within the QuoVadis Public Key Infrastructure (the QuoVadis PKI) must do so pursuant to a definitive contractual document. This document is intended for use only in connection with QuoVadis and its business. This version of the CP/CPS has been approved for use by the QuoVadis Policy Management Authority (PMA) and is subject to amendment and change in accordance with the policies and guidelines adopted, from time to time, by the PMA and as otherwise set out herein. The date on which this version of the CP/CPS becomes effective is indicated on this CP/CPS. The most recent effective copy of this CP/CPS supersedes all previous versions. No provision is made for different versions of this CP/CPS to remain in effect at the same time.

This document covers aspects of the QuoVadis PKI that relate to all CAs established by QuoVadis under the QuoVadis Root Certification Authority and the QuoVadis Root Certification Authority 3 (QuoVadis Root CA 3). There are a number of instances where the legal and regulatory framework regarding the issuance of Qualified Certificates under the Swiss, Dutch or European Digital Signature regimes impose additional requirements.

Table of Contents

1. INTRODUCTION ... 1
1.1. Overview ... 1
1.2. Document Name, Identification and Applicability ... 2
1.3. Public Key Infrastructure Participants ... 3
1.4. Certificate Usage ... 10
1.5. Policy Administration ... 10
1.6. Definitions and Acronyms ... 11
2. PUBLICATION AND REPOSITORY RESPONSIBILITIES ... 11
2.1. Repositories ... 11
2.2. Publication of Certificate Information ... 11
2.3. Time or Frequency of Publication ... 12
2.4. Access Controls on Repositories ... 12
3. IDENTIFICATION AND AUTHENTICATION ... 12
3.1. Naming ... 12
3.2. Initial Identity Validation ... 13
3.3. Identification And Authentication For Renewal Requests ... 17
3.4. Identification and Authentication For Revocation Requests ... 17
4. CERTIFICATE LIFE - CYCLE OPERATION REQUIREMENTS ... 18
4.1. Certificate Application ... 18
4.2. Certificate Application Processing ... 18
4.2.4 Certificate Authority Authorisation (CAA) ... 19
4.3. Certificate Issuance ... 19
4.4. Certificate Acceptance ... 20
4.5. Key Pair And Certificate Usage ... 21
4.6. Certificate Renewal ... 21
4.7. Certificate Re-Key ... 21
4.8. Certificate Modification ... 22
4.9. Certificate Revocation And Suspension ... 22
4.10. Certificate Status Services ... 25
4.11. End Of Subscription ... 25
4.12. Key Archival And Recovery ... 25
5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS ... 26
5.1. Physical Controls ... 26
5.2. Procedural Controls ... 27
5.3. Personnel Controls ... 28
5.4. Audit Logging Procedures ... 29
5.5. Records Archival ... 30
5.6. Key Changeover ... 31
5.7. Compromise And Disaster Recovery ... 31
5.8. Certification Authority And/Or Registration Authority Termination ... 31
6. TECHNICAL SECURITY CONTROLS ... 32
6.1. Key Pair Generation And Installation ... 32
6.2. Private Key Protection And Cryptographic Module Engineering Controls ... 33
6.3. Other Aspects Of Key Pair Management ... 36
6.4. Activation Data ... 36
6.5. Computer Security Controls ... 37
6.6. Life Cycle Technical Controls ... 37
6.7. Network Security Controls ... 38
6.8. Time-Stamping ... 38
7. CERTIFICATE, CRL, AND OCSP PROFILES FOR CERTIFICATES WHICH DO NOT INCLUDE SERVER AUTHENTICATION KEY USE ... 38
7.1. Certificate Profile ... 38
7.2. Certificate Revocation List Profile ... 41
7.3. Online Certificate Status Protocol Profile ... 41
7.4. Lightweight Directory Access Protocol Profile ... 42
7.5. Digital Certificate Fields and Root CA Certificate Hashes ... 43

QuoVadis Root CA 2 is used to issue Extended Validation (EV) SSL Certificates associated with EV OID 1.3.6.1.4.1.8024.0.2.100.1.2, Business SSL Certificates and also Code Signing Certificates. Digital Certificates issued under Root CA 2 and QuoVadis Root CA 2 G3 have their own CP/CPS G3

This CP/CPS describes all subordinate services that operate under the QuoVadis Root CA, i.e. that are within the

PKI include:

- Certification Authorities;
- Registration Authorities;
- Certificate Holders including applicants for Digital Certificates prior to Digital Certificate issuance; and
- Authorised Relying Parties

The practices described or referred to in this CP/CPS

- accommodate the diversity of the community and the scope of applicability within the QuoVadis chain of trust; and
- adhere to the purpose of the CP/CPS of describing the uniformity and efficiency of practices throughout the QuoVadis PKI.

In keeping with their primary purpose, the practices described in this CP/CPS

-

to act in accordance with their respective Issuing CA Agreements and to be bound by the terms of this CP/CPS.
CP/CPS Generally, Issuing CAs will be authorised to issue and manage all types of Digital Certificates supported by this CP/CPS

	In accordance with the Swiss Digital Signature law, Qualified Certificates will only be issued from QuoVadis Issuing CAs that are owned and operated by QuoVadis.
	In accordance with the European/ Dutch/ Belgian Digital Signature law, Qualified Certificates will only be issued from QuoVadis Issuing CAs that are owned and operated by QuoVadis.

An Issuing CA[(An)-128(Is)6(s)6(uin)-14(g)6( )] TJ ET Q q 0.00000912 0 612 792 r1 0 0 1 124.22 549.1 Tm 0.Sus BT /F1 9 Tfg (en

Execution of an Issuing CA Agreement is subject to review and acceptance by QuoVadis and/or QuoVadis auditors of a PKI infrastructure review that includes but is not limited to:

- CA hierarchy
- Logical, physical and network security measures
- Use of cryptographic modules

QuoVadis, in its sole discretion, may require one or all of the following:

- Independent audit of the Issu ing CAs practices and operations and public attestation su

Ex

This CP/CPS does not require a Certificate Holder to ensure that potential relying parties are compliant with the requirements to be an Authorised Relying Party.

1.3. 4.1. Obligations and Responsibilities

Authorised Relying parties are required to act in accordance with this CP/CPS and the Relying Party Agreement.

An Authorised Relying Party must utilise Digital Certificates and their corresponding Public Keys only for authorised and legal purposes and only in support of transactions or communications supported by the QuoVadis PKI.

An Authorised Relying Party shall not place reliance on a Digital Certificate unless the circumstances of that intended reliance constitute Reasonable Reliance and that Authorised Relying Party is otherwise in compliance with the terms and conditions of their Relying Party Agreement. Any

1.5.2. Contact Person

QuoVadis Certificate

4.2.4 Certificate Authority Authori sation (CAA)

Prior to issuing SSL Digital Certificates, QuoVadis checks for CAA records for each dNSName in the subjectAltName extension of the Digital Certificate to be issued. If the QuoVadis Digital Certificate is issued, it will be issued within the TTL of the CAA record, or 8 hours, whichever is greater.

When processing CAA records, QuoVadis processes the issue, issuewild, and iodef property tags as specified in RFC 6844 as amended by Errata 5065 (Appendix A)

4.3.2. Notification To Applicant Certificate Holder By The Certification Authority Of Issuance Of Certificate

Issuing CAs and Registration Authorities within the QuoVadis PKI may choose to notify Applicants that their Digital Certificate has been issued.

4.4. Certificate Acceptance

Digital Certificate acceptance is governed by and should comply with the practices described in, and any requirements imposed by, this CP/CPS

Until a Digital Certificate is accepted, it is not published in any Repository or otherwise made publicly available. By using a Digital Certificate, the Holder thereof certifies and agrees to the statements contained in the notice of approval. This CP/CPS sets out what constitutes acceptance of a Digital Certificate. An Applicant that accepts a Digital Certificate warrants to the relevant Issuing CA, and all Authorised Relying Parties who reasonably rely, that all information supplied in connection with the application process and all information included in the Digital Certificate issued to them is true, complete, and not misleading. Without limitation to the generality of the foregoing, the use of a Digital Certificate or the reliance upon a Digital Certificate signifies acceptance by that person of the terms and conditions of this QuoVadis CP/CPS and Certificate Holder Agreement (as the same may, from time to time, be amended or supplemented) by which they irrevocably agree to be bound.

By accepting a Digital Certificate issued by an Issuing CA operating within the QuoVadis PKI, the Certificate Holder expressly represents and warrants to QuoVadis and all Authorised Relying Parties who reasonably rely on the information contained in the Digital Certificate that at the time of acceptance and throughout the operational period of the Digital Certificate, until notified otherwise by the Certificate Holder , that:

- No unauthorised person has ever had access to the Certificate Holder's Private Key,
- All representations made by the Certificate Holder to QuoVadis regarding the information contained in the Digital Certificate are true;
- All information contained in the Digital Certificate is true to the extent that the Certificate Holder had knowledge or notice of suc

4.4.4. Notification Of Certificate Issuance By The Certifi cation Authority To Other Entities
Issuing CAs and Registration Authorities within the QuoVadis PKI may choose to notify other Entities of Digital Certificate Issuance.

4.5. Key Pair And Certificate Usage
4.5.1. Certificate Holder Private Key And Certificate Usage
Within the QuoVadis PKI, a Certificate Holder may only use the Private Key and corresponding Public Key in the Digital Certificate for their lawful and intended use. The Certificate Holder accepts the Certificate Holder Agreement by accepting the Digital Certificate, and by accepting the Digital Certificate unconditionally agrees to use the Digital Certificate in a manner consistent with the Key-

4.7.4. Notification Of New Certificate Issuance To Certificate Holder

Issuing CAs and Registration Authorities within the QuoVadis PKI shall notify Certificate Holders of Digital Certificate Issuance.

4.7.5. Conduct Constituting Acceptance Of A Re-Key Certificate

Downloading, installing or otherwise taking delivery of a Re-Keyed Digital Certificate constitutes acceptance of the Digital Certificate Re-Key within the QuoVadis PKI.

4.7.5.1. Publication Of The Re-Key Certificate By The Certification Authority

All Digital Certificate Re-Keys issued within the QuoVadis PKI are made available in public repositories except where Certificate Holders have requested that their Digital Certificates not be published.

4.7.6. Notification Of Certificate Re-Key By The Certification Authority To Other Entities

Issuing CAs and Registration Authorities within the QuoVadis PKI may choose to notify other entities of Digital Certificate Re-Key.

4.8. Certificate Modification

Certificate Modification refers to the issuance of a new Digital Certificate due to changes in the information in an existing Digital Certificate (other than its associated Public Key). QuoVadis may reissue or replace a valid Certificate when the Certificate Holder's common name, organization name, device name, or geographic location changes. Modified information must undergo the same Identification and Authentication procedures as for a new Certificate.

Digital Certificate Modification requests are processed in the same manner as requests for new Digital Certificates and in accordance with the provisions of this CP/CPS.

4.9. Certificate Revocation And Suspension

4.9.1. Circumstances For Revocation

Digital Certificates shall be revoked when any of the information on a Digital Certificate changes or becomes obsolete or when the Private Key associated with the Digital Certificate is compromised or suspected to be compromised. A Digital Certificate will be revoked in the following instances upon notification of:

- QuoVadis Certification Authority key compromise
- Certificate Holder profile creation error

- An Application Software Vendor who has embedded a QuoVadis Root Certification Authority Certificate in its application as a trusted root may request the revocation of Digital Certificate chained to that Root Certificate.

4.9.3. Procedure For Revocation Request

QuoVadis will revoke a Digital Certificate upon receipt of a valid request. A revocation request should be promptly and directly communicated to the Issuing CA and the Registration Authority that approved or acted in connection with the issue thereof. The Certificate Holder may be required to submit the revocation request via the QuoVadis Support Line or directly over an Internet connection. The QuoVadis website (https://www.quovadisglobal.com) provides a mechanism in which to submit revocation requests. The Certificate Holder, Registration Authority or Issuing CA may be required to provide a shared secret or pass phrase that will be used to activate the revocation process. Digital Certificate revocation requests may also be issued by contacting the administrators of the Issuing CA or Registration Authority directly. A revocation request may be communicated electronically if it is digitally signed with the Private Key

Properly authenticated Certificate Holders may subsequently retrieve their own Private Keys.

In addition, properly authenticated RA Officers with specific Key Recovery permissions may request retrieval of a Certificate H Private Keys under the following conditions:

Private Keys from unauthorized disclosure.
Private Keys only for properly authenticated and authorized r equests for recovery.
Private Key and lawful purposes, such as to comply with judicial or administrative process or a search warrant, and not for any illegal, fraudulent, or other wrongful purpose.
Key Pair prior to recovering the Private Key.
RAs may not disclose or allow to be disclosed archived keys or archive key-related information to any third party organisation policy; or by order of

QuoVadis Certificate

5.3. 3. Training Requirements

QuoVadis provides its personnel with on-the-job and professional training in order to maintain appropriate and required

all other Digital Certificates. Certain high volume system generated logs are retained for 18 months based on a risk assessment

5.4.4. Protection Of Audit Log

The relevant audit data collected is regularly analysed for any attempts to violate the integrity of any element of the QuoVadis PKI.

Only certain QuoVadis Trusted Rolesand auditors may view audit logs in whole. QuoVadis decides whether particular audit records need to be viewed by others in specific instances and makes those records available. Consolidated logs are protected from modification and destruction.

All audit logs are protected in an encrypted format via a Key and Digital Certificate generat ed especially for the purpose of protecting the logs.

5.4.5. Audit Log Backup Procedures

Each Issuing CA performs an onsite backup of the audit log daily. The backup process includes weekly physical removal of the audit log copy from the Issuing CA premises and storage at a secure, off-site location.

Backup procedures apply to the QuoVadis PKI and the Participants therein including the QuoVadis Root Certification Authority, Issuing CAs and Registration Authorities.

5.4.6. Audit Collection System

The security audit process of each Issuing CA runs independently of the Issuing CA software. Security audit processes are invoked at system start up and cease only at system shutdown.

involved in the transaction or their recogni sed representatives. A reasonable handling fee per record (subject to a minimum fee) w ill be assessed to cover the cost of record retrieval.

5.5.4. Archive Backup Procedures

QuoVadis maintains and implements backup procedures so that in the event of the loss or destruction of the primary archives a complete set of backup copies is readily available.

5.5.5. Requirements For Time - Stamping Of Records

QuoVadis supports time stamping of its records. All events that are recorded within the QuoVadis Service include the date and time of when the event took place. This date and time are b ased on the system time on which the CA system is operating. QuoVadis uses procedures to review and ensure that all systems operating with in the QuoVadis PKI rely on a trusted time source.

5.5.6. Archive Collection System

The QuoVadis Archive Collection System is internal. QuoVadis provides assistance to Issuing CAs and Registration Authorities within the QuoVadis PKI to preserve their audit trails.

5.5.7. Procedures To Obtain And Verify Archive Information

Only specific QuoVadis Trusted Roles and auditors may view the archives in whole. The contents of the archives will not be released as a whole, except as required by law. QuoVadis may decide to release records of individual transactions upon request of any of the entities involved in the transaction or their authorised representatives. A reasonable handling fee per record (subject to a minimum fee) will be assessed to cover the cost of record retrieval.

5.6. Key Changeover

Key changeover is not automatic, but procedures enable the smooth transition from expiring CA Certificates to new CA Certificates. Towards the end of the CA Private Key Private Key to sign Certificates (well in advance of expiration) and uses the old Private Key only to sign CRLs and OCSP responder Certificates associated with that key. A new CA signing Key Pair is commissioned and all subsequently issued Certificates and CRLs are signed with the new private signing key. Both the old and the new Key Pairs may be concurrently active.

5.7. Compromise And Disaster Recovery

QuoVadis has an Incident Response Plan as well as a QuoVadis Business Continuity Plan. The purpose of this plan is to restore core business operations as quickly as practicable when systems and/or operations have been significantly and adversely impacted by fire, strikes, etc.

QuoVadis and each I4(e)6(w)-19(p)6(ra)5(c)-5(tica)-10(b)6(le)-4( )-33(w)-4(he)4(n)-21(s)6(y)-8(s)6(te)7(0.o5 BT(ir)] TJ ET Q q 0.00

6.1.2. Private Key Delivery To Certificate Holder

As regards TLS/SSL certificates Certificate Holders are solely responsible for the generation of the private keys used in their Certificate Requests. QuoVadis does not provide SSL key generation, escrow, recovery or backup facilities.

Where QuoVadis generates the private keys on behalf of the Certificate Holder, they are provided in a secure manner via the QuoVadis Trust/Link certificate management system.

6.1.3. Public Key Delivery To Certificate Issuer

Public Keys must be delivered in a secure and trustworthy manner, such as a Digital Certificate request message. Delivery may also be accomplished via non-electronic means. These means may include, but are not limited to, USB drive (or other storage medium) sent via registered mail or courier, or by del ivery of a Token for local Key generation at the point of Digital Certificate issuance or request.

	Under no circumstances will Private Keys for Qualified Digital Certificates be archived.

6.2.6. Private Key Transfer Into Or From A Cryptographic Module
If a Cryptographic Module is used, the Private Key must be generated in it and remain there in encrypted form, and be decrypted only at the time at which it is being used. Private Keys must never exist in plain-text form outside the cryptographic module. In the event that a Private Key is to be transported from one Cryptographic Module to another, the Private Key must be encrypted during transport.

6.2.7. Private Key Storage On Cryptographic Module
CA private keys are generated and stored in a physically secure environment within cryptographic modules that are validated to FIPS 140-2 Level-3.

6.2 .8. Method Of Activating Private Key
A Certificate Holder

	For Qualified Certificates, in accordance with Swiss Digital Signature law, the Certificate Holder Private Keys are generated and stored on a Qualified Electronic Signature Creation Device (QSCD)
	For relevant Qualified Certificates, in accordance with European/ Dutch/ Belgian Digital Signature law, the Certificate Holder Private Keys are generated and stored on a Qualified Electronic Signature Creation Device (QSCD) meets the requirements laid down in Annex II of Regulation (EU) No 910/2014..

FIELDS	CONTENT	DEMARCATION

7.3.1. Online Certificate Status Protocol Version Numbers
Version 1 of the Online Certificate Status Protocol, as defined by RFC2560, is supported within the QuoVadis PKI.

7.3.2. Online Certificate Status Protocol Extensions
No Stipulation.

7.4. Lightweight Directory Access Protocol Profile
QuoVadis will host a repository in the form of a Lightweight Directory Access Protocol directory for the purpose of (i) storing and making available all X.509 v. 3 Digital Certificates issued under the QuoVadis PKI, (ii) facilitating public access to download these Digital Certificates for Certificate Holder and relying party requirements, and (iii) receiving (from the QuoVadis PKI), storing and making publicly available, regularly updated Certificate Revocation List v. 2 information, for the purpose of Digital Certificate validation.

7.4.1. Lightweight Directory Access Protocol Version Numbers

7.5. 2 QuoVadis Root Certificate Hashes

Note that all QuoVadis CA Certificatesand CRLsare available for download from the QuoVadis Repository at https://www.quovadisglobal.com/repository .

7.5 .2.1. QuoVadis Root CA Certificate Hashes

Field	Certificate Profile
Serial Number	3ab6508b
Signature Block	Signature matches Public KeyRoot Certificate: Subject matches Issuer Key Id Hash (sha1): 86 26 cb 1b c5 54 b3 9f bd 6b ed 63 7f b9 89 a9 80 f1 f4 8a Subject Key Id (precomputed): 8b 4b 6d ed d3 29 b9 06 19 ec 39 39 a9 f0 97 84 6a cb ef df Cert Hash(sha1): de 3f 40 bd 50 93 d3 9b 6c 60 f6 da bc 07 62 01 00 89 76 c9

7.5.2. 2. QuoVadis Root CA 1 G3 Certificate Hashes

Field	Certificate Profile
Serial Number	78 58 5f 2e ad 2c 19 4b e3 37 07 35 34 13 28 b5 96 d4 65 93
Signature Block	Signature matches Public KeyRoot Certificate: Subject matches Issuer Key Id Hash (sha1): 92 ae ef 0e 89 02 ee 6d 79 68 d1 a1 0e 75 60 01 fa e4 eb fc Subject Key Id (precomputed): a3 97 d6 f3 5e a2 10 e1 ab 45 9f 3c 17 64 3c ee 01 70 9c cc Cert Hash(sha1): 1b 8e ea 57 96 29 1a c9 39 ea b8 0a 81 1a 73 73 c0 93 79 67

7.5 .2.3. QuoVadis Root CA 3 Certificate Hashes

Field	Certificate Profile
Serial Number	05c6
Signature Block	Signature matches Public Key Root Certificate: Subject matches Issuer Key Id Hash(sha1): 14 8d b3 54 ed 9b 2f 13 08 7c c3 8b 4b c1 5b 96 8a c5 53 78 Subject Key Id (precomputed): f2 c0 13 e0 82 43 3e fb ee 2f 67 32 96 35 5c db b8 cb 02 d0 Cert Hash(sha1): 1f 49 14 f7 d8 74 95 1d dd ae 02 c0 be fd e(r)-5(o( )664(c)-5(0)6(13)5(e)6(0)6

8.1.3. Registration Authorities Selected

In circumstances where any irregularities are found with respect to QuoVadis, in its capacity as an Issuing CA, the principles enunciated above will be followed by the QuoVadis Root CA.

8.5.2. Registration Authorities

If irregularities are found, the QuoVadis Root CA, or if applicable the Issuing CA, will address the issue raised with the relevant entity. Any action to be taken will be determined by QuoVadis by reference to its determination as to the severity or materiality of the irregularity. In the event that QuoVadis determines that remedial action is required, the relevant entity will be advised by QuoVadis as to the procedures and action required to remedy the irregularity. Remedial action determined by QuoVadis shall be limited to the operations and procedures required to be taken in order to ensure that the Registration Authority operates in compliance with the QuoVadis CP/CPS In the event that

determination, QuoVadis may (i) allow the Nominating Issuing CA to continue operations for a further period of time whilst the irregularities are addressed; (ii) allow the Nominating CA and its Registration Authority to continue operations for a maximum of thirty (30) days pending full implementation of the actions required by QuoVadis prior to termination of that Issuing CA agreement with QuoVadis and the associated revocation of any Digital Certificate issued to them; (iii) limit the class of any Digital Certificates issued by the Nominating Issuing CA; or (iv) terminate that Issuing CA

ity of the irregularities.

8.6. Publication Of Audit Results

The audit opinion based on results of the audits will be generally available upon request. The results of the most recent audit of QuoVadis will be posted at https://www.quovadisglobal.com/accreditations.aspx.

8.7 Self Audits

QuoVadis controls service quality by performing quarterly self-audits against a randomly selected sample of TLS/SSL Certificates being no less than three pe

9.2. Financial Responsibilities

QuoVadis is responsible for maintaining its financial books and records in accordance with US GAAP and shall engage the services of an international accounting firm to provide financial services, including periodic audits.

9.2.1. Insurance Coverage

QuoVadis maintains in full force and effect a liability insurance policy. In accordance with the requirement of ZERTES, policy limits concerning Qualified Digital Certificates are maintained in excess of the minimum requirement of CHF 2 (Two) Million per occurrence and CHF 8 (Eight) Million annual aggregate.

Within the QuoVadis PKI the Root CA and all Issuing CAs and Registration Authorities are required to demonstrate that they have the financial resources necessary to discharge their obligations under this CP/CPS and any other relevant and associated documentation or agreements.

QuoVadis and each Issuing CA and/or Registration Authority shall maintain appropriate insurances necessary to provide for their respective liabilities as Participants within the QuoVadis PKI. Failure to establish and maintain insurances may be the basis for the revocation of their respective Digital Certificates.

9.2.2. Other Assets

Issuing CAs and Registration Authorities shall maintain sufficient assets and financial resources to perform their duties within the QuoVadis PKI and be reasonably able to bear liability to Certificate Holders and Relying Parties.

9.2.3. Insurance Or Warranty Coverage For End-Entities

QuoVadis will give advice to and support the QuoVadis Certificate Holders and QuoVadis Relying Parties on questions relating to the different types of insurance available.

QuoVadis Certificate Holders are entitled to apply to commercial insurance providers for financial protection against accidental occurrences such as theft, corruption, loss or unintentional disclosure of the Private Key that corresponds to the Public Key in their QuoVadis Digital Certificate.

QuoVadis Relying parties are entitled to apply to commercial insurance providers for protection against financial loss.

9.2.4. Fiduciary Relationships

QuoVadis is not the agent, fiduciary or other representative of any Certificate Holder and/or Relying Party and must not be represented by the Certificate Holder and/or Relying Party to be so. Certificate Holders and/or Relying Parties have no authority to bind QuoVadis by contract or otherwise, to any obligation.

Participation in the QuoVadis PKI does not make any participant an agent, fiduciary, trustee, or other representative of any entity, legal or otherwise. Nothing contained in this QuoVadis CP/CPS or in any corresponding Certificate Holder or Relying Party Agreement shall be deemed to constitute QuoVadis, QuoVadis PKI Participants or any of their agents, directors, employees, consultants, suppliers, contractors, partners or Counterparties a fiduciary, endorser, promoter, agent, partner, representative, or Counterparty of any entity, and the use of or reliance upon Digital Certificates or other forms of participation within the QuoVadis PKI is to be construed accordingly.

9.3. Confidentiality Of Business Information

9.3.1. Scope Of Confidential Information

Any personal or corporate information held by Issuing CAs related to a Certificate Holder of Digital Certificates is considered confidential and will not be released without the prior consent of the relevant Holder, unless required otherwise by law or to fulfil the requirements of this QuoVadis CP/CPS

There is no requirement to place a copy of any Private Key with any backup/recovery or escrow service. Under contract between an Issuing CA and a Certificate Holder or the Certificate Holder Nominating Registration Authority, a copy of

or corruption of the original encryption Keys.

9.3.2. Information Not Within The Scope Of Confidential Information

Information appearing in Digital Certificates or stored in the Repository is not considered confidential, unless statutes or special agreements so dictate.

9.3.3 .

- Accuracy of Information: An obligation and warranty to provide accurate and complete information at all times to QuoVadis, both in the Certificate Request and as otherwise requested by QuoVadis in connection with the issuance of the Certificate(s) to be supplied by QuoVadis;
- Protection of Private Key: An obligation and warranty by the Certificate Holder or a subcontractor (e.g. hosting

9.6.5. Representations And Warranties Of Other Participants

Participants within the QuoVadis PKI represent and warrant that they accept and will perform any and all duties and obligations as specified by this CP/CPS

9.7. Disclaimers Of Warranties

To the extent permitted by applicable law, this CP/CPS, the Certificate Holder Agreement, the Relying Party Agreement, the Issuing CA Agreement, the Registration Authority Agreement and any other contractual documentation applicable within the QuoVadis PKI
fitness for a particular purpose.

- If the Digital Certificate held by the claiming party or otherwise the subject of any claim had expired or been revoked prior to the date of the circumstances giving rise to any claim;
- If the Digital Certificate held by the claiming party or otherwise the subject of any claim has been modified or altered in any way or been used otherwise than as permitted by the terms of this QuoVadis CP/CPS and/or the relevant Certificate Holder Agreement or any applicable law or regulation;
- If the Private Key associated with the Digital Certificate held by the claiming party or otherwise the subject of any claim has been compromised; or
- If the Digital Certificate held by the claiming party was issued in a manner that constituted a breach of any applicable law or regulation.
- Computer hardware or software, or mathematical algorithms, are developed that tend to make public key

- periodically reviewing its Contingency & Disaster Recovery Plan, including the identification, analysis, evaluation and prioritisation of risks; and
- periodically testing uninterrupted power supplies.

9.8.5. Claims Against QuoVadis Liability

9.8.5.1. Notification Period

QuoVadis shall have no obligation pursuant to any claim for breach of its obligations hereunder unless the claiming party gives notice to QuoVadis within ninety (90) days after the claiming party knew or ought reasonably to have known of a claim, and in no event more than three years after the expiration of the Digital Certificate held by the claiming party.

There are two possible types of policy change:

- the issue of a new CP/CPS; or
- a change to or alteration of a policy stated in an existing CP/CPS.

If an existing CP/CPS requires reissue, the change process employed is the same as for initial publication, as described

9.16. 5. Force Majeure

QuoVadis accepts no liability for any breach of warranty, delay or failure in performance that results from events

- Secure Cryptographic Device used for signing or decrypting;
- Private Key can be maintained under the subject's sole control; and
- Private Key for signing or decrypting with the Secure Cryptographic Device.

10.4.1 . ElDI -V/GeBüV Certificates

The procedure below assumes an application by a company or organisation on behalf of its employees or devices for Digital Certificates.

PURPOSE
The ElDI-V/GeBüV Certificate is issued to organisations (companies, municipalities, etc.) and issued primarily to digitally sign electronic invoices. The Certificates may also be used for commercial purposes (such as legally-compliant electronic archiving according to GeBüV).
REGISTRATION PROCESS
These Digital Certificates are issued in accordance with ElDI-V (SR 641.201.1 and SR 641.201.1.1). Validation of these Certificates is performed in accordance with the validation procedures for QuoVadis Qualified Certificates and any additional validation requirements required by ElDI-V.

FIELDS	CONTENT	DEMARCATION
Subject		
Common Name (CN)	Commercial Subject Name or First Name- Last Name	Holder Variable
Organisational Unit (OU)	Variable Data	Holder Variable
Organisational Unit (OU)	Accounting Services (OelDI)/Third Party Services (art. 9 OelDI)	Fixed
Organisation (O)	Organisation Name	Holder Variable
Locality (L)	Variable Data	Holder Variable
State/Province (ST)	Variable Data	Holder Variable
Country (C)	Variable Data	Holder Variable
Subject Public Key Information	RSA (2048-bit) / System Generated	Fixed
Extensions		
Key Usage	Digital Signature	Fixed
Key Usage	Non Repudiation	Fixed
Certificate Policies	OID = 1.3.6.1.4.1.8024.0.1.0.0.1 (This is the QuoVadis ElDI-V OID)	Fixed
Policy Qualifier User Notice	Gestuetzt auf Art. 2 Abs. 2 ElDI-V; based on art. 2 para. 2 OelDI;	

10.4.2 SuisseID Identity and Authentication Certificate s

PURPOSE

SuisseID is the first standardised electronic proof of identity in Switzerland (http://www.suisseid.ch/). QuoVadis SuisseID Identity and Authentication (IAC) Certificates help provide strong and secure authentication to applications.

Either a Common Name or a Pseudonym is required for a QuoVadis SuisseID IAC Certificate. Use of both Common Name and Pseudonym in the same Certficate is not permitted.

REGISTRATION PROCESS

QuoVadis SuisseID IAC Certificates are issued in accordance with the SuisseID requirements (including the using the QuoVadis SuisseID Signing Service Unless stated otherwise in the SuisseID Specification document, the guidelines in TAV-ZERTES apply to the specification of QuoVadis SuisseID IAC Certificates.

For the issuance and life cycle management of SuisseID IAC Certificates, QuoVadis adheres tothe same organisational and operational procedures and uses the same technical infrastructure as for a ZertES compliant qualified certificate.

shall have been checked indirectly using means which provide equivalent assurance to physical presence. Only a valid passport or national ID is accepted as evidence. Storage of personal data is in accordance with ZertES.

Evidence shall be6( )(s)6(.)] TJ E(71 358.85 re.i Tm 0 G [( )] TJ ET Q q 77.904 239.69 461.71 358.85 re W* n

QuoVadis Certificate

	-minus "-" (0x2D (ASCII), U+002D (UTF-8)); and	
Organisation (O)	Organisation Legal Name	Optional
OrganisationIdentifier	Holds an identification of an organisation different from the organisation name.	Optional
Organisation Unit (OU)	Organisation Unit Name	Optional
Locality	Locality	Optional
State / Province (ST)	State or Province	Optional
Country (C)	Country	Required
email	Subject email	Optional
Subject Public Key Info	RSA (2046 Bits)	Fixed
Extensions		Fixed
KeyUsage (CRITICAL)	Non Repudiation	Fixed
CertificatePolicies	1.3.6.1.4.1.8024.1.400 or 1.3.6.1.4.1.8024.1.410 (Cert Class: QV Qualified QSCD) https	Fixed

FIELD	CONTENTS	DEMARCATION
Subject		
CommonName (CN)	1.3.6.1.4.1.8024.1.0.0.1.80.66.64.67.67.78.Time	Required
Organisation (O)	Full registered name of the subject (legal person)	[redacted]
OrganisationIdentifier	[redacted]	

The purpose of these EU Qualified certificates are to identify the Certificate Holder with a high level of assurance, for the purpose of creating Advanced Electronic Seals meeting the qualification requirements defined by the eIDAS Regulation.

QuoVadis will only begin issuing Qualified Legal Person certificates once the relevant audit has been passed and the service is listed on the relevant national Trust Services Lists. Once QuoVadis is permitted to issue Qualified Legal Person certificates an updated version of this CP/CPS will be published.

These certificates meet the relevant ETSI Policy for EU qualified certificate issued to a legal person (QCP-l). QuoVadis recommends that QCP-l certificates are used only for electronic seals.

The content of these certificates meet the relevant requirements of:

- ETSI EN 319 412-1: Certificate Profiles; Part 1: Overview and common data structures
- loggETSI EN 319 412-2: Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons
- ETSI EN 319 412-5: Certificate Profiles; Part 5: QCStatements

REGISTRATION PROCESS

Identity validation procedures for these Digital Certificates meet the relevant requirements of ETSI EN 319 411-

FIELDS	CONTENT	DEMARCATION
Subject		
Email Address (E)		

10.6.2. Qualified Certificate Profile – Organisation / QCP Public

Qualified certificates issued for natural persons under Directive 1999/93/EC shall be considered as qualified certificates for electronic signatures under the eIDAS Regulation until they expire.

PURPOSE
The purpose of a Qualified Organisation Digital Certificate is to identify the signatory with a high level of assurance, for the purpose of creating advanced electronic signatures meeting the qualification requirements defined by the applicable legal framework of the Electronic Signatures Directive (1999/93/EC).
REGISTRATION PROCESS
Validation procedures for QuoVadis Qualified Organisation Digital Certificates are consistent with the Qualified Certificate Policy (QCP public) policy described in ETSI TS 101 456.

10.7. QV Qualified - SuisseID

PURPOSE

SuisseID is the first standardised electronic proof of identity in Switzerland (http://www.suisseid.ch/). QuoVadis SuisseID Qualified Certificates are used to sign documents electronically. The digital signature is tamperproof and legally equivalent to a handwritten signature.

Either a Common Name or a Pseudonym is required for QuoVadis SuisseID Qualified Certificate. Use of both Common Name and Pseudonym in the same Certificate is not permitted.

REGISTRATION PROCESS

QuoVadis SuisseID Qualified Certificates are issued in accordance with the SuisseID requirements (including the using the QuoVadis SuisseID Signing Service Unless stated otherwise in the SuisseID Specification document, the guidelines in TAV-ZERTES apply to the specification of SuisseID Qualified Certificates.

For the issuance and life cycle management of SuisseID Qualified Certificates, QuoVadis adheres to the same organisational and operational procedures and uses the same technical infrastructure as for a ZertES compliant qualified certificate.

inst a physical person either directly, or shall have been checked indirectly using means which provide equivalent assurance to physical presence. Only a valid passport or national ID is accepted as evidence. Storage of personal data is in accordance with ZertES.

Evidence shall be provided of:

- Full name (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognised identity document, or other at tributes which may be used to, as far as possible, distinguish the person from others with the same name.

If the Certificate Holder is identified in association with an organisational entity, additional evidence shall be providedus

10.8. QV Closed Community

Closed Community Issuing CAs can, under contract, create Certificate Profiles for the issuance of Certificates to members of that community.

Certificates issued by Closed Community Issuing CAs are for reliance by members of that community only, and as such a Closed Community Issuing CA can, by publication of a stand-alone CP/CPS to its community issue various Certificates in accordance with the CP/CPS.

QuoVadis must approve all closed community certificate policies to ensure that they do not conflict with the terms of the relevant CP/CPS and also industry standards.

Under no circumstances can Closed Community Issuing CAs issue Qualified Certificates under the Swiss Digital Signature law.

10.8.1. Grid Certificates

This section provides an overview of the requirements and Digital Certificate contents for Grid Digital Certificates issued in accordance with the requirements of the International Grid Trust Federation (IGTF) or one of its member bodies. The IGTF is the body that is responsible for establishing common policies and guidelines between its member Policy Management Authorities (PMAs). The IGTF consists of the Asia Pacific Grid Policy Management Authority (APGridPMA), the European Policy Management Authority for Grid Authentication in e-Science (EUGridPMA) and The Americas Grid Policy Management Authority (TAGPMA).

This section (10.6.1) of the CP/CPS relates only to Grid Certificates, which may only be used for Grid related purposes. In relation to Grid Certificates, this section of the CP/CPS will take precedence over the remainder of the CP/CPS if there are any conflicts or contradictions. Major changes to this CP/CPS relating to Grid Digital Certificates will be announced to the relevant Grid PMA and their approval must be gained before Grid Digital Certificates under the new CP/CPS are issued.

All Grid End User Certificates and Grid Server Certificates issued must comply with the Grid Certificate Profile as defined by the Open Grid Forum GFD.125. The QuoVadis Root Certificates are available on the QuoVadis website and also on the TACAR (TERENA Academic CA Repository) trust anchor repository (https://www.tacar.org/repos/).

All Grid Digital Certificates will be issued to Applicants based on cryptographic data generated by the Applicant, or based on cryptographic data that can be held only by the Applicant on a secure hardware token. Any single subject Distinguished Name must be linked to one and only one entity and must not be linked to any other entity over the life of the CA. Pseudonyms will not be allowed for Grid Certificates. Private Key archival or escrow is forbidden for all Grid Digital Certificates. Revocation requests must be properly authenticated before they are accepted. Revocation requests can be made by end entities, Registration Authorities and QuoVadis. Others can also request revocation if they can sufficiently prove compromise of the associated Private Key. Subscribers must request revocation as soon as possible. This should be within one working day after detection of loss or compromise of the Private Key pertaining to the Digital Certificate, or if the data in the Digital Certificate is no longer valid. Proxy Certificates will be supported in relation to Grid Digital Certificate. A Grid Digital Certificate must be revoked if a related Proxy Certificate is compromised in any way. The maximum Certificate Revocation List lifetime for Grid Digital Certificates is 30 days.

Grid Certificate Re-Keying can only take place if the Certificate Holder is already in possession of a valid Grid Certificate and uses this Certificate to submit the Re-Key request. Certificates can only be Re-Keyed for up to a maximum of 3 years, after which period the Certificate Holder is required to apply for a new Certificate. If the Certificate Holder has lost their Private Key, or if their existing Certificate

10.8.1.2. Grid Server Certificate

PURPOSE
Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid Server Certificate is to help secure communications with Grid servers.
REGISTRATION PROCESS
The identity vetting of all Applicants must be performe d by an approved Registration Authority (RA). For Grid Server Certificates, the RA must validate the identity and eligibility of the person in charge of the specific entities using a secure method. The RA is responsible for recording, at the time of vali dation, sufficient information regarding the Applicant to identify the Applicant.

10.9. QuoVadis Device

PURPOSE

QuoVadis Device Certificates are intended for use in establishing web-based data communication conduits via TLS/SSL protocols. QuoVadis Device Certificates (i.e. with the OID 1.3.6.1.4.1.8024.1.600 in Certificate Policies) that have the Server Authentication Extended Key Usage comply with the CA/B Forum Baseline Requirements.

Device Certificates are not intended to provide any assurances, or otherwise represent or warrant:

- That the Subject named in the Certificate is actively engaged in doing business;
- That the Subject named in the Certificate complies with applicable laws;
- That the Subject named in the Certificate is trustworthy, honest, or reputable in its business dealings; or
- Subject named in the Certificate.

REGISTRATION PROCESS

QuoVadis acts as Registration Authority (RA) for Device Certificates it issues.

Before issuing a Device Certificate, QuoVadis performs procedures to verify that all Subject information in the Certificate is correct, and that the Applicant is authorised to use the domain name and/or Organisation name to be included in the Certificate, and has accepted a Certificate Holder Agreement for the requested Certificate.

Documentation requirements for organisation Applicants may include, Certificate of Incorporation, Memorandum of Association, Articles of Incorporation or equivalent documents. Documentation requirements for individual Applicants may include trustworthy, valid photo ID issued by a Government Agency (such as a passport).

Subject Alternative Name	c=no; DNS = FQDN of Device (e.g., domain.com)
Authority Information Access	c=no; Access Method= - Id-ad-ocsp (On-line Certificate Status Protocol - 1.3.6.1.5.5.7.48.1); URL = http://ocsp.quovadisglobal.com
CRL Distribution Points	c = no; CRL HTTP URL =

11. 2 Code Signing

Field	Value	Comments
Version	V3	
Serial Number	Unique number	
Issuer Signature Algorithm	sha256RSA(1.2.840.113549.1.1.11)	
Issuer Distinguished Name	Issuer Distinguished Name	
Validity Period	1, 2, or 3 years expressed in UTC format	
Subject Distinguished Name		
Organization Name	subject:organisationName (2.5.4.10)	

12. APPENDIX C

12.1. Definitions and Acronyms

In this QuoVadis CP/CPS

Certificate Chain
its respective Issuing Certification Authority to the Root Certification Authority.

Certificate Policy n Issuing Certificate Authority operating within the QuoVadis PKI that defines all associated rules and indicates the applicability of a Certificate to a particular community and/or class of application with common security requirements.

Certificate Renewal when all the identifying information and the Public Key from the old certificate are duplicated in the new certificate, but there is a different (longer) validity period.

Certificate Requester is a natural person who is employed by the Applicant, or an authorised agent who has express authority to represent the Applicant or a third party (such as an ISP or hosting company), and who completes

EU Qualified Certificate	qualified certificate as specified in Regulation (EU) No 910/2014.

Federal Information Processing Standards (FIPS) means the standards that deal with a wide range of computer system components including: hardware, storage media, data files, codes, interfaces, data transmission, networking, data management, documentation, programming languages, software engineering, performance and security.

Identify	
Identity	et of attributes which together uniquely identify a natural person or entity.
Identification	natural person or entity.
Individual	

of Regulation (EU) No. 910/2014 on electronic identification and trust services for electronic transactions in the internal