QUOVADIS ROOT CERTIFICATION AUTHORITY
CERTIFICATE POLICY / CERTIFICATION PRACTICE STATEMENT

OID s: 1.3.6.1.4.1.8024.0.1
1.3.6.1.4.1.8024.0.3

Effective Date: July 30, 2018

Version: 4.24

Copyright © QuoVadis 2018. All rights reserved. This document shall not be duplicated, used, or disclosed in whole or in part for any purposes other than those approved by QuoVadis.

1. INTRODUCTION

1.1. Overview

This QuoVadis CP/CPS sets out the policies, processes and procedures followed in the generation, issue, use and management of Key Pairs and Digital Certificates. It also describes the roles, responsibilities and relationships of Participants within the QuoVadis PKI.

This CP/CPS outlines the trustworthiness and integrity of the QuoVadis Root CAs ¶ operations. A fundamental concept underpinning the operation of the QuoVadis PKI is trust. Trust must be realised in each and every aspect of the provision of Certification Services and Operations including Certificate Holder applications, issuance, renewal, revocation or expiry.

The diagram below illustrates the components of the QuoVadis PKI:

QuoVadis provides identification and authentication services for Certificate Holders, servers, and personal computer or network devices. The registration procedures set out in this CP/CPSand in Appendix A and Appendix B define the credentials necessary to establish the identity of an individual or entity.

This CP/CPSdescribes all subordinate services that operate under the QuoVadis Root CA, i.e. that are within the 4 X R 9 D G L V ³ PKLHUDUFKLFDO RI

3 D U W L F L S D Q W V ³ 3 D U W L F L S D QPKQ Wwide: Z L W K L Q W K H 4 X R 9 D G L V

Certification Authorities;
Registration Authorities;
Certificate Holders including applicants for Digital Certificates prior to Digital Certificate issuance; and
Authorised Relying Parties.

The practices described or referred to in this CP/CPS

Execution of an Issuing CA Agreement is subject to review and acceptance by QuoVadis and/or QuoVadis auditors of a PKI infrastructure review that includes but is not limited to:

CA hierarchy

This CP/CPS does not require a Certificate Holder to ensure that potential relying parties are compliant with the requirements to be an Authorised Relying Party.

1.3. 4.1. Obligations and Responsibilities

Authorised Relying parties are required to act in accordance with this CP/CPS and the Relying Party Agreement.

An Authorised Relying Party must utilise Digital Certificates and their corresponding Public Keys only for authorised and legal purposes and only in support of transactions or communications supported by the QuoVadis PKI.

An Authorised Relying Party shall not place reliance on a Digital Certificate unless the circumstances of that intended reliance constitute Reasonable Reliance and that Authorised Relying Party is otherwise in compliance with the terms and conditions of their Relying Party Agreement. Any such Reliance is made solely at the risk of the Relying Party.

1.3. 4.2. Reasonable Reliance

An Authorised Relying Party shall not place reliance on a Digital Certificate unless the circumstances of that intended reliance constitute Reasonable Reliance (as set out below) and that Authorised Relying Party is otherwise in compliance with the terms and conditions of the Authorised Relying Party Agreement and this CP/CPS For the purposes of this CP/CPS

TLS/SSL Certificates are issued using the Fully Qualified Domain Name (FQDN) name of the server, service, or application that has been confirmed with the Certificate Holder. The Distinguished Names of a Code Signing Certificate must identify the legal entity that intends to have control over the use of the Private Key when signing code. The Baseline Requirements contain provisions prohibiting Certificates containing Internal Server Names or Reserved IP Addresses.

Wildcard TLS/SSL Certificates have a wildcard asterisk character for the server name in the Subject field. Wildcard EV Certificates may not be issued under the EV Guidelines.

The FQDN or authenticated domain name is placed in the Common Name (CN) attribute of the Subject field and, when applicable, the Subject Alternative Name extension.

3.1.2.

(i)

4.8. Certificate Modification

Certificate Modification refers to the issuance of a new Digital Certificate due to changes in the information in an existing Digital Certificate (other than its associated Public Key). QuoVadis may reissue or replace a valid Certificate when the Certificate Holder's common name, organization name, device name, or geographic location changes. Modified information must undergo the same Identification and Authentication procedures as for a new Certificate.

Digital Certificate Modification requests are processed in the same manner as requests for new Digital Certificates and in accordance with the provisions of this CP/CPS.

4.9. Certificate Revocation And Suspension

4.9.1. Circumstances For Revocation

Digital Certificates shall be revoked when any of the information on a Digital Certificate changes or becomes obsolete or when the Private Key associated with the Digital Certificate is compromised or suspected to be compromised. A Digital Certificate will be revoked in the following instances upon notification of:

QuoVadis Certification Authority key compromise
Certificate Holder profile creation error
Key Compromise including unauthorised access or suspected unauthorised access to Private Keys, lost or suspected lost keys, stolen or suspected stolen keys, destroyed or suspected destroyed keys or superseded by replacement keys and a new Certificate.
The Certificate Holder has failed to meet his, her or its obligations under this QuoVadis CP/CPS or any other agreement, regulation, or law that may be in force with respect to that Digit al Certificate;
The Certificate was not issued in accorda

QuoVadis is made aware that a Wildcard Certificate has been used to authenticate a fraudulently misleading subordinate Fully-Qualified Domain Name;
QuoVadis determines, in its sole discretion, that the Certificate was not issued in accordance with the terms and FRQGLWLRQV RI WKH (9 *XLGHOLQHV RU 4XR9DGLV¶ &3 &36

4.9.15. Procedure For Suspension Request
No suspension of Digital Certificates is permissible within the QuoVadisPKI.

4.9.16. Limits On Suspension Period
No suspension of Digital Certificates is permissible within the QuoVadisPKI.

4.10. Certificate Status Services
4.10.1. Operational Characteristics
The Status of Digital Certificates issued within the QuoVadis PKI is published in a Certificate Revocation List (http://crl.quovadisglobal.com/<caname>.crl) or is made available via Online Certificate Status Protocol checking (http://ocsp.quovadisglobal.com) where available.

Revocation entries on a CRL or OCSP response are not removed until after the expiry date of the revoked certificate.

4.10.2. Service Availability
Digital Certificate status services are available 24 hours a day, 7 days a week, 365 days of the year .

4.10.3. Optional Features
Online Certificate Status Protocol is available for all Certificate types issued by QuoVadis Issuing CAs.

4.11. End Of Subscription
Within the QuoVadis PKI a Certificate Holder may end a subscription by:

Allowing a Digital Certificate to expire.
Revoking a Digital Certificate.

4.12. Key

in the case of printed material, shredding, or destruction by an approved service.

5.1.8. Off-Site Backup

An off-site location is used for the storage and retention of backup software and data. The off-site storage:

- is available to authorised personnel 24 hours per day seven days per week for the purpose of retrieving software and data; and
- has appropriate levels of physical security in place (i.e. software and data are stored in fire-rated safes and containers which are located behind access-controlled doors in areas accessible only by authorised personnel).

5.2. Procedural Controls

Administrative processes are dealt with and described in detail in the various documents used within and supporting the QuoVadis PKI.

Issuing CAs are required to ensure that administrative procedures related to personnel and procedural requirements, and physical and technological security mechanisms, are maintained in accordance with this CP/CPS and other relevant operational documents.

It is company policy that QuoVadis will not outsource any of its PKI operations to other organisations.

5.2.1. Trusted Roles

In order to ensure that one person acting alone cannot circumvent security safeguards, responsibilities are shared by multiple roles and individuals. This is accomplished by creating separate roles and accounts on various components of the CA system, and each role has a limited amount of capability. This method allows a system of "checks and balances" to occur among the various roles. Oversight may be in the form of a person who is not directly involved in issuing Digital Certificates (e.g. a security officer) examining system records or audit logs to ensure that other persons are acting within the realms of their responsibilities and within the stated security policy. The roles defined by this CP/CPS are:

- Certification Authority Officers who are responsible for CA hardware and software and the generation and signing of Issuing CA Keys.
- Registration Authority Officers who are appointed by Registration Authorities (see Section 1.3.2) to validate requests for Certificates, and given responsibility for the operation of Registration Authority functions and the interface with the Issuing CA.
- QuoVadis Chief Security Officer who is responsible for verifying the integrity of the Certification Authorities and Registration Authorities and their operations and configurations.

5.2.2. Number of Persons Required Per Task

At least two people are assigned to each trusted role to ensure adequate support at all times, except

5.3.7. Independent Contractor Requirements

QuoVadis does not support the use of independent contractors to fulfil trusted roles. Where appropriate, QuoVadis authorizes independent contractors to carry out identification and documentation activities for the issuance of non TLS/SSLcertificates. These parties are contractually obliged to act in accordance with this CP/CPS including but not limited to training and data retention.

5.3.8. Documentation Supplied To Personnel

QuoVadis provides personnelwith all required training materials needed to perform their job function and their duties under the job rotation program. This includes specific documentation of the validation, issuance, and revocation processes for Certificates.

5.4. Audit Logging Procedures

5.4.1. Types Of Events Recorded

QuoVadis records details of the actions taken to process a certificate request and to issue a Digital Certificate, including

	For Qualified Certificates, in accordance with European/ Dutch/ Belgian Digital Signature law, QuoVadis has implemented procedures to be followed in the event of termination of the service provision. These procedures provide for the transfer of relevant records to a regulatory body and the continuation of revocation status in the event of terminati on. QuoVadis also has formally documented complaint and dispute resolution procedures.

5.8.1. User Keys And Certificates

Where practical, Key and Digital Certificate revocation should be timed to coincide with and re3(rd)-6ivcy andngnn40i2ce

QuoVadis must verify that QSCDs are certified as a QSCD in accordance requirements laid down in Annex II of Regulation (EU) No 910/2014. QuoVadis must monitor this certification status and take appropriate measures if the certification status of a QSCD changes.

6.2.2. Private Key (N Out Of M) Multi - Person Control

All CA Private Keys are accessed / activated through n-of-m multi-person control (e.g. a minimum threshold of splits of a Private Key decryption key must be used to decrypt or access the private CA signing key).

6.2.3. Private Key Escrow

Private Keys shall not be escrowed.

6.2.4. Private Key Backup

All Issuing CA Keys are held in secure cryptographic devices and are equally secured whenever stored outsid- 645.7r/F1 9 Tf 1 0 0 1 201.

6.5. Computer Security Controls

QuoVadis has a formal Information Security Policy that documents the QuoVadis policies, standards and guidelines relating to information security. This Information Security Policy has been approved by management and is communicated to all employees.

6.5. 1. Specific Computer Security Technical Requirements

Computer security technical requirements are achieved utilising a combination of hardened security modules and software, operating system security features, PKI and CA software and physical safeguards, including security Policies and Procedures that include but are not limited to:

- Access controls to CA services and PKI roles;
- Enforced separation of duties for CA Services and PKI roles;
- Identification and Authenticati on of personnel that fulfil roles of responsibility in the QuoVadis PKI;
- Use of cryptographic smart cards and x.509 Certificates for all accounts capable of directly causing certificate issuance
- Use of cryptography for session communication and database security;
- Archive of CA history and audit data;

TLS/SSL

6.5.2. Computer Security Rating

A version of the core Certificate Authority software used by QuoVadis has obtained the globally recognised Common Criteria EAL 4+ certification.

6.6. Life Cycle Tec hnical Controls

All hardware and software procured for operating an Issuing CA within the QuoVadis PKI must be purchased in a manner that will mitigate the risk that any particular component was tampered with, such as random selection of specific components. Equipment developed for use within the QuoVadis PKI shall be developed in a controlled environment under strict change control procedures.

A continuous chain of accountability, from the location where all hardware and software that has been identified as supporting an Issuing CA within the QuoVadis PKI must be maintained by causing it to be shipped or delivered via controlled methods. Issuing CA equipment shall not have installed applications or component software that is not part of the Issuing

FIELDS	CONTENT	ATION
Extensions		
Authority Key Identifier	Provides a means of i the Public Key corre Private Key used to sig cate. This field conta Key Identifier of the is ficate.	
Subject Key Identifier	Provides a means of id tificates that conta Public Key 7 K L V R Q W D L Q V	
Key Usage (Critical)	Defines the purpose of ained in the Certi Common Key Usages i digitalSignature nonRepudiation keyEnciphermen Refer to section 10.1.2 fo information in relatio Usages	
Certificate Policies	This extension contains Obj ntifiers (OIDS) as well as a CPS with a link to the QuoVadis R tory at https://www.quovadisglobal.co epository . QuoVadis Certificates issued up to and including version 4.6 of this CP/CPS contain the OID 3 for QuoVadis Root 1 (1.3.6.1.4.1.8024.0.1) or QuoVadis Root 3 (1.3.6.1.4.1.8024.0.3). QuoVadis Certificates issued from ver16.1.4.5/24 rIu2 0 186.74 41	

fu

7.3.1. Online Certificate Status Protocol Version Numbers
Version 1 of the Online Certificate Status Protocol, as defined by RFC2560, is supported within the QuoVadis PKI.

7.3.2. Online Certificate Status Protocol Extensions
No Stipulation.

7.4. Lightweight Directory Access Protocol Profile
QuoVadis will host a repository in the form of a Lightweight Directory Access Protocol directory for the purpose of (i) storing and making available all X.509 v. 3 Digital Certificates issued under the QuoVadis PKI, (ii) facilitating public

7.5. Digital Certificate Fields and Root CA Certificate Hashes

7.5.1. Digital Certificate Fields

7.5. 2 QuoVadis Root Certificate Hashes

Note that all QuoVadis CA Certificatesand CRLsare available for download from the QuoVadis Repository at https://www.quovadisglobal.com/repository .

7.5 .2.1. QuoVadis Root CA Certificate Hashes

Field	Certificate Profile
Serial Number	3ab6508b
Signature Block	

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

8.1. Frequency, Circumstance And Standards Of Assessment

8.1.1. QuoVadis Certification Authority

QuoVadis CAs following this CP/CPS are subject to audits in respect of its various accreditation s and certifications as follows:

Standards / Law	
Bermuda Accredited Certificate Service Provider	$V GHILQHG LQ %HUPXGD¶V (OHFWURQLF 7UDQVDFWLRQV Certification Service Provider serves as a trusted third party to help ensure trust and security in support of electronic transactions.
WebTrust for Certification Authorities and WebTrust SSL Baseline	The WebTrust Seal of assurance for Certification Authorities (CA) symbolises to potential relying parties that a qualified practiti oner has evaluated the CA's business practices and controls to determine whether they are in conformity with the AICPA/CICA WebTrust for Certification Authorities Principles and Criteria.
SR 943.03 [ZertES]	Bundesgesetz über Zertifizierungsdienste im Bereich der elektronischen Signatur und anderer Anwendungen digitaler Zertifikate (Bundesgesetz über die elektronische Signatur, ZertES) vom 18. März 2016

	obtained during the registration process which is not included in the Certificate Fields will not be transmitted outside of Switzerland.
	For Qualified Certificates issued in accordance withEuropean/ Dutch/ Belgian Digital Signature laws, Certificate Holders expressly consent to personal data in the form of the data included in the Certificate Fields being transferred outside of The Netherlands/ Belgium and published in a repository which makes this information publicly available to persons searching the repository with the appropriate query string. Personal data obtained during the registration process which is not included in the Certificate Fields will not be transmitted outside of The Netherlands/ Belgium.

9.4.6.

9.5.2. Licences

QuoVadis is in possession of, or holds licences for the use of, hardware and software in support of the QuoVadis PKI as outlined in this CP/CPS

- Accuracy of Information: An obligation and warranty to provide accurate and complete information at all times to QuoVadis, both in the Certificate Request and as otherwise requested by QuoVadis in connection with the issuance of the Certificate(s) to be supplied by QuoVadis;
- Protection of Private Key: An obligation and warranty by the Certificate Holder or a subcontractor (e.g. hosting provider) to take all reasonable measures necessary to maintain sole control of, keep confidential, and properly protect at all times the Private Key that corresponds to the Public Key to be included in the requested Certificate(s) (and any associated access information or device such as a password or token);
- Acceptance of Certificate: An obligation and warranty that it will not install and use the Certificate(s) until it has reviewed and verified the accuracy of the data in each Certificate;
- Use of Certificate: An obligation and warranty to:
  Server Certificates: install the Certificate only on the server accessible at the domain name listed on the Certificate,
  Code Signing Certificates: not use the Certificate to digitally sign hostile code, spyware or other malicious software (or to disable antispyware and other protective measures or provide false or misleading GHVFULSWLRQV RI WKH VLJQHG FaRGH RU WKH XCertificate RQHU RU SlaDWXHV with all applicable laws, solely for authorised company business and solely in accordance with the Certificate Holder Agreement; and
  Other Certificates: use the Certificate in accordance with all applicable laws, solely in accordance with the Certificate Holder Agreement and as may be reasonably used for its intended purpose.
- Reporting and Revocation Upon Compromise: An obligation and warranty to promptly cease using a Certificate and its associated Private Key, and promptly request that QuoVadis revoke the Certificate, in the event that: (a) any information in the Certificate is or becomes incorrect or inaccurate, or (b) there is any actual or suspected misuse or compromise of the Certificate Holder¶V 3ULYDWH . HwithDhe PublicKeyliste in the Certificate; and
- Termination of Use of Certificate: An obligation and warranty to promptly cease all use of the Private Key corresponding to the Public Key listed in a Certificate upon expiration or revocation of that Certificate.

Without limiting other Certificate Holder obligations stated in this CP/CPS, Certificate Holders are solely liable for any misrepresentations they make in Certificates to third parties that reasonably rely on the representations contained therein.

Upon accepting a Certificate the Certificate Holder represents to QuoVadis and to Relying Parties that at the time of acceptance and until further notice:

- The Certificate Holder retains control of the Certificate Holder¶V SULYDWH NH\ XVHV D WUXVWZRUWK\ reasonable precautions to prevent its loss, disclosure, modification, or unauthorised use and that no unauthorised person has ever had access to the Certificate Holder¶V SULYDWH NH\
- All representations made by the Certificate Holder to QuoVadis regarding the information contained in the Certificate are accurate and true to the best of the Certificate Holder¶V NQRZOHGJH RU WR WKH H[WHQ Certificate Holder receives notice of such information, the Certificate Holder shall act promptly to notify QuoVadis of any material inaccuracies contained in the Certificate.
- The Certificate is used exclusively for authorised and legal purposes, consistent with this CP/CPS, and that the Certificate Holder will use the Certificate only in conjunction with the entity named in the organisation field of the Certificate.
- The Certificate Holder agrees with the terms and conditions of this CP/CPS and other agreements and policy statements of QuoVadis.

9.6.4. Relying Parties Representations And Warranties

Relying Parties represent and warrant that:

They will

	For Qualified Certificates, in accordance with the Swiss Digital Signature law, namely, Art 16 of Zert ES: 1. QuoVadis is liable to the Certificate Holder or the Relying Party who relies on a valid Qualified Certificate, for damages that arise because QuoVadis has not followed the procedures required by ZertES. 2. QuoVadis has the obligation to prove that such procedures were followed in accordance with ZertES. 3. QuoVadis cannot disclaim liability to either the Certificate Holder or Relying Party except where the Certificate Holder or Relying Party has not complied with the terms and conditions of use of the Certificate. Sections 9.8.2; 9.8.3; 9.8.4; 9.8.5 DO NOT apply to Qualified Certificates.
	For Qualified Certificates, in accordance with the European/Dutch Digital Signature law, QuoVadis is liable under: The Dutch Electronic Signatures Act of 8 May 2003 (entered into force on 21 May 2003) 7KH 'XWFK HOHFWURQLF VLJQDWXUH UHJXODWLRQ ³%HVO The relevant sections of the eIDAS Regulation.
	For Qualified Certificates, in accordance with the European/Belgian Digital Signature law, QuoVadis is liable under: The Belgian Law of 20 October 2000 and the Belgian Law of 9 July 2001 The relevant sections of the eIDAS Regulation.

9.8.2. QuoVadis' Limitations Of Liability

QuoVadis shall not in any event be liable for any loss of profits, loss of sales or turnover, loss or damage to reputation, loss of contracts, loss of customers, loss of the use of any software or data, loss or use of any computer or other equipment (save as may arise directly from breach of this CP/CPS), wasted management or other staff time, losses or liabilities under or in relation to any other contracts, indirect loss or damage, con sequential loss or damage, special ORVV RU GDPDJH DQG IRU WKH SXUSRVH RI WKLV SDUDJUDSK WKH WHUP ³OR well as a complete or total loss.

4XR 9DGLV¶ OLDELOLW\ WR DQ\ SHUVRQ Irrelated in any way to this CP/CPS, Certificate U RXW RI Holder Agreement, the applicable contract or any related agreement, whether in contract, warranty, tort or any other legal theory, shall, subject as hereinafter set out, be limited to actual damages suffered by that person. QuoVadis shall not be liable for indirect, consequential, incidental, special, exemplary, or punitive damages with respect to any person, even if QuoVadis has been advised of the possibility of such damages, regardless of how such damages or liability may arise, whether in tort, negligence, equity, contract, statute, common law, or otherwise. As a condition to participation within the QuoVadis PKI (including, without limitation, the use of or reliance upon Digital Certificates), any person that participates within the QuoVadis PKI irrevocably agrees that they shall not apply for or otherwise seek either exemplary, consequential, special, incidental, or punitive damages and irrevocably confirms to QuoVadis their acceptance of the foregoing and the fact that QuoVadis has relied upon the foregoing as a condition and inducement to permit that person to participate within the QuoVadis PKI.

9.8.3. Excluded Liability

QuoVadis shall bear absolutely no liability for any loss whatsoever involving or arising from any one (or more) of the following circumstances or causes:

If the Digital Certificate held by the claiming party or otherwise the subject of any claim has been compromised by the unauthorised disclosure or unauthorised use of the Digital Certificate or any password or activation data used to control access thereto;

If the Digital Certificate held by the claiming party or otherwise the subject of any claim was issued as a result of any misrepresentation, error of fact, or omission of any pers on, entity, or Organisati on;

periodically reviewing its Contingency & Disaster Recovery Plan, including the identification, analysis, evaluation and prioritisation of risks; and
periodically testing uninterrupted power supplies.

9.8.5. Claims Against QuoVadis Liability
9.8.5.1. Notific ation Period
QuoVadis shall have no obligation pursuant to any claim for breach of its obligations hereunder unless the claiming party gives notice to QuoVadis within ninety (90) days after the claiming party knew or ought reasonably to have known of a claim, and in no event more than three years after the expiration of the Digital Certificate held by the claiming party.

9.8.5.2.

There are two possible types of policy change:

10. APPENDIX A

10.1. Digital Certificate Profiles

Within the QuoVadis PKI an Issuing CA can only issue Digital Certificates with approved Digital Certificate Profiles. All Digital Certificate Profiles within the QuoVadis PKI are detailed below.

Procedures for Certificate Holder registration as well as descriptions of fields are described below for each type of Digital Certificate issued. Additionally, specific Certificate Policies and QuoVadis liability arrangements that are not described in this CP/CPS may be drawn up under contract for individual Subscribers

10.1.1 . QuoVad is Certificate Class

QuoVadis Certificate Class	Description	QuoVadis / ETSI Certificate Policy OID	Assurance Level	Requires token ?
QV Standard	Based on the ETSI Lightweight Certificate Policy (LCP) which has the policy identifier OID 0.4.0.2042.1.3	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.100 ETSI policy identifier OID: 0.4.0.2042.1.3	Low	Optional
QV Advanced	Based on the ETSI Normalised Certificate Policy (NCP) which has the OID 0.4.0.2042.1.1. Features face-to-face (or equivalent) authentication of holder identity and organisational affiliation (if included).	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.200 ETSI policy identifier OID: 0.4.0.2042.1.1	Medium	Optional
QV Advanced +	Similar to the "QV Advanced" Certificate Class issued on a Secure Cryptographic Device. Based on the ETSI Normalised Certificate Policy requiring a secure cryptographic device (NCP+), which has the OID 0.4.0.2042.1.2	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.300 ETSI policy identifier OID: 0.4.0.2042.1.2	High	Yes Adobe AATL Approved

Yes (ETSI (NCP+) Identifier Q q 303f* 68.19 102.693 531.19 531 n BT /F1 9 Tf 1

AATL

10.1. 2. Key Usage and Archive

Different QuoVadis Certificate Profiles may be issued with different key usages, and be eligible for key archive,

10. 3. QV Advanced

PURPOSE

FIELDS	CONTENT		DEMARCATION
Subject			
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com		Holder Variable
Common Name (CN)	Common Name		Holder Variable
givenName (G)	Given Name	Used for natural person certificates. Can use Pseudonym instead of givenName and surname	Holder Variable
Surname (S)	Surname		
Organisational Unit (OU)	Variable Data		Holder Variable
Organisation (O) OrganisationIdentifier	Organisation legal name Holds an identification of an organisation different from the organis		Natural Person Certs : Optional Legal Person Certs : Required

10. 4. QV Advanced +

PURPOSE
QuoVadis Advanced+ Digital Certificates are used for the same purposes as QuoVadis Advanced Digital Certificates, with the only difference being that they are issued on a Secure Cryptographic Device The QuoVadis Advanced+ Certificate Class is trusted in the Adobe Approved Trust List (AATL). Swiss Regulated Certificates issued under the Swiss Federal signature law (ZertES) are included in the QuoVadis Advanced+ certificate class. 7 K H V H F H U W L I L F D W H V [illegible] the notice text ³regulated certificate´ L Q W K H & H U W L I L F D W H [illegible] issued to natural and legal persons.

REGISTRATION PROCESS
QuoVadis A [illegible] Certificate Policy (NCP+) described in ETSI EN 31 [illegible] Unless the C [illegible] face-to-face identification meeting, accepted Kno [illegible] ith the RA, validation requirements for a Certifica [illegible] If the subject is [illegible] evidence of the subject's identity (e.g. name) sha [illegible] ical presence of the person (the subject shall be [illegible] s the subject), or shall have been checked indirect [illegible] resence. If the subject is a [illegible] Full nam [illegible] law and national identification practices) Date and [illegible] ent, or other attributes which may [illegible] with the same name. If the subject is a natu [illegible] h e Subscriber), evidence of the identity shall be [illegible] ence of the person (the subject shall be witness [illegible] ject), or shall have been checked indirectly using [illegible] If the Certificate Holder is [illegible] son (organisational entity), additional evidence [illegible] Full name and legal [illegible] Any relevant existing [illegible] d legal person; and Evidence that the Certifi [illegible] If the Cert ificate Holder is a legal pe [illegible] Full name of the legal person [illegible] Reference to a nationally recog [illegible] possible, distinguish the legal pe [illegible] If the Certificate Holder is a device or system [illegible] provided of: identifier of the device by which it may be [illegible] full name of the organisationorganisation

, I NH\V DUH JHQHUDWHG XQGHU WKH &HUWLILFDWH +ROGHU¶V Cryptographic Device used for signing or decrypting; 7KH &HUWLILFDWH Private Key can be maintained under the subject's sole control; and 2QO\ XVH WKH &HUWLILFDWH Private Key for signing or decrypting with the Secure Cryptographic Device.			
FIELDS	**CONTENT**		**DEMARCATION**
Subject			
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com		Holder Variable
Common Name (CN)	First Name - Last Name		Holder Variable
givenName (G)	Given Name	Used for natural person certificates. Can use Pseudonym instead of givenName and surname	Holder Variable
Surname (S)	Surname		
Organisational Unit (OU)	Variable Data		Holder Variable
Organisation (O)	Organisation legal name		Holder Variable
OrganisationIdentifier	Holds an identification of an organisation different from the organisation name.		Holder Variable
Country/Locality	Variable Data		Holder Variable
Subject Public Key Information	RSA (2048-bit) / System Generated		Fixed
Extensions			
Subject Alternative Name	Principle Name = Email Address		Holder Variable
Certificate Policies	This extension includes the QV Advanced + Certificate Class OID = 1.3.6.1.4.1.8024.1.300.		Fixed
	Certain certificates include the ETSI NCP+ OID = 0.4.0.2042.1.2		Fixed
	Notice Text= regulated certificate		Only for Swiss Regulated Certificates
Adobe OIDs	Note these Adobe OIDs are only relevant for signing Certificates.		
Adobe Time Stamp (OID = 1.2.840.113583.1.1.9.1)	http://tsa01.quovadisglobal.com/TSS/HttpTspServer		Fixed
Adobe Archive RevInfo (OID = 1.2.840.113583.1.1.9.2)	This relates to OCSP revocation checking within Adobe products for long term validation purposes.		Fixed

10.4.1 . ElDI - V/GeBüV Certificates

The procedure below assumes an application by a company or organisation on behalf of its employees or devices for Digital Certificates.

[redacted]

10.4.2 SuisseID Identity and Authentic ation Certificate s

PURPOSE

SuisseID is the first standardised electronic proof of identity in Switzerland (http://www.suisseid.ch/). QuoVadis SuisseID Identity and Authentication (IAC) Certificates help provide strong and secure authentication to applications.

10. 5. QV Qualified - eIDAS

10.5.1. eIDAS Qualified Certificate issued to a natural person on a QSCD

PURPOSE
The purpose of these EU Qualified certificates are to identify the Certificate Holder with a high level of assurance, for the purpose of creating Qualified Electronic Signatures meeting the qualification requirements defined by Regulation (EU) No. 910/2014 on electronic identification and trust services for e lectronic transactions in the internal market (the ³H,'$6 5HJXODWLRQ´ This type of QuoVadis Qualified certificates uses a QSCD for the protection of the private key. These certificates meet the relevant ETSI policy for EU qualified certificate issued to a natural person where the private key and the related certificate reside on a QSCD(QCP-n-qscd). Swiss Qualified certificates issued under the Swiss Federal signature law (ZertES) also meet this ETSI policy QCP-n-qscd. These Swiss Qualified certificates are issued only to natural persons RXW RuoVadis Swiss Regulated CA G1´ DQG KDYH WKH 2LG RI WKH 4XDOLILHG certificate´ LQ WKH &HUWLILFDWH 3ROLFLHV XVHU
The content of these certificates meet the relevant requirements of: ETSI EN 319 412-1: Certificate Profiles; Part 1: Overview and common data structures ETSI EN 319 412-2: Certificate Profiles; Part 2: Certificate profile for certificates issued to natural persons ETSI EN 319 412-5: Certificate Profiles; Part 5: QCStatements
REGISTRATION PROCESS
Identity v alidation procedures for these Digital Certificates meet the relevant requirements of ETSI EN 319 411-2 for ³Policy for EU qualified certificate issued to a natural person where the private key and the related certificate reside on a QSCD´ (QCP-n-qscd). QuoVadis recommends that QCP-n-qcsd certificates are used only for electronic signatures. The identity of the natural person and, if applicable, any specific attributes of the person, shall be verified: i) by the physical presence of the natural person; or ii) using methods which provide equivalent assurance in terms of reliability to the physical presence and for which QuoVadis can prove the equivalence. The proof of equivalence can be done according to the Regulation (EU) N° 910/2014 [i.1]. Evidence shall be provided of: Full name (including surname and given names consistent with applicable law and national identification practices); and Date and place of birth, reference to a nationally recognised identity document, o r other attributes which may be used to, as far as possible, distinguish the person from others with the same name. If the Certificate Holder is a physical person who is identified in association with an organisational entity, additional evidence shall be provided of: Full name and legal status of the associated organisational entity; Any relevant existing registration information (e.g. company registration) of the organisational entity; and

KeyUsage (CRITICAL)	Non Repudiation	Fixed
CertificatePolicies	1.3.6.1.4.1.8024.1.450 (Cert Class: QV Qualified- no QSCD)	Fixed
	https://www.quovadisglobal.com/repository	Fixed
	0.4.0.194112.1.0 (QCP-n)	Fixed
Subject Alternative Name	Email Address (RFC 822 Name)	Optional
qcStatements		
id-etsi-qcs-QcCompliance (0.4.0.1862.1.1) id-etsi-qcs-1	esi4-qcStatement-1: Claim that the certificate is an EU Qualified Certificate in accordance with Regulation EU No 910/2014	Fixed
id-etsi-qcs-QcType (0.4.0.1862.1.6) id-etsi-qcs-6	esi4-qcStatement-6: Type of certificate id-etsi-qcs-QcType 1 = Certificate for electronic Signatures as defined in Regulation EU No 910/2014	Fixed
id-etsi-qcs-QcPDS (0.4.0.1862.1.5) id-etsi-qcs-5	URL= https://www.quovadisglobal.com/repository Language = EN	Fixed

id-qcs-pkixQCSynt.06 .64 re W

The purpose of these EU Qualified certificates are to identify the Certificate Holder with a high level of assurance, for the purpose of creating Advanced Electronic Seals meeting the qualification requirements defined by the eIDAS Regulation.

QuoVadis will only begin issuing Qualified Legal Person certificates once the relevant audit has been passed and the service is listed on the relevant national Trust Services Lists. Once QuoVadis is permitted to issue Qualified Legal Person certificates an updated version of this CP/CPS will be published.

These certificates meet the relevant ETSI Policy for EU qualified certificate issued to a legal person (QCP-l). QuoVadis recommends that

FIELD	CONTENTS	

10.6. QV Qualified - Legacy

10.6.1. Qualified Certificate Profile

Qualified certificates issued for natural persons under Directive 1999/93/EC shall be considered as qualified certificates for electronic signatures under the eIDAS Regulation until they expire.

PURPOSE
The purpose of a Qualified Digital Certificate is to identify the Certificate Holder with a high level of assurance, for the purpose of creating Qualified electronic signatures meeting the qualification requirements defined by the applicable legal framework of the Electronic Signatures Directive (1999/93/EC).

REGISTRATION PROCESS

Validation procedures for QuoVadis Qualified Digital Certificates are consistent with the relevant requirements of ZertES, ETSI and eIDAS

, I W K H & H U W L I L F D W H + R O G H U L V D S K \ V L F D O S H U V R Q Identity shall be checked against a physical person either directly, or shall have been checked indirectly using means which provide equivalent assurance to physical presence.

Evidence shall be provided of:

- Full name (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others wit h the same name.

If the Certificate Holder is a physical person who is identified in association with an organisational entity, additional evidence shall be provided of:

- Full name and legal status of the associated organisational entity;
- Any relevant existing registration information (e.g. company registration) of the organisational entity; and
- Evidence that the Certificate Holder is associated with the organisational entity.

QuoVadis Qualified Digital Certificates require a Secure Signature Creation Device (SSCD) that meets the following requirements:

- SSCD storage, preparation, and distribution is securely controlled by CA or RA;
- User activation data is securely prepared and distributed separately from the SSCD;
- If keys are generated under the Certific D W H + R O G H U ¶ V F R Q W U R O W K H \ D U H J H \

10.6.2. Qualified Cert ificate Profile – Organisation / QCP Public

Qualified certificates issued for natural persons under Directive 1999/93/EC shall be considered as qualified certificates for electronic signatures under the eIDAS Regulation until they expire.

PURPOSE

10. 7. QV Qualified - SuisseID

PURPOSE

SuisseID is the first standardised electronic proof of identity in Switzerland (http://www.suisseid.ch/). QuoVadis SuisseID Qualified Certificates are used to sign documents electronically. The digital signature is

FIELDS	CONTENT	DEMARCATION
Subject		
Common Name (CN)	First Name - Last Name (Qualified Signature)	Holder Variable
Pseudonym	Pseudonym (Qualified Signature)	Holder Variable
Title	Title (e.g. Dr.) which must be as written in ID Document/ Passport)	Holder Variable
Serial Number	1200-xxxx-xxxx-xxxx	Fixed
Organisational Unit (OU)	Variable Data	Holder Variable
Organisation (O)	Organisation legal name	Holder Variable
Locality	Locality	Holder Variable
State/Province	State/Province	Holder Variable
Country	Country	Holder Variable
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com	Holder Variable
Subject Public Key Information	RSA (2048-bit) / System Generated	Fixed
Extensions		
Key Usage (Critical)	Non Repudiation	Fixed
Certificate Policies		
CertPolicyID (SuisseID)	2.16.756.5.26.1.1.1	Fixed
User Notice	SuisseID qualified certificate	Fixed
CertPolicyID (Public + SSCD)	0.4.0.1456.1.1	Fixed
CertPolicyID (QuoVadis Cert Class)	1.3.6.1.4.1.8024.1.400	Fixed
URL	https://www.quovadisglobal.com/repository	Fixed
Subject Alternative Name		

10.8.1.1. Grid End User Certificate

PURPOSE
Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid End User Certificate is to help the Certificate Holder to access the Grid services that require Certificate-

10.8.1.2. Grid Server Certificate

PURPOSE
Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid Server Certificate is to help secure communications with Grid servers.
REGISTRATION PROCESS
The identity vetting of all Applicants must be performe d by an approved Registration Authority (RA). For Grid Server Certificates, the RA must validate the identity and eligibility of the person in charge of the specific entities using a secure method. The RA is responsible for recording, at the time of vali dation, sufficient information regarding the Applicant to identify the Applicant. As part of the registration process the RA must ensure that the Applicant is appropriately authorised by the owner of the associated Fully Qualified Domain Name (FQDN) or the responsible administrator of the machine to use the FQDN identifiers asserted in the Digital Certificate. The RA is responsible for maintaining documented evidence on retaining the same identity over time. The RA must validate the association of the Certificate Signing Request. The Certificate Request submitted for certification must be bound to the act of identity vetting.
DIGITAL CERTIFICATE DELIVERY
Private Keys pertaining to Grid Server Certificates may be stored without a passphrase, but must be adequately protected by system methods if stored without passphrase.

FIELDS	CONTENT	DEMARCATION
Issuer		
Common Name (CN) Organisational Unit (OU)	QuoVadis Grid ICA/ QuoVadis Grid ICAG2	Fixed

10.9. QuoVadis Device

PURPOSE
QuoVadis Device Certificates are intended for use in establishing web-based data communication conduits via TLS/SSL protocols. QuoVadis Device Certificates (i.e. with the OID 1.3.6.1.4.1.8024.1.600 in Certificate Policies) that have the Server Authentication Extended Key Usage comply with the CA/B Forum Baseline Requirements. Device Certificates are not intended to provide any assurances, or otherwise represent or warrant: - That the Subject named in the Certificate is actively engaged in doing business; - That the Subject named in the Certificate complies with applicable laws; - That the Subject named in the Certificate is trustworthy, honest, or reputable in its business dealings; or - 7KDW LW LV ³VDIH´ WR XVH RU5HO\ RQ WKH &HUWLILFDWH WKH

REGISTRATION PROCESS

QuoVadis acts as Registration Authority (RA) for Device Certificates it issues.

Before issuing a Device Certificate, QuoVadis performs procedures to verify that all Subject information in the Certificate is correct, and that the Applicant is authorised to use the domain name and/or Organisation name to be included in the Certificate, and has accepted a Certificate Holder Agreement for the requested Certificate.

Documentation requirements for organisation Applicants may include, Certificate of Incorporation, Memorandum of Association, Articles of Incorporation or equivalent documents. Documentation requirements for individual Applicants may include trustworthy, valid photo ID issued by a Government Agency (such as a passport).

QuoVadis may accept at its discretion other official documentation supporting an application. QuoVadis may also use the services of a third party to confirm Applicant information.

Verification of Domain
For each FQDN listed in a Certificate, QuoVadis confirms that, as of the date the Certificate was issued, the Applicant either is the Domain Name Registrant or has control over the FQDN by:

1. Communicating directly with the Domain Name Registrant using an address, email, or telephone number provided by the Domain Name Registrar;

2.

Subject Alternative Name	c=no; DNS = FQDN of Device (e.g., domain.com)
Authority Information Access	c=no; Access Method= - Id-ad-ocsp (On-line Certificate Status Protocol - 1.3.6.1.5.5.7.48.1); URL = http://ocsp.quovadisglobal.com
CRL Distribution Points	c = no; CRL HTTP URL =http://crl.quovadisglobal.com/ <CA Name>.crl

Purposes of Business SSL

QuoVadis Business SSL Certificates are intended for use in establishing web-based data communication conduits via TLS/SSL protocols. The primary purposes of a Business SSL Certificate are to:

- Identify the individual or entity that controls a website; and
- Facilitate the exchange of encryption keys in order to enable the encrypted communication of information over the Internet between t he user of an Internet browser and a website.

QuoVadis Certificates focus only on the identity of the Subject named in the Certificate, and not on the behaviour of the Subject. As such, Certificates are not intended to provide any assurances, or otherwise represent or warrant:

- That the Subject named in the Certificate is actively engaged in doing business;
- That the Subject named in the Certificate complies with applicable laws;
- That the Subject named in the Certificate is trustworthy, honest, or reputable in its business dealings; or
- 7KDW LWV 6XEMHFW VWR GR EXVLQHVV ZLWK WKH 6XEMHFW QDPHG LQ WKH &HUWLILFD

Eligible Applicants

Step 1: The Applicant provides a signed Certificate Application to QuoVadis, which includes identifying information to assist QuoVadis in processing the request and issuing the Business SSL Certificate, along with a PKCS#10 CSR and billing details.

Step 2: QuoVadis independently verifies information using a variety of sources.

Step 3: The Applicant accepts the Certificate Holder Agreement and approves Certificate issuance.

Step 4: All signatures are verified through follow-up procedures or telephone calls.

Step 5: QuoVadis obtains and documents further explanation or clarification as necessary to resolve discrepancies or details requiring further explanation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the Certificate Request and notify the Applicant accordingly. Two QuoVadis Validation Specialists must approve issuance of the Certificate.

Step 6: QuoVadis creates the Business SSL Certificate.

Step 7: The Business SSL Certificate is delivered to the Applicant.

Renewal
Renewal requirements and procedures include verification that the Applicant continues to have authority to use the domain name, and that the Certificate Application is approved by an authorised representative of the Applicant.

11. 2 Code Signing

Field	Value	Comments
Version	V3	
Serial Number	Unique number	
Issuer Signature Algorithm	sha256RSA(1.2.840.113549.1.1.11)	
Issuer Distinguished Name	Issuer Distinguished Name	
Validity Period	1, 2, or 3 years expressed in UTC format	
Subject Distinguished Name		
Organization Name	subject:organisationName (2.5.4.10)	5 H T X L U H G I L H O G verified legal name.
Organisation Unit	subject:organisationUnit (2.5.6.5)	Optional field. Must not include a name, DBA, tradename, trademark, address, location, or other text that refers to a specific natural person or Legal Entity unless QuoVadis has verified this information
Common Name	subject:commonName (2.5.4.3)	Require G I L H O G 7 K H verified legal name.
State or province (if any)	subject:stateOrProvinceName (2.5.4.8)	Required if the subject:localityName field is absent. Optional if the subject:localityName fields is present.
Locality	subject:locality (2 .5.4.6)	Required if the subject:stateOrProvinceName field is absent. Optional if the subject:stateOrProvinceName field is present.
Country	subject:countryName (2.5.4.6)	Required field.
Subject Public Key Information	2048-bit RSA key modulus, rsaEncryption (1.2.840.113549.1.1.1)	

Field	Value	Comments
Certificate Policies	c=no; Certificate Policies; {1.3.6.1.4.1.8024.0.2.200.1.1 } Certificate Policies; { 2.23.140.1.4.1 } [1,1] Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.quovadisglobal.com/repository	1.3.6.1.4.1.8024.0.2.200.1.1 is the QuoVadis Code Signing OID. 2.23.140.1.2.3 is the Code Signing Minimum Requirements OID.
Authority Information Access	c=no; Access Method= - Id-ad-ocsp (On-line Certificate Status Protocol - 1.3.6.1.5.5.7.48.1); URL = http://ocsp.quovadisglobal.com - id-ad-calssuers (Certification Authority Issuer - 1.3.6.1.5.5.7.48.2) ; URL = http://trust.quovadisglobal.com/<CA Na me>.crt	
CRL Distribution Points	c = no; CRL HTTP URL = http://crl.quovadisglobal.com/ <CA Name>.crl	

Purposes of Code Signing
The primary purpose of QuoVadis Code Signing Certificates is to establish that executable code originates from a source identified by QuoVadis. QuoVadis Certificates focus only on the identity of the Subject named in the Certificate, and not on the behaviour of the Subject. As such, Certificates are not intended to provide any assurances, or otherwise represent or warrant:

- That the Subject named in the Certificate is actively engaged in doing business;
- That the Subject named in the Certificate complies with applicable laws;
- That the Subject named in the Certificate is trustworthy, honest, or reputable in its business dealings; or
- 7KDW LW LV ³VDIH´ WR GR EXVLQHVV ZLWK WKH 6XEMHFW QDPHG LQ WKH &H

Eligible Applicants
Eligible Applicants include Individual Applicants and Organisational Applicantstional App

Copyright QuoVadis Limited: Public Document

12. APPENDIX C

12.1. Definitions and Acronyms

In this QuoVadis CP/CPS the following Key terms and Abbreviations shall have the following meaning in the operation of the QuoVadis PKI unless context otherwise requires:

3 Advanced Electronic Signature ´

of Regulation (EU) No. 910/2014 on electronic identification and trust services for electronic transactions in the internal P D U N H W W K H ³H , ' $.6 5 H J X O D W L R Q ´

³Quali fied Certificate for Electronic Signature ´means a certificate for electronic signatures, that is issued by a qualified trust service provider and meets the requirements laid down in Annex I of Regulation (EU) No 910/2014.

³Qualified Electronic Signature ´means an advanced electronic signature that is created by a qualified electronic signature creation device, and which is based on a qualified certificate for electronic signatures.

³Qualified Electronic Signature Creation Device ´(QSCD) means an electronic signature creation device that meets the requirements laid down in Annex II of Regulation (EU) No 910/2014.

³QuoVadis ´ P H D Q V 4 X R 9 D G L V / L P L W H G D % H U P X G D H [H P S W H G F R P S D Q \

³QuoVadis Issuing Certification Authority ´ P H D Q V 4 X R 9 D G L V / L P L W H G D % H U P X G D H [H P S W H G F R P S D Q \ V

³QuoVadis PKI ´ P H D Q V W K H L Q I U D V W U X F W X U H L P S O H P H Q W H G D Q G X W L O L

3Root Certification Authority Certificate ´means the self-signed Digital Certificate issued to the QuoVadis Root Certification Authority.

3Root Certification Authority ´ P H D Q V 4 X R 9 D G L V CDrtificatisn HAuthority being a self-signed Certification Authority that signs Issuing CA Certificates.

3Secure Cryptographic Device ´ P H DdQvice which holds the Certificate Holder's private key, protects this key against compromise and performs signing or decryption functions on behalf of the Certificate Holder.

"Secure Signature Creation Device" (SSCD) means a secure container specifically designed to carry and protect a digital certificate, which meets the following requirements laid down in annex III of Directive 1999/93/EC :

1. Secure signature-creation devices must, by appropriate technical and procedural means, ensure at the least that:
   (a) the signature-creation-data used for signature generation can practically occur only once, and that their secrecy is reasonably assured;
   (b) the signature-creation-data used for signature generation cannot, with reasonable assurance, be derived and the signature is protected against forgery using currently available technology;
   (c) the signature-creation-data used for signature generation can be reliably protected by the legitimate signatory against the use of others92 re .88 Tm 01 415.03 554.74 Tm 0 g 0 G 53(a)-6(t)-Pnn.m0 0 3.00.5 0.72 re mate