digicert + QuoVadis

QuoVadis Root

n:

ton Mall 7 Reid Street,
ermuda

w.quovadisglobal.com

e@quovadisglobal.com

Mailing Address:
QuoVadis Limited Suite 1640
48 Par-La-Ville Road
Hamilton HM-11 Bermuda

Date	Version	Comment
28 February 2002	2.05	ETA Revisions
01 August 2003	2.06	WebTrust Revisions
01 April 2004	2.07	WebTrust Revisions
11 November 2005	2.08	WebTrust Revisions
17 April 2006	4.00	Cumulative ZertES Revisions
14 September 2006	4.1	EIDI-V Certificate Requirements

Table of Contents

1 Introduction 14
1.1 Overview 14
1.2 Document Name, Identification and Applicability 17
1.3 Public Key Infrastructure Participants 17
1.3.1 Certification Authorities 19
1.3.2 Registration Authorities and Their Obligations 22

4.9.4 Revocation Request Grace Period 50
4.9.5 Time Within Which The Certification Authority Must Process The Revocation Request..... 50
4.9.6 Revocation Checking Requirement For Relying Parties 51
4.9.7 Certificate Revocation List Issuance Frequency..... 51
4.9.8 Maximum Latency For Certificate Revocation List 51
4.9.9 On-

7.5.1 Digital Certificate Fields 82
7.5.2 QuoVadis Root Certificate Hashes 83
8 Compliance Audit and Other Assessments 85
8.1 Frequency, Circumstance And Standards Of Assessment 85
8.1.1 QuoVadis Certification Authority 85
8.1.2 Issuing Certification Authorities 87
8.1.3 Registration Authorities 87
8.2 Identity And Qualifications Of Assessor 87
8.3 Assessor's Relationship To Assessed Entity 87
8.4 Topics Covered By Assessment 87
8.5 Actions Taken As A Result Of Deficiency 88
8.5.1 Issuing Certification Authorities 88
8.5.2 Registration Authorities 88
8.6 Publication Of Audit Results 89
8.7 Self Audits 89
9 OTHER BUSINESS AND LEGAL MATTERS 90
9.1 Fees 90
9.1.1 Certificate Issuance Or Renewal Fees 90
9.1.2 Certificate Access Fees 90
9.1.3 Revocation Or Status Information Access Fees 90
9.1.4 Fees For Other Services 90
9.1.5 Refund Policy 90
9.2 Financial Responsibilities 91
9.2.1 Insurance Coverage 91
9.2.2 Other Assets 91
9.2.3 Insurance Or Warranty Coverage For End-Entities 91
9.2.4 Fiduciary Relationships 92
9.3 Confidentiality Of Business Information 92
9.3.1 Scope Of Confidential Information 92
9.3.2 Information Not Within The Scope Of Confidential Information 92
9.3.3 Responsibility To Protect Confidential Information 92
9.4 Privacy Of Personal Information 93
9.4.1 Privacy Plan 93
9.4.2 Information Treated As Private 93
9.4.3 Information Deemed Not Private 93
9.4.4 Responsibility To Protect Private Information 94
9.4.5 Notice And Consent To Use Private Information 94
9.4.6 Disclosure Pursuant To Judicial Or Administrative Process 94
9.4.7 Other Information Disclosure Circumstances 95
9civate</MCID 224 >8..... 93pe5 MC /Sp 0 3.... R01 Ti01 Tg ce <</MCID 224 >/Sp5 <</MC

9.5.2 Licences 95
9.5.3 IETF Guidelines 95
9.5.4 Breach 95
9.6 Representations And Warranties 96
9.6.1 Certification Authority Representations 96
9.6.2 Registration Authority Representations and Warranties 96
9.6.3 Certificate Holder Representations And Warranties 97
9.6.4 Relying Parties Representations And Warranties 98
9.6.5 Representations And Warranties Of Other Participants 99
9.7 Disclaimers Of Warranties 99
9.8 Liability and Limitations of Liab

10.3 QV Advanced 113
10.4 QV Advanced + ... 115
10.4.1 ElDI-V/GeBüV Certificates 117
10.4.2 SuisseID Identity and Authentication Certificates 118
10.5 QV Qualified - eIDAS 121
10.5.1 eIDAS Qualified Certificate issued to a natural person on a QSCD 121
10.5.2 eIDAS Qualified Certificate issued to a natural person 123
10.5.3 eIDAS Qualified Certificate issued to a legal person on a QSCD 126
10.5.4 eIDAS Qualified Certificate issued to a legal person 129
10.6 QV Qualified - Legacy 132
10.6.1 Qualified Certificate Profile 132
10.6.2 Qualified Certificate Profile – Organisation / QCP Public 134
10.7 QV Qualified – SuisseID 136
10.8 QV Closed Community 138
10.8.1 Grid Certificates 138
10.9 QuoVadis Device 142
11 APPENDIX B 145
11.1 Business SSL 145
11.2 Code Signing 148
12 APPENDIX C 153
12.1.1 Definitions and Acronyms 153

1 Introduction

1.1 Overview

This QuoVadis CP/CPS sets out the policies, processes and procedures followed in the generation, issue, use and management of Key Pairs and Digital Certificates. It also describes the

- Accredited Certification Authority by the EU Policy Management Authority for Grid Authentication in e-Science (EUGridPMA). This entitles QuoVadis to issue Digital Certificates meeting the guidelines of the International Grid Trust Federation (IGTF), which will enable validated and approved Grid users to gain access to Grid related resources.
- Accredited Certification Service Provider under PKIoverheid. PKIoverheid is the name for the PKI designed for trustworthy communication within and with the Dutch Government. Please note that there is a separate QuoVadis Certification Practice Statement (CPS) for PKIoverheid, which can be found in the QuoVadis Repository on the QuoVadis website (https://www.quovadisglobal.com).
- Authorised Certification Service Provider (Bermuda) entitled to issue Accredited Certificates under the requirements of the Electronic Transactions Act 1999. This authorisation synthesises elements of the ISO 17799 Code of Practice for Information Security Management and the European Electronic Signature Standardisation Initiative, as well as the WebTrust for Certification Authorities programme.

QuoVadis ensures the integrity of its PKI operational hierarchy by binding Participants to contractual agreements. This CP/CPS is not intended to create a contractual relationship between QuoVadis and any Participant in the QuoVadis PKI. This CP/CPS merely provides a general overview of the QuoVadis PKI including Digital Certificate Profiles as defined in Appendix A and Appendix B.

The QuoVadis PKI is designed and is operated to comply with the broad strategic direction of existing international standards for the establishment and operation of a Public Key Infrastructure Certification Authority. Any person seeking to rely on Digital Certificates or participate within the QuoVadis PKI must do so pursuant to definitive contractual documentation.

QuoVadis SSL Certificates are issued for use with the SSL /TLS protocol to enable secure transactions of data through privacy, authentication, and data integrity.

QuoVadis Code Signing Certificates are used to provide users with reasonable assurance that the executable code they download comes from a source identified by QuoVadis.

This Certificate Policy/Certification Practice Statement (CP/CPS) sets out the certification processes that QuoVadis uses in the generation, issue, use, and management of Certificates and serves to notify Certificate Holders and Relying Parties of their roles and responsibilities concerning Certificates.

QuoVadis ensures the integrity of its Public Key Infrastructure (PKI) operational hierarchy by binding Participants to contractual agreements. This CP/CPS is not intended to create a contractual relationship between QuoVadis and any Participant in

the QuoVadis PKI. Any person seeking to rely on Certificates or participate within the QuoVadis PKI must do

1.2 Document Name, Identification and Applicability

The Private Enterprise Object Identifier (OID) assigned by the Internet Assigned Numbers Authority to QuoVadis is 1.3.6.1.4.1.8024.

The Object Identifiers assigned to the Root CAs covered by this CP/CPS are:

- QuoVadis Root Certification Authority/QuoVadis Root CA 1 G3 1.3.6.1.4.1.8024.0.1
- QuoVadis Root CA 3/QuoVadis Root CA 3 G3 1.3.6.1.4.1.8024.0.3

QuoVadis Root CA 2 is used to issue Extended Validation (EV) SSL Certificates associated with EV OID 1.3.6.1.4.1.8024.0.2.100.1.2, Business SSL Certificates and also Code Signing Certificates. Digital Certificates issued under Root CA 2 and QuoVadis Root CA 2 G3 have their own CP/CPS.

1.3 Public Key Infrastructure Participants

This CP/CPS outlines the roles and responsibilities of all parties involved in the generation and use of Digital Certificates and the operation of all QuoVadis-approved:

- Issuing CA services.
- Registration Authority services.

QuoVadis, in its capacity as the Certification Authority, holds the QuoVadis Root Certificates. The QuoVadis Root CA represents the apex of the QuoVadis PKI. The QuoVadis Root CA digitally creates, signs and issues Issuing CA Certificates using one of the Root Certificates identified above. Issuing CA Certificates are only issued to

Approved Registration Authorities act as the interface between Issuing CAs and an Applicant for a Digital Certificate. Approved RAs perform due diligence on potential Certificate Holders and only successful applicants are approved and receive Digital Certificates.

If you are not familiar with Common Terms usually employed in a PKI please refer to the Key Terms and Definitions in Appendix C.

QuoVadis provides identification and authentication services for Certificate Holders, servers, and personal computer or network devices. The registration procedures set out in this CP/CPS and in Appendix A and Appendix B define the credentials necessary to establish the identity of an individual or entity.

This CP/CPS describes all subordinate services that operate under the QuoVadis Root CA, i.e. that are within the QuoVadis “chain of trust”.

Participants (“Participants”) within the QuoVadis PKI include:

- Certification Authorities;
- Registration Authorities;
- Certificate Holders including applicants for Digital Certificates prior to Digital Certificate issuance; and
- Authorised Relying Parties.

The practices described or referred to in this CP/CPS:

- accommodate the diversity of the community and the scope of applicability within the QuoVadis chain of trust; and
- adhere to the purpose of the CP/CPS of describing the uniformity and efficiency of practices throughout the QuoVadis PKI.

Applications are as follows: secure electronic mail, retail transactions, IPSEC applications, secure TLS/SSL applications, contract-signing applications, custom e-Commerce applications and other certificate-enabled applications.

QuoVadis Digital Certificates may not be used, and no participation is permitted in the QuoVadis PKI, (i) in circumstances that breach, contravene, or infringe the rights of others; (ii) in circumstances that offend, breach, or contravene any applicable law, statute, regulation, order, decree, or judgment of a court of competent jurisdiction or governmental order; or (iii) in connection with fraud, pornography, obscenity, hate, defamation, harassment, or other activity that is contrary to public policy.

1.3.1 Certification Authorities

1.3.1.1 Root Certification Authority

The QuoVadis PKI contains the following Root Certificates:

SHA1 Roots	SHA256 Roots
QuoVadis Root Certification Authority	QuoVadis Root CA 1 G3
QuoVadis Root CA 2	QuoVadis Root CA 2 G3
QuoVadis Root CA 3	QuoVadis Root CA 3 G3

This CP/CPS relates to the QuoVadis Root Certification Authority, QuoVadis Root CA 1 G3, QuoVadis Root CA 3, and QuoVadis Root CA 3 G3. QuoVadis Root CA 2 and QuoVadis Root CA 2 G3 have a separate CP/CPS.

The inclusion of the SSL OIDs (1.3.6.1.4.1.8024.0.1.100.1.1 and 1.3.6.1.4.1.8024.0.3.100.1.1) in the certificatePolicies extension of an end entity certificate asserts adherence to and compliance with the Baseline Requirements.

QuoVadis is obligated to operate the QuoVadis Root Certification Authority, QuoVadis

CP/CPS. Generally, Issuing CAs will be authorised to issue and manage all types of Digital Certificates supported by this CP/CPS.

For European Qualified Certificates issued out of the itsme Sign Issuing CA G1, the Registration Service and Subject Device Provisioning Service are not performed by QuoVadis. These services are performed entirely by Belgian Mobile ID, who undergo their own audit. In addition, some services are shared between QuoVadis and Belgian Mobile ID. QuoVadis retains overall responsibility toward relying parties for all certificates issued from the of the itsme Sign Issuing CA G1.

An Issuing CA may, but shall not be obliged to, detail its specific practices and other requirements in a policy or practices statement adopted by it following approval by the QuoVadis Policy Management Authority.

Within the QuoVadis PKI all Issuing CAs are responsible for the management of Digital Certificates issued by them. Digital Certificate Management includes all aspects associated with the application, issue and revocation of Digital Certificates, including any required identification and authentication processes included in the Digital Certificate application process. Issuing CAs, if authorised to do so by QuoVadis, may rely on third party Registration Authorities in the performance of Certificate Holder Identification and Authentication requirements. In circumstances where an Issuing CA has relied on a third party Registration Authority to perform Identification and Authentication, the Issuing CA bears all responsibility and liability for the Identification and Authentication of its Certificate Holders.

Notwithstanding the foregoing, Issuing CAs are required to conduct regular compliance audits of their Registration Authorities to ensure that they are complying with their obligations according to their respective RA Agreements, (including the performance of Identification and Authentication requirements) and this CP/CPS. Issuing CAs are required to ensure that all aspects of the services they offer and perform within the QuoVadis PKI are in compliance at all times with this CP/CPS.

Issuing CAs chaining to a QuoVadis Root must not be used for Man in the Middle (MITM) purposes for the interception of encrypted communications. Such Issuing CAs should also not be used for traffic management of domain names /IP addresses that the entity does not own or control. QuoVadis will not issue a subordinate Issuing CA Certificate to be used for these purposes.

Issuing CAs are required to ensure that;

- FIPS 140-3 or equivalent cryptographic modules are used for CA Private Key management.

- Private Keys are used only in connection with the signature of Digital Certificates and Certificate Revocation Lists.
- Enforce multi-factor authentication for all accounts capable of directly causing certificate issuance.
- All administrative procedures related to personnel and procedural requirements, as well as physical and technological security mechanisms, are maintained in accordance with this CP/CPS.
- They comply at all times with all compliance audit requirements.
- They follow a privacy policy in accordance with this CP/CPS and applicable Issuing CA Agreement.

Issuing CAs chaining to a publicly trusted QuoVadis Root must either be technically constrained, or undergo an independent audit and be publicly disclosed in the Repository on the QuoVadis website (https://www.quovadisglobal.com/repository).

1.3.1.3 Approved Client Issuing CAs and Their Obligations

An Organisation wishing to participate in the QuoVadis PKI in the capacity of an Approved Client Issuing CA must supply to QuoVadis satisfactory evidence of that Organisation's ability to operate in accordance with the performance standards and other obligations that QuoVadis, in its sole discretion, requires of its Issuing CAs. Organisations wishing to act as Client Approved Issuing CAs will be required to enter into and act in accordance with an Issuing CA Agreement and this CP/CPS.

Approved Client Issuing CAs may not act as public or commercial CAs without the explicit approval of QuoVadis.

Execution of an Issuing CA Agreement is subject to review and acceptance by QuoVadis and/or QuoVadis auditors of a PKI infrastructure review that includes but is not limited to:

- CA hierarchy
- Logical, physical and network security measures
- Use of cryptographic modules

QuoVadis, in its sole discretion, may require one or all of the following:

- Independent audit of the Issuing CAs practices and operations and public attestation of conformance to this CP/CPS; or
- Enforce multi-factor authentication for all accounts capable of directly causing certificate issuance; or

- Embedded technical constraints in the Issuing CA Certificate which may include

1.3.3.2 Accepted Limitation Of Liability

Digital Certificates include a reference to the relevant CP/CPS, which contains statements detailing limitations of liability and disclaimers of warranty. In accepting a Digital Certificate, Certificate Holders acknowledge and agree to all such limitations and disclaimers documented in the CP/CPS.

1.3.4 Relying Parties

Any party receiving a signed electronic document may rely on that Digital Signature to the extent that they are authorised by contract with the Certificate Holder, or by legislation pursuant to which that Digital Certificate has been issued, or by commercial law in the jurisdiction in which that Digital Certificate was issued.

In order to become an “Authorised Relying Party” as defined in this CP/CPS, a Relying Party must exercise Reasonable Reliance as set out in this section 1.3.4.

All obligations within this section 1.3.4 relate to Reasonable Reliance on the validity of a Digital Signature, not the accuracy of the underlying electronic record.

This CP/CPS does not require a Certificate Holder to ensure that potential relying parties are compliant with the requirements to be an Authorised Relying Party.

1.3.4.1 Obligations and Responsibilities

Authorised Relying parties are required to act in accordance with this CP/CPS and the Relying Party Agreement.

An Authorised Relying Party must utilise Digital Certificates and their corresponding Public Keys only for authorised and legal purposes and only in support of transactions or communications supported by the QuoVadis PKI.

An Authorised Relying Party shall not place reliance on a Digital Certificate unless the circumstances of that intended reliance constitute Reasonable Reliance and that Authorised Relying Party is otherwise in compliance with the terms and conditions of their Relying Party Agreement. Any such Reliance is made solely at the risk of the Relying Party.

1.3.4.2 Reasonable Reliance

An Authorised Relying Party shall not place reliance on a Digital Certificate unless the circumstances of that intended reliance constitute Reasonable Reliance (as set out below) and that Authorised Relying Party is otherwise in compliance with the terms and conditions of the Authorised Relying Party Agreement and this CP/CPS. For the purposes of this CP/CPS and Relying Party Agreement, the term "Reasonable Reliance" means:

- that the attributes of the Digital Certificate relied upon are appropriate in all respects to the reliance placed upon that Digital Certificate by the Authorised Relying Party including, without limitation to the generality of the foregoing, the level of Identification and Authentication required in connection with the issue of the Digital Certificate relied upon;
- that the Authorised Relying Party has, at the time of that reliance, used the Digital Certificate for purposes appropriate and permitted under this QuoVadis CP/CPS;
- that the Authorised Relying Party has, at the time of that reliance, acted in good faith and in a manner appropriate to all the circumstances known, or circumstances that ought reasonably to have been known, to the Authorised Relying Party;
- that the Digital Certificate intended to be relied upon is valid and has not been revoked, the Authorised Relying Party being obliged to check the status of that Digital Certificate utilising either the QuoVadis Database, the QuoVadis Certificate Revocation List, or the QuoVadis Online Certificate Status Protocol and otherwise in accordance with the provisions of this QuoVadis CP/CPS;
- that the Authorised Relying Party has, at the time of that reliance, verified the Digital Signature, if any;

0 . 6 . 0 C t e h C
i (5 c n a d h i l a t t a t a 6) i P 3 e h (2 2) t (

1.3.4.5 Certificate Compromise

A party cannot rely on a Digital Certificate issued by QuoVadis if the party has actual or constructive notice of the compromise of the Digital Certificate or its associated Private Key. Such notice includes but is not limited to the contents of the Digital Certificate and information incorporated in the Digital Certificate by reference, which includes this CP/CPS and the current set of revoked Digital Certificates published by QuoVadis. Certificates have pointers to URLs where QuoVadis publishes status information, including Certificate Revocation Lists (CRLs), and Relying Parties are required to check the most recent CRL.

1.3.5 Other Participants

Other Participants in the QuoVadis PKI are required to act in accordance with this CP/CPS and/or applicable Certificate Holder Agreement and/or Relying Party Agreement's or other relevant QuoVadis documentation. All application software and operating system vendors with whom QuoVadis has entered into a contract for inclusion of the QuoVadis Root Certificate as a trusted trust anchor in their software are intended third party participants in the QuoVadis PKI.

1.4 Certificate Usage

At all times, participants in the QuoVadis PKI are required to utilise Digital Certificates in accordance with this QuoVadis CP/CPS and all applicable laws and regulations.

1.4.1 Appropriate Certificate Usage

performance of QuoVadis' obligations hereunder shall be performed and be deemed to be performed in Bermuda.

1.4.2 Prohibited Certificate Usage

Digital Certificates may not be used and no participation is permitted in the QuoVadis PKI (i) in circumstances that breach, contravene, or infringe the rights of others or (ii) in circumstances that offend, breach, or contravene any applicable law, statute, regulation, order, decree, or judgment of a court of competent jurisdiction or governmental order in Bermuda or (iii) in connection with fraud, pornography, obscenity, hate, defamation or harassment.

No reliance may be placed on Digital Certificates and Digital Certificates may not be used in circumstances (i) where applicable law or regulation prohibits their use; (ii) in breach of this QuoVadis CP/CPS or the relevant Certificate Holder or Relying Party Agreement; (iii) in any circumstances where the use of Digital Certificates could lead to death, injury, or damage to property; or (iv) as otherwise may be prohibited by the terms of issue.

1.5 Policy Administration

1.5.1 Organisation Administering the CP/CPS

QuoVadis operates the Policy Management Authority (PMA) that is responsible for setting policies and practices for the overall PKI.

1.5.2 Contact Person

This CP/CPS is administered by the QuoVadis PMA. Enquiries or other communications about this CP/CPS should be addressed to QuoVadis Limited.

Policy Director
QuoVadis Limited
Suite 1640,
48 Par-La-Ville Road,
Hamilton HM-11, Bermuda

Website: https://www.quovadisglobal.com
Electronic mail: compliance@quovadisglobal.com

1.5.3 Person Determining the CP/CPS Suitability

The QuoVadis PMA determines the suitability of this CP/CPS to the functions and uses of Participants in the QuoVadis PKI.

1.5.4 CP/CPS Approval Procedures

This CP/CPS is regularly reviewed and approved by the QuoVadis PMA. Notice of proposed changes are recorded in the change log at the beginning of this CP/CPS until they are approved, at which time the approved change will be recorded there

QuoVadis Root, Issuing CA and Time-Stamp certificates are published at https://www.quovadisglobal.com/QVRepository/DownloadRootsAndCRL.aspx.

QuoVadis conforms to the current version of the Baseline Requirements for the Issuance and Management of Publicly- Trusted Certificates (“Baseline Requirements”) published at http://www.cabforum.org. In the event of any inconsistency between this document and those Requirements, those Requirements take precedence over this document.

QuoVadis conforms to the current version of the Minimum Requirements for the Issuance and Management of Publicly Trusted Code Signing Certificates (“Code Signing Minimum Requirements”) published at https://aka.ms/csbr. In the event of any inconsistency between this document and those Requirements, those Requirements take precedence over this document.

2.3 Time or Frequency of Publication

Digital Certificate information is published promptly following generation and issue and immediately following the completion of the revocation process.

2.4 Access Controls on Repositories

Read-only access to Repositories is available to Relying Parties twenty-four hours per day, seven days per week, except for reasonable maintenance requirements, where access is deemed necessary. Queries to the Repository must specify individual Certificate information. QuoVadis is the only entity that has write access to Repositories.

3 Identification and Authentication

QuoVadis implements rigorous authentication requirements to ensure that the identity of the Certificate Holder is proven. This may include face-to-face identity verification at the beginning of the Digital Certificate request procedure or at some point prior to Digital Certificate delivery to the Certificate Holder. The registration procedure will depend on the class and type of Digital Certificate that is being applied for.

Issuing CAs may perform the Identification and Authentication required in connection with the issue of Digital Certificates, or they may delegate the responsibility to one or more Registration Authorities. The level of Identification and Authentication depends on the class (QuoVadis Certificate Class) of Digital Certificate being issued (See Appendix A and Appendix B).

3.1 Naming

3.1.1 Types Of Names

All Certificate Holders require a distinguished name that is in compliance with the X.500 standard for Distinguished Names.

The QuoVadis Root Certification Authority approves naming conventions for the creation of distinguished names for Issuing CA applicants. Different naming conventions may be used by different Issuing CAs.

The Subject Name of all Digital Certificates issued to Individuals shall be the authenticated common name of the Certificate Holder. Each User must have a unique and readily identifiable X.501 Distinguished Name (DN). The Distinguished Name may include the following fields:

- Common Name (CN)
- Organisational Unit (OU)
- Organisation (O)
- Locality (L)
- State or Province (S)
- Country (C)
- Email Address (E)

Alternatively, Distinguished Names may be based on domain name components, e.g. CN=John Smith, DC=QuoVadis, DC=BM.

The Common Name may contain the applicant's first and last name (surname). For Digital Certificates covered under the Baseline Requirements, the use of Internal Server Names and Reserved IP Addresses is prohibited, and the FQDN or authenticated domain name is placed in the Common Name (CN) attribute of the Subject field and the Subject Alternative Name extension.

TLS/SSL Certificates are issued using the Fully Qualified Domain Name (FQDN) name of the server, service, or application that has been confirmed with the Certificate Holder. The Distinguished Names of a Code Signing Certificate must identify the legal entity that intends to have control over the use of the Private Key when signing code. The Baseline Requirements contain provisions prohibiting Certificates containing Internal Server Names or Reserved IP Addresses.

Wildcard TLS/SSL Certificates have a wildcard asterisk character for the server name in the Subject field. Wildcard EV Certificates may not be issued under the EV Guidelines.

records kept in the ordinary course of business that, at a minimum, satisfy the requirements of this section. In all such cases, the Issuing CA or Registration Authority

9. Confirming the Applicant's control over the FQDN by sending a Random Value via email to the DNS TXT Record Email Contact for the Authorization Domain Name for the FQDN and then receiving a confirming response utilizing the Random Value, performed in accordance with BR Section 3.2.2.4.14;
10. Confirming the Applicant's control over the FQDN by calling the Domain Contact's phone number and obtaining a confirming response to validate the authorized Domain Name. Each phone call can confirm control of multiple authorized Domain Names provided that the same Domain Contact phone number is listed for each authorized Domain Name being verified and they provide a confirming response for each authorized Domain Name, performed in accordance with BR Section 3.2.2.4.15; and
11.

Confirming the Applicant's control over the IP Address by calling the IP Address Contact's phone number, as identified by the IP Address Registration Authority, and obtaining a response confirming the Applicant's request for validation of the IP Address, performed in accordance with BR Section 3.2.2.5.5;

Confirming the Applicant's control over the IP Address by performing the procedure documented for an "http-01" challenge in draft 04 of "ACME IP Identifier Validation Extension," available at https://tools.ietf.org/html/draft-ietf-acme-ip-04#section-4, performed in accordance with BR Section 3.2.2.5.6; or

Confirming the Applicant's control over the IP Address by performing the procedure documented for a "tls-alpn-01" challenge in draft 04 of "ACME IP Identifier Validation Extension," available at https://tools.ietf.org/html/draft-ietf-acme-ip-04#section-4, performed in accordance with BR Section 3.2.2.5.7.

3.2.2.3 Wildcard Domain Validation

Before issuing a Certificate with a wildcard character (*) in a CN or subjectAltName of type DNS-ID, QuoVadis programmatically enforces that the wildcard character occurs in the first label position to the left of a "registry- controlled" label or "public suffix".

3.2.2.4 Data Source Accuracy

Prior to using a data source as a Reliable Data Source, QuoVadis evaluates it for reliability, accuracy and resistance to falsification.

3.2.3 Authentication Of Individual Identity

An Individual's Identity is to be authenticated in accordance with the class/type of Digital Certificate together with the relevant application data and documentation. TLS/SSL Certificates are only issued to organisations and not natural persons.

3.2.4 Non-Verified Certificate Holder Information

The QuoVadis Issuing CA may accept any form of Non-Verified Holder Information for the issuance of Digital Certificates used solely for demonstration or testing purposes.

An Issuing CA within the QuoVadis PKI may accept the following Non-Verified Certificate Holder Information for other classes of Digital Certificate:

- Organisational Unit (OU)
- Other information that is permitted as Non-Verified according to the Certificate class or relevant industry standards

3.2.5 Validation Of Authority

Where an Applicant's Name is to be associated with an Organisational Name to indicate his or her status as a Counterparty, Employee or specifies an Authorisation level to act on behalf of an Organisation, the Registration Authority will validate the Applicant's Authority by reference to business records maintained by the Registration Authority, its Subsidiaries, Holding Companies or Affiliates. Validation of authority is conducted in compliance with this CP/CPS and the Certificate Profiles detailed in Appendix B. Validity of authority of Applicant Representatives and Agents is verified against contractual documentation and Reliable Data Sources.

3.2.6 Criteria For

3.4 Identification and Authentication For Revocation Requests

A request to revoke Keys and Digital Certificates may be submitted by persons authorised to do so under relevant contractual documentation.

3.4.1 Issuing Certification Authority

An authorised individual acting under the authority of the Issuing CA may revoke a Digital Certificate by communicating with the QuoVadis Digital Certificate administration system using a QV Utility Digital Certificate.

3.4.2 Registration Authority

A Registration Authority may request the revocation of Digital Certificates it has caused to be issued by requesting, in person, by digitally signed electronic mail or by authenticating to the QuoVadis Digital Certificate administration system that an authorised member of the Issuing CA staff revoke the Digital Certificate/s in question.

3.4.3 Certificate Holder

A Certificate Holder may request that his or her Digital Certificate be revoked by:

- Authenticating to the QuoVadis Digital Certificate administration system or other relevant system and requesting revocation via this system;
- Applying in person to the Registration Authority, Issuing CA or QuoVadis supplying either original proof of identification in the form of a valid Driving License or Passport;
- Sending a digitally signed email message to the Issuing Registration Authority, Issuing CA or QuoVadis requesting that their Digital Certificate be revoked.
- Telephonic communication using a pre-existing shared secret, password or other information associated with Certificate Holder's account with the Certification Authority following appropriate Identification.

4 Certificate Life-Cycle Operation Requirements

4.1 Certificate Application

Digital Certificate applications are subject to various assessment procedures depending upon the type of Digital Certificate applied for.

4.1.1 Who Can Submit A Certificate Application

An application in a form prescribed by the Issuing CA must be completed by Applicants, which includes all registration information as described by this CP/CPS (including, without limitation, that information set out in Appendix A) and the relevant Certificate Holder Agreement or other terms and conditions upon which the Digital Certificate is to be issued. All applications are subject to review, approval, and acceptance by the Issuing CA in its discretion.

4.1.2 Enrolment Process And Responsibilities

Certain information concerning applications for Digital Certificates is set out in this QuoVadis CP/CPS. However, the issue of Digital Certificates by Issuing CAs will be pursuant to forms and documentation required by that Issuing CA. Notwithstanding the foregoing, the following steps are required in any application for a Digital Certificate: (i) Identity of the Holder or Device is to be established in accordance with Appendix A, (ii) a Key Pair for the Digital Certificate is to be generated in a secure fashion, (iii) the binding of the Key Pair to the Digital Certificate shall occur as set forth in this CP/CPS, and (iv) the Issuing CA shall enter into contractual relations with the Certificate Holder for the use of that Digital Certificate and the QuoVadis PKI.

Where Certificates are to be used for digitally signing and/or encrypting email messages, QuoVadis takes reasonable measures to verify that the entity submitting the request controls the email account referenced in the Certificate, or has a legal right to request a Certificate including the email address. QuoVadis systems perform a challenge-response procedure by sending an email to the email address to be included in the Certificate. The Applicant (or(c)4 (atn)10 (.)2 ( )10 (T)-5 (he72 (he)]TJT*[(r)7 (eq)10 (ues)4 (7(a

reliance upon, Digital Certificates issued within the QuoVadis PKI must incorporate by reference the requirements of this QuoVadis CP/CPS as it may be amended from time to time.

4.2 Certificate Application Processing

4.2.1 Performing Identification And Authentication Functions

See Appendix A and Appendix B for Identification and Authentication requirements for each Digital Certificate profile.

4.2.2 Approval Or Rejection Of Certificate Applications

A Registration Authority will approve or reject Certificate Holder applications based upon the Certificate Holders meeting the requirements of this CP/CPS and the Digital Certificate Profiles contained in Appendix A.

From time to time, QuoVadis may modify the requirements related to application information requested, based on QuoVadis requirements, business context of the usage of Certificates, or as may be required by law, or changes to the EV Guidelines, Baseline Requirements, or the Code Signing Minimum Requirements.

QuoVadis, in its sole discretion, may refuse to accept an application for a Certificate or for the renewal of a Certificate, and may refuse to issue a Certificate, without incurring any liability for loss or damages arising out of such refusal. QuoVadis reserves the right not to disclose reasons for such a refusal. Applicants whose applications have been rejected may subsequently re-apply.

Ifoicfifejectifiei(any)1e ex (i)6en, (w)

QuoVadis, at its sole discretion not to be unreasonably withheld, may override any decision to Approve a Certificate Holder Application.

4.2.3 Time To Process Certificate Applications

Registration Authorities and Issuing CAs operating within the QuoVadis PKI are under no obligation to process Digital Certificate Applications other than within a commercially reasonable time.

4.2.4 Certificate Authority Authorisation (CAA)

QuoVadis may not act on the contents of the iodef property tag. QuoVadis will not issue a Digital Certificate if an unrecognized property is found with the critical flag.

QuoVadis may not check CAA records for the following exceptions:

I. For Digital Certificates for which a Certificate Transparency pre-certificate was created and logged in at least two public logs, and for which CAA was checked.
II. For Digital Certificates issued by a Technically Constrained Subordinate CA Certificate, where the lack of CAA checking is an explicit contractual provision in the contract with the Applicant.
III. If the CA or an Affiliate of the CA is the DNS Operator (as defined in RFC 7719) of the domain's DNS.

QuoVadis treats a record lookup failure as permission to issue if:

I.

4.3.1.3 QuoVadis Registration Authority Appointment

Upon accepting the terms and conditions of the QuoVadis Registration Authority

By accepting a Digital Certificate issued by an Issuing CA operating within the QuoVadis PKI, the Certificate Holder expressly represents and warrants to QuoVadis and all Authorised Relying Parties who reasonably rely on the information contained in the Digital Certificate that at the time of acceptance and throughout the operational period of the Digital Certificate, until notified otherwise by the Certificate Holder, that:

- No unauthorised person has ever had access to the Certificate Holder's Private Key;
- All representations made by the Certificate Holder to QuoVadis regarding the information contained in the Digital Certificate are true;
- All information contained in the Digital Certificate is true to the extent that the Certificate Holder had knowledge or notice of such information, and does not promptly notify QuoVadis of any material inaccuracies in such information; and
- The Digital Certificate is being used exclusively for authorised and legal purposes, consistent with this CP/CPS.

4.4.1 Notice O0 (m)7 (pt)2 (l)6 (y)14 (not)2 (i)16 (f)-8 (y)14 T4 (,)27 (m)7 (a

4.4.3 Publication Of The Certificate By The Certification Authority

All Digital Certificates issued within the QuoVadis PKI are made available in public repositories, except where Certificate Holders have requested that their Digital Certificates not be published.

4.4.4 Notification Of Certificate Issuance By The Certification Authority To Other Entities

Issuing CAs and Registration Authorities within the QuoVadis PKI may choose to notify other Entities of Digital Certificate Issuance.

4.5 Key Pair And Certificate Usage

4.5.1 Certificate Holder Private Key And Certificate Usage

Within the QuoVadis PKI, a Certificate Holder may only use the Private Key and corresponding Public Key in the Digital Certificate for their lawful and intended use. The Certificate Holder accepts the Certificate Holder Agreement by accepting the Digital

- That the Digital Certificate is valid at the time of reliance by reference to Online Certificate Status Protocol or Certificate Revocation List Checks.

4.6 Certificate Renewal

Certificate Renewal means the issuance of a new Certificate without changing the Public Key. The QuoVadis PKI does not support Certificate Renewal for end entity (non-CA) certificates.

QuoVadis does support renewal for Issuing CA Certificates.

4.7 Certificate Re-Key

Certificate Re-Key is when all the identifying information from a Digital Certificate is duplicated in a new Digital Certificate, but there is a different public key and a different validity period. Due diligence, Key Pair generation, delivery and management are performed in accordance with this CP/CPS.

4.7.1 Circumstance For Certificate Re-Key

Digital Certificates may be Re-Keyed upon request.

4.7.2 Who May Request Re-Key

Certificate Holders and Nominating Registration Authorities may request Digital Certificate Re-Keys.

4.7.3 Processing Certificate Re-Key Request

Digital Certificate Re-Key requests are processed in the same manner as requests for new Digital Certificates and in accordance with the provisions of this CP/CPS. In order to process a Re-Key request, the Certificate Holder is required to confirm that:

- Details contained in the original Digital Certificate application have not changed.
- Authenticate their identity to the Registration Authority.

Using their existing Digital Certificate, the Certificate Holder may digitally sign an electronic message to the Nominating Registration Authority requesting that the Digital Certificate be Re-Keyed and confirming that the original application details have not changed. Appropriate vetting will be performed in relation to the details to be included in the Digital Certificate.

- QuoVadis determines that any of the information appearing in the Certificate is inaccurate or misleading;
- The Certificate Holder requests in writing the revocation of their Certificate;
- The Certificate Holder indicates that the original Certificate Request was not authorised and does not retroactively grant authorization;
- QuoVadis obtains reasonable evidence that there has been loss, theft, modification, unauthorised disclosure, or other compromise of the Private Key corresponding to the Public Key within the Certificate, or that the Certificate has otherwise been misused;
- QuoVadis receives notice or otherwise becomes aware that a Certificate Holder has breached a material obligation under the Certificate Holder Agreement or other contractual obligations;
- QuoVadis receives a lawful and binding order from a government or regulatory body to revoke the Certificate;
- QuoVadis is made aware of any circumstance indicating that use of a Fully-Qualified Domain Name or IP address in the Certificate is no longer legally permitted (e.g. a court or arbitrator has revoked a Domain Name Registrant's right to use the Domain Name, a relevant licensing or services agreement between the Domain Name Registrant and the Applicant has terminated, or the Domain Name Registrant has failed to renew the Domain Name);
- QuoVadis is made aware that a Wildcard Certificate has been used to authenticate a fraudulently misleading subordinate Fully-Qualified Domain Name;
- QuoVad

- Either the Certificate Holder's or QuoVadis' obligations under this CP/CPS are delayed or prevented by a natural disaster, computer or communications failure, or other cause beyond the person's reasonable control, and as a result another person's information is materially threatened or compromised;
- A QuoVadis CA Private Key used to issue that Certificate has been compromised;
- Revocation is required by the QuoVadis CP/CPS
- The technical content or format of the Certificate presents an unacceptable risk to Application Software Suppliers or Relying Parties (e.g. the CA/Browser Forum might determine that a deprecated cryptographic/signature algorithm or key size presents an unacceptable risk and that such Certificates should be revoked and replaced by CAs within a given period of time).
- QuoVadis' right to issue and manage Certificates under the EV Guidelines, the

4.9.6 Revocation Checking Requirement For Relying Parties

Digital Certificate revocation information is provided via the Certificate Revocation List in the QuoVadis X.500 Directory services.

4.9.7 Certificate Revocation List Issuance Frequency

QuoVadis uses its offline root CAs to publish CRLs for its subordinate CAs at least every 6 months and within 24 hours after revoking a subordinate CA certificate. All other CRLs are published at least every 24 hours. CRLs are published and are available 24 hours a day, 7 days a week.

4.9.8 Maximum Latency For Certificate Revocation List

The maximum latency for the Certificate Revocation list is 10 minutes.

4.9.9 On-Line Revocation/Status Checking Availability

QuoVadis provides Online Certificate Status Protocol (OCSP) checking. The URL for the OCSP responder may be found within the Authority Information Access extension of the Certificate.

4.9.10 On-Line Revocation Checking Requirement

The validity of a QuoVadis Digital Certificate must be checked online using the QuoVadis Repository, the appropriate Certificate Revocation List or using the appropriate Online Certificate Status Protocol responder by a Relying Party seeking to become an Authorised Relying Party.

Failure to do so negates the ability of the Authorised Relying Party to claim that it acted on the Digital Certificate with Reasonable Reliance.

QuoVadis supports an OCSP capability using the GET method for Certificates issued in accordance with the Baseline Requirements.

Where required by the Baseline Requirements (all TLS/SSL certificates) or other industry requirements, if the QuoVadis OCSP responder receives a request for status of a certificate that has not been issued, then the responder will not respond with a "good" status.

4.9.11 Other Forms Of Revocation Advertisements Available

Not applicable.

4.9.12 Special Requirements in Relation to Key Compromise

Should a Private Key become compromised, the related Certificate shall immediately be revoked. Should the private CA key become compromised, all Certificates issued by that CA shall be revoked.

4.9.13 Circumstances For Suspension

No suspension of Digital Certificates is permissible within the QuoVadis PKI.

4.9.14 Who Can Request Suspension

No suspension of Digital Certificates is permissible within the QuoVadis PKI.

4.9.15 Procedure For (P)2.2 (oc)-3.q34l.789 0 52.2 Ca.00-2.2 (2EMC /P <</

- Allowing a Digital Certificate to expire.
- Revoking a Digital Certificate.

4.12 Key Archival And Recovery

QuoVadis provides optional Key Archive services for certain Certificate Profiles (see Appendix A, section 10.1.2). Key archive is prohibited for QV Advanced+ and QV Qualified Certificates, or for any Private Key whose Key Usage is dedicated to Signing or Authentication. With respect to TLS/SSL and Codesigning certificates.The QuoVadis PKI does not support key escrow or recovery of Certificate Holder private keys.

4.12.1 Klohe5 0.7e ie f(he5 0.7) (oReer)pe6 (dus)pe6 (C)-5.3 (o) i)1.4(Pe5 0.7

- RAs are not required to communicate any information concerning a key recovery to the Certificate Holder except when the Certificate Holder has requested recovery.

4.12.2 Session Key Encapsulation And Recovery Policy And Practices

Not Stipulated.

5 Facility, Management, And

5.1.3 Power and Air-Conditioning

The QuoVadis secure operating area is connected to dual power feeds via a fault tolerant design. All critical components are connected to dual uninterrupted power supply (UPS) units, to prevent abnormal shutdown in the event of a power failure. In the event of a power failure there is an automatic failover to a standby generator.

5.1.4 Water Exposures

The QuoVadis secure operating area provides protection against water. It is located on an upper floor with raised flooring, floors and walls are sealed.

5.1.5 Fire Prevention and Protection

The QuoVadis secure datacentre provides protection against fire and contains with an automatic FM200 extinguishing system.

5.1.6 Media Storage

All magnetic media containing QuoVadis PKI information, including backup media, are stored in containers, cabinets or safes with fire protection capabilities and are located either within the QuoVadis service operations area or in a secure off-site storage area.

5.1.7 Waste Disposal

Paper documents and magnetic media containing trusted elements of QuoVadis or commercially sensitive or confidential information are securely disposed of by:

- in the case of magnetic media:
  - physical damage to, or complete destruction of, the asset;
  - the use of an approved utility to wipe or overwrite magnetic media; and
- in the case of printed material, shredding, or destruction by an approved service.

5.1.8 Off-Site Backup

An off-site location is used for the storage and retention of backup software and data. The off-site storage:

- is aiallyed B8 an a-1anted m4 Tm(t)2 (h rg0.2 ( )-1C77-8 (,)2 ap-0(an)11Td)10 (ug0.2 ( )-2.1

CA Key Pair generation and initialisation of a Root CA or Issuing CA shall require the active participation of at least two trusted individuals in each case. Such sensitive operations also require the active participation and oversight of senior management.

Issuing CAs will utilise commercially reasonable practices to ensure that one person acting alone cannot circumvent safeguards. Issuing CAs must ensure that no single individual may gain access to any Private Key (other than the individual's own Private Key). At a minimum, procedural or operational mechanisms must be in place for Issuing CA key recovery in disaster recovery situations. To best ensure the integrity of the Issuing CA equipment and operation, Issuing CAs will use commercially reasonable efforts to identify a separate individual for each trusted role.

5.2.3 Identification and Authentication For Each Role

Persons filling trusted roles must undergo an appropriate security screening procedure, designated "Position of Trust".

Each individual performing any of the trusted roles shall use a QuoVadis issued Digital Certificate (i.e., a Utility Certificate) stored on a cryptographic smart card evaluated to at least Common Criteria EAL 4 to identify themselves to the Digital Certificate server and Repository.

5.2.4 Roles Requiring Separation of Duties

Operations involving Root Certificate and 0 122.2c (e t)12 (he)10 (i)6 (nt)2 (eg)A equ6 (es)4 (s)4 (ha

no control including, without limitation, acts of espionage, sabotage, criminal conduct, or malicious interference.

5.3.1 Qualifications, Experience, and Clearance Requirements

QuoVadis requires that personnel meet a minimum standard with regards to Qualifications, Experience, Clearance and Training.

5.3.2 Background Check Procedures

Background check procedures may include but are not limited to checks and confirmation of:

- Previous employment
- Professional references
- Educational qualifications
- Criminal Records
- Credit/financial history and status
- Driving licenses
- Other relevant government records (e.g. national identifiers, etc.)

Where the above checks and confirmations cannot be obtained due to a prohibition or limitation of law or other circumstances, QuoVadis will utilise available substitute investigation techniques permitted by law that provide similar information, including background checks performed by applicable Government agencies.

5.3.3 Training Requirements

QuoVadis provides its personnel with on-the-job and professional training in order to maintain appropriate and required levels of competency to perform job responsibilities. This includes specific vetting training for Validation Specialists, who may not undertake Certificate validation and issuance until they have passed a suitable examination on knowledge and skills.

5.3.4 Retraining Frequency And Requirements

Validation Specialists engaged in Certificate validation and issuance must maintain adequate skill levels in order to have issuance privilege, consistent with QuoVadis' training and performance programs.

5.3.5 Job Rotation Frequency And Sequence

QuoVadis provides and maintains a program of job rotation in order to maintain appropriate and required levels of competency across key roles.

- Details of the of entry (name, type etc)
- Source of entry (for example, terminal, port, location, customer, IP address)
- Destination address (if relevant)
- Identity of the entity making the journal entry (e.g. User ID)

5.4.2 Frequency Of Processing Log

Audit logs are verified and consolidated at least monthly.

5.4.3 Retention Period For Audit Log

QuoVadis audit logs are retained for at least seven years. Audit logs relating to the certificate lifecycle are retained as archive records for a period no less than eleven (11) years for Swiss Qualified Certificates and for seven (7) years for all other Digital Certificates. Certain high volume system generated logs are retained for 18 months based on a risk assess6 (fh81as)4 B Qualod 9 (nc)]ual6 (t ( )Tj0.on P)-2835 0 Td[7.9 (nc)-11.3 (y)11.3

5.4.7 Notification To Event-Causing Subject

Where an event is logged, no notice is required to be given to the Individual, Organisation, Device or Application that caused the event.

5.4.8 Vulnerability Assessment

QuoVadis undergoes periodic penetration tests conducted by an external third party. QuoVadis also performs internal vulnerability assessments on a regular basis.

5.5 Records Archival

5.5.1 Types Of Records Archived

QuoVadis archives, and makes available upon authorised request, documentation related to and subject to the QuoVadis Document Access Policy. For each Digital Certificate, the records contain information related to creation, issuance, intended use, revocation and expiration. These records will include all relevant evidence in the Issuing CA's possession including:

- Audit logs;
- Digital Certificate requests and all related actions;
- Contents of issued Digital Certificates;
- Evidence of Digital Certificate acceptance and signed (electronically or otherwise) Certificate Holder Agreements;
- Revocation requests and all related actions;
- Archive and retrieval requests;
- Digital Certificate Revocation Lists posted;
- Audit Opinions as discussed in this QuoVadis CP/CPS; and
- Name of the relevant QuoVadis Registration Authority.

5.5.2 Retention Period For Archive

Audit logs relating to the certificate lifecycle are retained as archive records for a period no less than eleven (11) years for Swiss Qualified Certificates and for seven (7) years for all other Digital Certificates. Detailed system generated logs are retained for 18 months based on a risk assessment.

5.5.3 Protection Of Archive

Archives shall be retained and protected against modification or destruction. Only specific QuoVadis Trusted Roles, and auditors may view the archives in whole. The contents of the archives will not be released as a whole, except as required by law.

QuoVadis may decide to release records of individual transactions upon request of any of the entities involved in the transaction or their recognised representatives. A reasonable handling fee per record (subject to a minimum fee) will be assessed to cover the cost of record retrieval.

5.5.4 Archive Backo

6.1.2 Private Key Delivery To Certificate Holder

As regards TLS/SSL certificates Certificate Holders are solely responsible for the generation of the private keys used in their Certificate Requests. QuoVadis does not provide SSL key generation, escrow, recovery or backup facilities.

Where QuoVadis generates the private keys on behalf of the Certificate Holder, they are provided in a secure manner via the QuoVadis Trust/Link certificate management system.

For some EU Qualified Certificates, a Qualified Trust Service Provider (QTSP) generates and manages private keys on behalf of the Certificate Holder. Where the policy requires the use of a Qualified Signature Creation Device (QSCD) then the signatures shall only be created by the QSCD. In the case of natural persons, the Certificate Holders' private key is maintained and used under their sole control and used only for electronic signatures. In the case of legal persons, the private key is maintained and used under their control and used only for electronic seals.

6.1.3 Public Key Delivery To Certificate Issuer

Public Keys must be delivered in a secure and trustworthy manner, such as a Digital Certificate request message. Delivery may also be accomplished via non-electronic means. These means may include, but are not limited to, USB drive (or other storage medium) sent via registered mail or courier, or by delivery of a Token for local Key generation at the point of Digital Certificate issuance or request. Offline means will include Identity checking and will not inhibit establishing proof-of-possession of a corresponding Private Key. Any other methods used for Public Key delivery will be stipulated in a Certificate Holder Agreement or other agreement. In those cases where Key Pairs are generated by the Issuing CA on behalf of the Holder, the Issuing CA will implement secure mechanisms to ensure that the Token on which the Key Pair is held is securely sent to the proper Holder, and that the Token is not activated prior to receipt by the proper Holder.

6.1.4 Certification Authority Public Key To Relying Parties

QuoVadis Public Keys are securely delivered to software providers to serve as trust anchors in commercial browsers and operating system root stores, or may be specified in a Certificate validation or path discovery policy file. Relying Parties may also obtain QuoVadis self-signed CA Certificates containing the Public Key from the QuoVadis web site.

6.1.5 Key Sizes

Key lengths within the QuoVadis PKI are determined by the QuoVadis Policy Management Authority in accordance with industry guidance and best practice. Key sizes for individual certificate profiles are disclosed in Appendix A and Appendix B.

Currently QuoVadis generates and uses at least the following key sizes, signature algorithms and hash algorithms for signing Certificates, CRLs and certificate status server responses:

- 2048-bit RSA Key or 384-bit ECDSA ke84

precautions to prevent the loss, damage, disclosure, modification, or unauthorised use

6.2.4 Private Key Backup

All Issuing CA Keys are held in secure cryptographic devices and are equally secured whenever stored outside the FIPS- boundary of the secure cryptographic device, never appearing in plaintext. Issuing CA Private Keys are stored in an encrypted state (using an encryption key to create a “cryptographic wrapper” around the key). Access is only by N- of-M control discussed above in Section 6.2.2. They are backed up under further encryption and maintained on-site and in secure off-site storage.

Certificate Holders may choose to backup their Private Keys by backing up their hard drive or the encrypted file containing their Keys.

6.2.5 Private Key Archive

The QuoVadis PKI does not support private key archive for TLS/SSL Certificates. Private Keys used for encryption shall not be archived, unless the Certificate Holder or Registration Authority specifically contracts for such services. Private Key archive is prohibited for QV Advanced+ and QV Qualified Certificates, or for any Private Key whose Key Usage is dedicated to Signing or Authentication.

Where a single Key Pair is generated for Signing and Encryption, the Private Key will only be archived on the specific request of the Certificate Holder and the corporate entity with which that Certificate Holder is affiliated.

Under no circumstances will Private Keys for Swiss or European Qualified Digital Certificates be archived.

6.2.6 Private Key Transfer Into Or From A Cryptographic Module

If a Cryptographic Module is used, the Private Key must be generated in it and remain there in encrypted form, and be decrypted only at the time at which it is being used. Private Keys must never exist in plain-text form outside the cryptographic module. In the event that a Private Key is to be transported from one Cryptographic Module to another, the Private Key must be encrypted during transport.

6.2.7 Private Key Storage On Cryptographic Module

CA private keys are generated and stored in a physically secure environment within cryptographic modules that are validated to FIPS 140-2 Level-3.

6.2.8 Method Of Activating Private Key

Holder, QuoVadis operates the QSCD in accordance with Annex II of the eIDAS Regulation.

6.3 Other Aspects Of Key Pair Management

6.3.1 Public Key Archival

Public Keys will be recorded in Digital Certificates that will be archived in the Repository. No separate archive of Public Keys will be maintained.

6.3.2 Certificate Operational Periods And Key Pair Usage Periods

Usage periods for Public Keys and Private Keys shall match the usage periods for the Digital Certificate that binds the Public Key to an Individual, Organisation, or Device. Please see the variable Issuing Certificate Authority 'Valid From' and 'Valid To' fields in the Certificate Profiles outlined in Appendix A.

The maximum validity periods for Digital Certificates issued within the QuoVadis PKI are:

- Root CA Certificate 30 years
- All Issuing CA Certificates 10 – 15 years
- Qualified Certificates 1 to 3 years
  - Business SSL Certificates 825 days
  - EV SSL Certificates 2 years
- All other Digital Certificates Variable
  (But less than the remainder of the appropriate Issuing Certificate Authority Certificate)

6.4 Activation Data

6.4.1 Activation Data Generation And Installation

Two-factor authentication shall be used to protect access to a Private Key. One of thecticatesla shtiod

The QuoVadis Chief Security Officer periodically verifies the integrity of the Certificate Authority software and monitors the configuration of the Certificate Authority systems.

6.7

7 Certificate, CRL, And OCSP Profiles For Certificates Which Do Not Include Server

Valid From	The date on which the Certificate validity period begins (MM/DD/YYYY HH:MM

Fields	Content	Demarcation
Extensions		
Authority Key Identifier	Provides a means of identifying the Public Key corresponding to the Private Key used to sign a Certificate. This field contains the Subject Key Identifier of the issuer's Certificate.	Fixed
Subject Key Identifier	Provides a means of identifying Certificates that contain a particular Public Key. This field contains the ID of the Certificate Holder's key.	Fixed

Extended Key Usage (EKU)	This extension indicates one or more purposes for which the certified Public Key may be used, in addition to or in place of the basic purposes indicated in the key usage extension. The main EKUs used by QuoVadis include: • smartcardlogon • clientAuth • emailProtection The EKU in QuoVadis Digital Certificates is dependent on the QuoVadis Certificate Class and the Key Usage. Refer

7.1.5 Name Constraints

Effective August 16, 2017, QuoVadis no longer accepts new external entities who wish to operate their own TLS/SSL CAs as subordinate CAs under a QuoVadis root.

Legacy external TLS/SSL root signings are either Technically Constrained or publicly disclosed and audited. Technically Constrained CA certificates include an Extended Key Usage (EKU) extension specifying all extended key usages that the Subordinate CA Certificate is authorized to issue certificates for including the id-kp-serverAuth extended key usage and include the Name Constraints X.509v3 extension with constraints on dNSName, iPAddress and DirectoryNames.

Effective 22nd June 2017, new Subordinate CA certificates issued to external entities who wish to operate their own subordinate CAs under a QuoVadis root include EKUs specifying all extended key usages that the subordinate CA is authorized to issue certificates for. The anyExtendedKeyUsage AND id-kp-serverAuth KeyPurposeIds MUST NOT appear within this extension. If the certificate includes the id-kp-emailProtection extended key usage, it MUST include the Name Constraints X.509v3 extension with constraints on rfc822Name, with at least one name in permittedSubtrees,each such name having its ownership validated.

7.1.6 CP/CPS Object Identifier

The Object Identifiers (OIDs) assigned to this CP/CPS are 1.3.6.1.4.1.8024.0.1 and 1.3.6.1.4.1.8024.0.3.

7.1.7 Usage Of Policy Constraints Extension

No Stipulation.

7.1.8 Policy Qualifiers Syntax And Semantics

Digital Certificates issued within the QuoVadis PKI contain one of the Object Identifiers for this CP/CPS and an Object Identifier representing the QuoVadis Certificate Class.

7.1.9 Processing Semantics For The Critical Certificate Policies Extension

No Stipulation.

7.2 Certificate Revocation List Profile

Certificate Revocation Lists are issued in the X.509 version 2 format in accordance with RFC 5280.

7.2.1 Version Number

Issuing CAs within the QuoVadis PKI issue X.509 version 2 Certificate Revocation Lists.

7.2.2 Certificate Revocation List And Certificate Revocation List Entry Extensions

All User PKI software must correctly process all Certificate Revocation List extensions identified in the Digital Certificate and Certificate Revocation List profile.

7.3 Online Certificate Status Protocol Profile

Online Certificate Status Protocol is enabled for all Digital Certificates within the QuoVadis PKI.

7.3.1 Online Certificate Status Protocol Version Numbers

Version 1 of the Online Certificate Status Protocol, as defined by RFC2560, is supported within the QuoVadis PKI.

7.3.2 Online Certificate Status Protocol Extensions

No Stipulation.

7.4 Lightweight Directory Access Protocol Profile

QuoVadis will host a repository in the form of a Lightweight Directory Access Protocol directory for the purpose of (i) storing and making available all X.509 v. 3 Digital Certificates issued under the QuoVadis PKI, (ii) facilitating public access to download these Digital Certificates for Certificate Holder and relying party requirements, and (iii) receiving (from the QuoVadis PKI), storing and making publicly available, regularly updated Certificate Revocation List v. 2 information, for the purpose of Digital Certificate validation.

7.4.1 Lightweight Directory Access Protocol Version Numbers

LDAP V3 in accordance with RFC-4510

7.4.2 Lightweight Directory Access Protocol Extensions

No Stipulation.

7.5 Digital Certificate Fields and Root CA Certificate Hashes

7.5.1 Digital Certificate Fields

7.5.2 QuoVadis Root Certificate Hashes

Note that all QuoVadis CA Certificates and CRLs are available for download from the QuoVadis Repository at https://www.quovadisglobal.com/QVRepository/DownloadRootsAndCRL.aspx.

7.5.2.1 QuoVadis Root CA Certificate Hashes

Field	Certificate Profile
Serial Number	3ab6508b
Signature Block	Signature matches Public Key Root Certificate: Subject matches Issuer Key Id Hash (sha1): 86 26 cb 1b c5 54 b3 9f bd 6b ed 63 7f b9 89 a9 80 f1 f4 8a Subject Key Id (precomputed): 8b 4b 6d ed d3 29 b9 06 19 ec 39 39 a9 f0 97 84 6a cb ef df
	00 89 76 c9

Root CA 1 G3 Certificate Hashes

8 Compliance Audit and Other Assessments

8.1 Frequency, Circumstance And Standards Of Assessment

8.1.1 QuoVadis Certification Authority

QuoVadis CAs following this CP/CPS are subject to audits in respect of its various accreditations and certifications as follows:

Standards / Law
Bermuda Accredited

ESI (“Directive”)	Electronic Signatures and Infrastructures (ESI) regulations from EU Telecommunication Standards Institute (ETSI)

https://www.quovadisglobal.com/accreditations.aspx. Compliance audits as carried out under these provisions may substitute for audits noted in this CP/CPS.

8.1.2 Issuing Certification Authorities

Issuing CAs should be audited in accordance with the accreditations listed above. These audits shall include the review of all relevant documents maintained by the Issuing CA regarding operations within the QuoVadis PKI and under this QuoVadis CP/CPS, and other related operational policies and procedures.

8.1.3 Registration Authorities

Selected Registration Authorities within the QuoVadis PKI are subject to annual compliance reviews performed by or on behalf of QuoVadis in order to determine compliance by those entities with their operational requirements within the QuoVadis PKI. The obligations of Issuing CAs and Registration Authorities within the QuoVadis PKI is established by contract between those entities.

8.2 Identity And Qualifications Of Assessor

The audit services described in Section 8.1.1 are to be performed by independent, recognised, credible, and established audit firms or information technology consulting firms; provided they are qualified to perform and are experienced in performing information security audits, specifically having significant experience with PKI and cryptographic technologies. The Bermuda Certificate Service Provider and WebTrust audits have been carried out by Ernst & Young. The accreditation audits for Swiss and European signature requirements have been performed by KPMG AG and BSI.

8.3 Assessor’s Relationship To Assessed Entity

The auditor and the Issuing CA under audit, must not have any other relationship that would impair the auditor’s independence and objectivity under Generally Accepted Auditing Standards. These relationships include financial, legal, social or other relationships that could result in a conflict of interest.

8.4 Topics Covered By Assessment

The topics covered by an audit of an Issuing CA will include but may not be limited to:

- Security Policy and Planning;
- Physical Security;
- Technology Evaluation;
- Services Administration;
- Personnel Vetting;

- Contracts; and
- Privacy Considerations.

8.5 Actions Taken As A Result Of Deficiency

Actions taken as the result of deficiency will be determined by the nature and extent of the deficiency identified. Any determination will be made by QuoVadis with input from the Auditors. QuoVadis at its sole discretion will determine an appropriate course of action and time frame to rectify the deficiency.

For Qualified Certificates, in accordance with the Swiss Digital Signature law, the course of action and time frame for rectification of any deficiency 2 Tc 0.088

determined by QuoVadis by reference to its determination as to the severity or materiality of the irregularity. In the event that QuoVadis determines that remedial action is required, the relevant entity will be advised by QuoVadis as to the procedures and action required to remedy the irregularity. Remedial action determined by QuoVadis shall be limited to the operations and procedures required to (t)oonsheak0 (t)2 (on.9)Tj0.22 (6T5(ns

9 OTHER BUSINESS AND LEGAL MATTERS

9.1 Fees

9.2 Financial Responsibilities

QuoVadis is responsible for maintaining its financial books and records in accordance with US GAAP and shall engage the services of an international accounting firm to provide financial services, including periodic audits.

9.2.1 Insurance Coverage

QuoVadis maintains in full force and effect a liability insurance policy. In accordance with the requirement of ZERT ES, policy limits concerning Qualified Digital Certificates are maintained in excess of the minimum requirement of CHF 2 (Two) Million per occurrence and CHF 8 (Eight) Million annual aggregate.

Within the QuoVadis PKI the Root CA and all Issuing CAs and Registration Authorities are required to demonstrate that they have the financial resources necessary to discharge their obligations under this CP/CPS and any other relevant and associated documentation or agreements.

QuoVadis and each Issuing CA and/or Registration Authority shall maintain appropriate insurances necessary to provide for their respective liabilities as Participants within the QuoVadis PKI. Failure to establish and maintain insurances may be the basis for the revocation of their respective Digital Certificates.

9.2.2 Other Assets

Issuing CAs and Registration Authorities shall maintain sufficient assets and financial resources to perform their duties within the QuoVadis PKI and be reasonably able to bear liability to Certificate Holders and Relying Parties.

Quuntaia yonn

9.2.4 Fiduciary Relationships

QuoVadis is not the agent, fiduciary or other representative of any Certificate Holder and/or Relying Party and must not be represented by the Certificate Holder and/or Relying Party to be so. Certificate Holders and/or Relying Parties have no authority to bind QuoVadis by contract or otherwise, to any obligation.

Participation in the QuoVadis PKI does not make any participant an agent, fiduciary, trustee, or other representative of any entity, legal or otherwise. Nothing contained in this QuoVadis CP/CPS or in any corresponding Certificate Holder or Relying Party Agreement shall be deemed to constitute QuoVadis, QuoVadis PKI Participants or any of their agents, directors, employees, consultants, suppliers, contractors, partners or Counterparties a fiduciary, endorser, promoter, agent, partner, representative, or Counterparty of any entity, and the use of or reliance upon Digital Certificates or other forms of participation within the QuoVadis PKI is to be construed accordingly.

9.3 Confidentiality Of Business Information

9.3.1 Scope Of Confidential Information

Any personal or corporate information held by Issuing CAs related to a Certificate Holder's application and the issuance of Digital Certificates is considered confidential and will not be released without the prior consent of the relevant Holder, unless required otherwise by law or to fulfil the requirements of this QuoVadis CP/CPS.

There is no requirement to place a copy of any Private Key with any backup/recovery or escrow service. Under contract between an Issuing CA and a Certificate Holder or the Certificate Holder's Nominating Registration Authority, a copy of an entity's encryption Keys may be archived by QuoVadis for possible retrieval of encrypted information upon the loss or corruption of the original encryption Keys.

9.3.2 Information Not Within The Scope Of Confidential Information

Information appearing in Digital Certificates or stored in the Repository is not considered confidential, unless statutes or special agreements so dictate.

9.3.3 Responsibility To Protect Confidential Information

QuoVadis, Issuing CAs, Registration Authorities, Certificate Holders, Relying Parties and all others are responsible for protecting Confidential Business Information in their

9.4 Privacy Of Personal Information

9.4.1 Privacy Plan

QuoVadis, Issuing CAs, Registration Authorities, Certificate Holders, Relying Parties and all others using or accessing any personal data in connection with matters dealt with this CP/CPS shall comply with the Council Directive 95/46/EC of the European Parliament and of the Council of 24 October 1995 on the protection of individuals with regard to the processing of personal data and on the free movement of such data, and any amending and/or implementing legislation enacted from time to time, and any other relevant legislation relating to data protection, and any equivalent legislation or regulations in any relevant jurisdiction. QuoVadis complies with the Swiss Federal Act on Data Protection of June 19, 1992 (SR 235.1). rg0.004 Tc -0.002 Tw412 -0 0 12 72 630.24 Tm[(Q)2

issued in accordance with general principles of law and otherwise enforceable under the laws of the jurisdiction of the relevant CA and enforceable in that jurisdiction or enforceable under the laws otherwise governing the operations of the CA (e.g. those of the relevant EU Member).

9.4.7 Other Information Disclosure Circumstances

QuoVadis, Issuing CAs and Registration Authorities are under no obligation to disclose information other than is provided for by a legitimate and lawful judicial order that complies with requirements of this CP/CPS.

9.5 Intellectual Property Rights

All Intellectual Property Rights including all copyright in all Digital Certificates and all QuoVadis documents (electronic or otherwise) belong to and will remain the property of QuoVadis. For the avoidance of doubt, external documents or electronic records signed or protected using QuoVadis certificates are not considered to be QuoVadis documents for the purposes of this section, nor is QuoVadis responsible for the content of those documents or records.

Private Keys and Public Keys are the property of the applicable rightful Private Key holder. Digital Certificates issued and all Intellectual Property Rights including all copyright in all Digital Certificates and all QuoVadis documents (electronic or otherwise) belong to and will remain the property of QuoVadis.

This QuoVadis CP/CPS and the Proprietary Marks are the intellectual property of QuoVadis. QuoVadis retains exclusive title to and copyright in this QuoVadis CP/CPS.

9.5.1 Object Identifiers

QuoVadis is responsible for the Object Identifiers (OIDs) relating to the QuoVadis infrastructure. QuoVadis Object Identifiers start with 1.3.6.1.4.1.8024.

9.5.2 Licences

QuoVadis is in possession of, or holds licences for the use of, hardware and software in support of the QuoVadis PKI as outlined in this CP/CPS.

9.5.3 IETF Guidelines

The use of the PKIX IETF Guidelines is acknowledged.

9.5.4 Breach

QuoVadis excludes all liability for breach of any other intellectual property rights.

9.6

business and solely in accordance with the Certificate Holder Agreement; and

- Other Certificates: use the Certificate in accordance with all applicable laws, solely in accordance with the Certificate Holder Agreement and as may be reasonably used for its intended purpose.

- Reporting and Revocation Upon Compromise: An obligation and warranty to promptly cease using a Certificate and its associated Private Key, and promptly request that QuoVadis revoke the Certificate, in the event that: (a) any information in the Certificate is or becomes incorrect or inaccurate, or (b) there is any actual or suspected misuse or compromise of the Certificate Holder's Private Key associated with the Public Key listed in the Certificate; andthe Ced6(e)105MC /LBody <</M

- They will collect enough information about a Digital Certificate and its Corresponding Holder to make an informed decision as to the extent to which they can rely on the Digital Certificate.
- That they are solely responsible for making the decision to rely on a Digital Certificate.
- That they shall bear the legal consequences of any failure to perform Relying Party obligations under the terms of this CP/CPS and the Relying Party agreement.

9.6.5 Representations And Warranties Of Other Participants

Participants within the QuoVadis PKI represent and warrant that they accept and will perform any and all duties and obligations as specified by this CP/CPS.

9.7 Disclaimers Of Warranties

To the extent permitted by applicable law, this CP/CPS, the Certificate Holder Agreement, the Relying Party Agreement, the Issuing CA Agreement, the Registration Authority Agreement and any other contractual documentation applicable within the QuoVadis PKI shall disclaim QuoVadis' possible warranties, including any warranty of merchantability or fitness for a particular purpose.

To the extent permitted by applicable law, QuoVadis makes no express or implied representations or warranties pursuant to this CP/CPS. QuoVadis expressly disclaims

- If the Digital Certificate held by the claiming party or otherwise the subject of any claim has been compromised by the unauthorised disclosure or unauthorised use of the Digital Certificate or any password or activation data used to control access thereto;
- If the Digital Certificate held by the claiming party or otherwise the subject of any claim was issued as a result of any misrepresentation, error of fact, or omission of any person, entity, or Organisation;
- If the Digital Certificate held by the claiming party or otherwise the subject of any claim had expired or been revoked prior to the date of the circumstances giving rise to any claim;
- If the Digital Certificate held by the claiming party or otherwise the subject of any claim has been modified or altered in any way or been used otherwise than as permitted by the terms of this QuoVadis CP/CPS and/or the relevant Certificate Holder Agreement or any applicable law or regulation;
- If the Private Key associated with the Digital Certificate held by the claiming party or otherwise the subject of any claim has been compromised; or
- If the Digital Certificate held by the claiming party was issued in a manner that constituted a breach of any applicable law or regulation.
- Computer hardware or software, or mathematical algorithms, are developed that tend to make public key cryptography or asymmetric cryptosystems insecure, provided that QuoVadis uses commercially reasonable practices to protect against breaches in security resulting from such hardware, software, or algorithms;
- Power failure, power interruption, or other disturbances to electrical power, provided QuoVadis uses commercially reasonable methods to protect against such disturbances;
- Failure of one or more computer systems, communications infrastructure, processing, or storage media or mechanisms, or any sub components of the preceding, not under the exclusive control of QuoVadis and/or its subcontractors or service providers; or
- One or more of the following events: a natural disaster or Act of God (including without limitation flood, earthquake, or other natural or weather related cause); a labour disturbance; war, insurrection, or overt military hostilities; adverse legislation or governmental action, prohibition, embargo, or boycott; riots or civil disturbances; fire or explosion; catastrophic epidemic; trade embargo; restriction or impediment (including, without limitation, export controls); any lack of telecommunications availability or integrity; legal compulsion including, any judgments of a court of competent jurisdiction to which QuoVadis is, or may be, subject; and any event or occurrence or circumstance or set of circumstances that is beyond the control of QuoVadis.

9.8.3.1 Certificate Loss Limits

- Without prejudice to any other provision of this Section 9, QuoVadis' liability for

- periodically testing local and offsite backups to ensure that the information is

If an existing CP/CPS requires re-issue, the change process employed is the same as for initial publication, as described above. If a policy change is determined to have a material impact on a significant number of Certificate Holders and relying parties, then QuoVadis may, at its sole discretion, assign a new object identifier for Digital Certificates issued pursuant to the modified CP/CPS.

The only changes that may be made to this CP/CPS without notification are editorial or typographical corrections or minor changes that do not, in the opinion of the QuoVadis PMA, materially impact any Participants within the QuoVadis PKI.

Issuing CAs are notified of changes to the CP/CPS as and when they are approved.

9.12.2 Notification Mechanism And Period

New or amended CP/CPSs are published on the web site at https://www.quovadisglobal.com/repository.

Any change that increases the level of trust* that can be placed in Digital Certificates issued under this CP/CPS or under policies that make reference to this CP/CPS requires thirty (30) days prior notice. Any change that decreases the level of trust that can be placed in Digital Certificates issued under this CP/CPS or under policies that make reference to this CP/CPS requires forty-five (45) days prior notice. The QuoVadis CP/CPS applicable to any Digital Certificate supported by this CP/CPS shall be the QuoVadis CP/CPS currently in effect.

* NOTE: In this section, "level of trust" does not include those parts of the specification relating to the liabilities of the parties. Reference to "level of trust" applies solely to the technical/administrative functions and any changes provided for under this clause shall not materially change this specification unless there is a significant business reason to do so.

9.12.3 Circumstances Under Which Object Identifiers Must Be Changed

The QuoVadis Policy Management Authority reserves the right to amend this CP/CPS without notification for amendments that are not material, including corrections of typographical errors, changes to URLs and changes to contact details. The decision to designate amendments as material or non-material to this CP/CPS is at the sole discretion of the QuoVadis Policy Management Authority. Unless the QuoVadis Policy Management Authority determines otherwise, the Object Identifier to this CP/CPS shall not change.

9.13 Dispute Resolution Provisions

Complaints can be communicated to QuoVadis via the QuoVadis website using the “Contact Us” link at

For Qualified Certificates, in accordance with the Dutch Digital Signature law, all disputes shall be dealt with under Dutch Law. For Qualified Certificates issued in other jurisdictions, disputes will be dealt with under the national law of the relevant Member State.

For Qualified Certificates, in accordance with the Belgian Digital Signature law, all disputes shall be dealt with under Belgian Law. For Qualified Certificates issued in other jurisdictions, disputes will be dealt with under the national law of the relevant Member State.

9.15 Compliance With Applicable Law

This CP/CPS is subject to applicable law.

9.16 Miscellaneous Provisions

Not Applicable.

9.16.1 Entire Agreement

Not Applicable.

9.16.2 Assignment

Not Applicable.

9.16.3 Severability

Any provision of this QuoVadis CP/CPS that is determined to be invalid or unenforceable will be ineffective to the extent of (el)6 .6 (e)6 (i) .l5m6.b8 (or)7 (c)4 (ex)]T1tion without the re(c)4 aining provisions of this QuoVadis CP/CPS or affecting the validity or enforceability of (el)6 .6 (e)6 re(c)4 aining provisions.

9.16.4 Enforcement (Attorneys' Fees And Wver Of Rights)

The failu(or)7 e or (i) .l Quo Vadis to exercise or enforce any right, power, privilege, or re(c)4 edy whatsoever, howsoever or otherwise conferred upon it by this QuoVadis CP/CPS (el)6hall not be (i) .l5e(c6.9 (ed)10.1 (t)1.9 (o)10 (be)10 (a w)16 (ai)6 (v)14 (er)7 ( )-10 (o)1 the exercise oreonforce Tc -e(c)4 n t th ronfanby ti1tics therafern or(s)3.9 h(al)6 (l)6 (a)10 (ny)14 ((e

shall be cumulative and shall be in addition to every other right or remedy given

10 APPENDIX A

10.1 Digital Certificate Profiles

Within the QuoVadis PKI an Issuing CA can only issue Digital Certificates with approved Digital Certificate Profiles. All Digital Certificate Profiles within the QuoVadis PKI are detailed below.

Procedures for Certificate Holder registration as well as descriptions of fields are described below for each type of Digital Certificate issued. Additionally, specific Certificate Policies and QuoVadis' _liability arrangements that are not described in this CP/CPS may be drawn up under contract for individual Subscribers.

10.1.1 QuoVadis Certificate Class

QuoVadis Certificate Class	Description	QuoVadis / ETSI Certificate Policy OID	Assurance Level	Requires token?
QV Standard	Based on the ETSI Lightweight Certificate Policy (LCP), which has the policy identifier OID 0.4.0.2042.1.3	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.100 ETSI policy identifier OID: 0.4.0.2042.1.3	Low	Optional
QV Advanced	Based on the ETSI Normalised Certificate Policy (NCP), which has the OID 0.4.0.2042.1.1. Features face-to-face (or equivalent) authentication of holder identity and organisational affiliation (if included).	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.200 ETSI policy identifier OID: 0.4.0.2042.1.1	Medium	Optional

QV Qualified	QuoVadis Qualified Certificate on a Qualified Signature Creation Device (QSCD), where the device is managed by a QTSP.	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.400 ETSI policy identifier OIDs: 0.4.0.194112.1.2 (QCP-n-qscd) 0.4.0.194112.1.3 (QCP-l-qscd)	High	Yes Adobe AATL Approved
	QuoVadis Qualified Certificate on a Qualified Signature Creation Device (QSCD), where the device is managed by a QTSP.ice ie0P.92 reW n3.2 32(i5].1 Tw 9.96 -0 0 9.96 153.25l nb692 re5l re5l re5l re5l re5l re5l re5l			

10.2 QV Standard

Purpose
Standard Digital Certificates provide flexibility for a range of uses appropriate to their reliance value including S/MIME, electronic signatures, authentication, and encryption.

Registration Process
Validation procedures for QuoVadis Standard Digital Certificates collect either direct evidence or an attestation from an appropriate and authorised source, of the identity (such as name and organisational affiliation) and other specific attributes of the Certificate Holder.

Fields	Content		Demarcation
Subject			
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com		Holder Variable
Common Name (CN)	Common Name		Holder Variable
givenName (natural person certs)	givenName (natural person certs)	Can use Pseudonym instead of givenName and surname	Holder Variable
Surname (natural person certs)	Surname (natural person certs)		Holder Variable
Organisational Unit (OU)	Variable Data		Holder Variable
Organisation (O)	Organisation legal name		Natural Person Certs: Optional Legal Person
OrganisationIdentifier	Holds an identification of an organisation different from the organisation name.		
Country/Locality	Variable Data		Holder Variable

10.3 QV Advanced

Purpose

QV Advanced Digital Certificates provide reliable vetting of the holder’s identity and may be used for a broad range of applications including digital signatures, encryption, and authentication.

Registration Process

Validation procedures for QuoVadis Advanced Digital Certificates are based on the Normalised Certificate Policy (NCP) described in ETSI EN 319 411-1.

Unless the Certificate Holder has already been identified by the RA through a face-to-face identification meeting, accepted Know Your Customer (KYC) standards or a contractual relationship with the RA, validation requirements for a Certificate Holder shall include the following:

If the subject is a natural person (i.e. physical person as opposed to legal person) evidence of the subject's identity (e.g. name) shall be checked against this natural person either directly by physical presence of the person (the subject shall be witnessed in person unless a duly mandated subscriber represents the subject), or shall have been checked indirectly using 1 (b1.1 (h)-13.2 (i)3.2 t)-13..1 ( )-121 (or)-o.1 (ev)-8 (

Fields	Content

10.4 QV Advanced +

Purpose

QuoVadis Advanced+ Digital Certificates are used for the same purposes as QuoVadis Advanced Digital Certificates, with the only difference being that they are issued on a Secure Cryptographic Device. The QuoVadis Advanced+ Certificate Class is trusted in the Adobe Approved Trust List (AATL).

Swiss Regulated Certificates issued under the Swiss Federal signature law (ZertES) are included in the QuoVadis Advanced+ certificate class. These certificates are issued out of the “QuoVadis Swiss Regulated CA G1” and have the notice text “regulated certificate” in the CertificatePolicies user notice. Swiss Regulated Certificates can be issued to natural and legal persons.

Registration Process

- identifier of the device by which it may be referenced (e.g. Internet domain name);

Adobe OIDs	Note these Adobe OIDs are only relevant for signing Certificates.	
Adobe Time Stamp (OID = 1.2.840.113583.1.1.9.1)	http://tsa01.quovadisglobal.com/TSS/HttpTspServer	Fixed
Adobe Archive RevInfo (OID = 1.2.840.113583.1.1.9.2)	This relates to OCSP revocation checking within Adobe products for long term validation purposes.	Fixed

10.4.1 ElDI-V/GeBüV Certificates

The procedure below assumes an application by a company or organisation on behalf of its employees or devices for Digital Certificates.

Purpose

The ElDI-V/GeBüV Certificate is issued to organisations (companies, municipalities, etc.) and issued primarily to digitally sign electronic invoices. The Certificates may also be used for commercial purposes (such as legally-compliant electronic archiving according to GeBüV).

Registration Process

Key Usage	Non Repudiation	
Certificate Policies	OID = 1.3.6.1.4.1.8024.0.1.0.0.1 (This is the QuoVadis ElDI-V OID)	Fixed
Policy Qualifier User Notice	Gestuetzt auf Art. 2 Abs. 2 ElDI-V; en vertu de l'art 2 al. 2 OelDI; visto l'art. 2 cpv. 2 OelDI; based on art. 2 para. 2 OelDI; SR 641.201.511 / RS 641.201.511 Schweiz/Suisse/Svizzera/Switzerland	Fixed
Certificate Policies	1.3.6.1.4.1.8024.1.300 (This is the QV Advanced + Certificate Class OID)	Fixed
Policy Qualifier CPS	https://www.quovadisglobal.com/repository	
Subject Alternative Name	Commercial register identification number (ASN-1 printableString coded)	Holder Variable
Subject Alternative Name	Email Address (RFC 822 Name)	Holder Variable
Issuer Alternative Name	O=ZertES Recognition Body: KPMG AG	Fixed
Adobe Time Stamp (OID = 1.2.840.113583.1.1.9.1) Adobe Archive RevInfo (OID = 1.2.840.113583.1.1.9.2)	http://tsa01.quovadisglobal.com/TSS/HttpTspServer	Fixed

presence. Only a valid passport or national ID is accepted as evidence. Storage of personal data is in accordance with ZertES.

Evidence shall be provided of:

- Full name (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognized identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.

If the Certificate Holder is identified in association with an organisational entity, additional evidence shall be provided of:

- Full name and legal status of the associated organisational entity;
- Any relevant existing registration information (e.g. company registration) of the organisational entity;
- Authorization from an authorized Organisation representative; and
- Evidence that the Certificate Holder is associated with the organisational entity.

Private Keys for SuisseID IAC Certificates are generated and stored on a Hardware Security Module that meets FIPS PUB 140-

i ll i f

erson on a

h a high level of
alification
l trust services for

(t)-1.1 (hep(r)-6.4 ( )-12.2 (t)-1.1 (e

If the Certificate Holder is a physical person who is identified in association with an organisational entity, additional evidence shall be provided of:

- Full name and legal status of the associated organisational entity;
- Any relevant existing registration information (e.g. company registration) of the organisational entity; and
- Evidence that the Certificate Holder is associated with the organisational entity.

These Digital Certificates require a Qualified Signature Creation Device (QSCD) that meets the requirements laid down in annex II of Regulation (EU) N° 910/2014.

Fields	Content	Demarcation
Subject		
CommonName (CN)	CommonName	

Certificate Policies	1.3.6.1.4.1.8024.1.400 or 1.3.6.1.4.1.8024.1.410 (Cert Class: QV Qualified QSCD)	Fixed

10.5.3 eIDAS Qualified Certificate issued to a legal person on a QSCD

Purpose

- Date and place of birth, reference to a nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.

qcStatements	
id-etsi-qcs-QcCompliance (0.4.0.1862.1.1) id-etsi-qcs-1	esi4-qcStatement-1: Claim that the certificate is an EU Qualified Certificate in accordance with Regulation EU No 910/2014

10.5.4 eIDAS Qualified Certificate issued to a legal person

Purpose

The purpose of these EU Qualified certificates are to identify the Certificate Holder with a high level of assurance, for the purpose of creating Advanced Electronic Seals meeting the qualification requirements defined by the eIDAS Regulation.

QuoVadis will only begin issuing Qualified Legal Person certificates once the relevant audit has been passed and the service is listed on the relevant national Trust Services Lists. Once QuoVadis is permitted to issue Qualified Legal Person certificates an updated version of this CP/CPS will be published.

These certificates meet the relevant ETSI Policy for EU qualified certificate issued to a legal person (QCP-l). QuoVadis recommends that QCP-l certificates are used only for electronic seals.

The content of these certificates meet the relevant requirements of:

- ETSI EN 319 412-1: Certificate Profiles; Part 1: Overview and common data structures
- loggETSI EN 319 412-2: Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons
- ETSI EN 319 412-5: Certificate Profiles; Part 5: QCStatements

Registration Process

Identity validation procedures for these Digital Certificates meet the relevant requirements of ETSI EN 319 411-2 for “Policy for EU qualified certificate issued to a legal person” (QCP-l).

The identity of the legal person and, if applicable, any specific attributes of the person, shall be verified:

I. by the physical presence by an authorized representative of the legal person; or

II. using methods which provide equivalent assurance in terms of reliability to the physical presence of an authorized representative of the legal person and for which QuoVadis can prove the equivalence. The proof of equivalence can be done according to the Regulation (EU) N° 910/2014 [i.1].

Evidence shall be provided of:

- Full name of the organisational entity (private organisation, government entity, business entity or non- commercial entity) consistent with the national or other applicable identification practices); and
- When applicable, the association between the legal person and the other organisational entity identified in association with this legal person that would appear in the organisation attribute of the certificate, consistent with the national or other applicable identification practices.

For the authorized representative of the legal person, evidence shall be provided of:

- Full name (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.

10.6 QV Qualified - Legacy

10.6.1 Qualified Certificate Profile

Qualified certificates issued for natural persons under Directive 1999/93/EC shall be considered as qualified certificates for electronic signatures under the eIDAS Regulation until they expire.

Purpose

The purpose of a Qualified Digital Certificate is to identify the Certificate Holder with a high level of assurance, for the purpose of creating Qualified electronic signatures meeting the qualification requirements defined by the applicable legal framework of the Electronic Signatures Directive (1999/93/EC).

Registration Process

Validation procedures for QuoVadis Qualified Digital Certificates are consistent with the relevant requirements of ZertES, ETSI and eIDAS.

If the Certificate Holder is a physical person, evidence of the Certificate Holder's identity shall be checked against a physical person either directly, or shall have been checked indirectly using means which provide equivalent assurance to physical presence.

Evidence shall be provided of:

- Full name (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.

If the Certificate Holder is a physical person who is identified in association with an organisational entity, additional evidence shall be provided of:

- Full name and legal status of the associated organisational entity;
- Any relevant existing registration information (e.g. company registration) of the organisational entity; and
- Evidence that the Certificate Holder is associated with the organisational entity.

QuoVadis Qualified Digital Certificates require a Secure Signature Creation Device (SSCD) that meets the following requirements:

- SSCD storage, preparation, and distribution is securely controlled by CA or RA;
- User activation data is securely prepared and distributed separately from the SSCD;
- If keys are generated under the Certificate Holder's control, they are generated within the SSCD used for signing or decrypting;
- The Certificate Holder's Private Key can be maintained under the subject's sole control; and
- Only use the Certificate Holder's Private Key for signing or decrypting with the SSCD.

Fields	Contents	Demarcation
Signature Algorithm	sha256RSA	
Subject		
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com	Holder Variable
Common Name (CN)	Common Name	Holder Variable
Surname (SN)	Surname (Optional)	Holder Variable
Given Name (G)	Given Name (Optional)	Holder Variable
Organisational Unit (OU)	Organisational Unit	Holder Variable
Organisation (O)	Organisation Name	Holder Variable
Locality (L)	Not Stipulated	Holder Variable

Certificate Policies	This extension includes the following OIDs: 1. The QV Qualified Certificate Class OID = 1.3.6.1.4.1.8024.1.400 2. The QCP Public + SSCD OID (0.4.0.1456.1.1)	Fixed
Adobe Time Stamp (OID = 1.2.840.113583.1.1.9.1)	http://tsa01.quovadisglobal.com/TSS/HttpTspServer	Fixed

Fields	Contents	Demarcation
Subject		
Common Name (CN)	Common Name	Holder Variable
Organisational Unit (OU)	Organisational Unit	Holder Variable
Organisation (O)	Organisation Name	Holder Variable
Locality (L)	Locality	Holder Variable
State or Province	Not Stipulated	Holder Variable
Country	State or Province	Holder Variable

55nin nBT0.282 0.337 0.369 rg-0.002 Tc 0.002

Common Name (CN)	First Name - Last Name (Qualified Signature)	Holder Variable
Pseudonym	Pseudonym (Qualified Signature)	

10.8 QV Closed Community

escrow is forbidden for all Grid Digital Certificates. Revocation requests must be properly authenticated before they are accepted. Revocation requests can be made by end entities, Registration Authorities and QuoVadis. Others can also request revocation if they can sufficiently prove compromise of the associated Private Key. Subscribers must request revocation as soon as possible. This should be within one working day after detection of loss or compromise of the Private Key pertaining to the Digital Certificate, or if the data in the Digital Certificate is no longer valid. Proxy Certificates will be supported in relation to Grid Digital Certificate. A Grid Digital Certificate must be revoked if a related Proxy Certificate is compromised in any way. The maximum Certificate Revocation List lifetime for Grid Digital Certificates is 30 days.

Grid Certificate Re-Keying can only take place if the Certificate Holder is already in possession of a valid Grid Certificate and uses this Certificate to submit the Re-Key request. Certificates can only be Re-Keyed for up to a maximum of 3 years, after which period the Certificate Holder is required to apply for a new Certificate. If the Certificate Holder has lost their Private Key, or if their existing Certificate has expired, they will need to apply for new Certificate.

10.8.1.1 Grid End User Certificate

Purpose
Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid End User Certificate is to help the Certificate Holder to access the Grid services that require Certificate-based authentication.
Registration Process
The identity vetting of all Applicants must be performed by an approved Registration Authority (RA). Face to face registration is required at the RA or alternatively the Applicants can have their identity vetted at a post office providing an approved identity vetting service. The Applicant must present a valid photo ID and/or valid official documents in accordance with formally documented RA procedures. The RA is responsible for recording, at the time of validation, sufficient information regarding the Applicant to identify the Applicant. The RA is responsible for maintaining documented evidence on retaining the same identity over time. The Digital Certificate request submitted for certification must be bound to the act of identity vetting.
Digital Certificate Delivery
All successful Grid End User Certificate requests will be processed by the QuoVadis Grid Issuing CA. QuoVadis will not generate the Private Keys for Grid End User Certificates.

10.8.1.2 Grid Server Certificate

Purpose

Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid Server Certificate is to help secure communications with Grid servers.

Registration Process

The identity vetting of all Applicants must be performed by an approved Registration Authority (RA). For Grid Server Certificates, the RA must validate the identity and eligibility of the person in charge of the specific entities using a secure method. The RA is responsible for recording, at the time of validation, sufficient information regarding the Applicant to identify the Applicant.

As part of the registration process the RA must ensure that the Applicant is appropriately authorised by the owner of the associated Fully Qualified Domain Name (FQDN) or the responsible administrator of the machine to use the FQDN identifiers asserted in the Digital Certificate. The RA is responsible for maintaining documens 4(s)-v2Tj1.1 (e)-1n3.1 (c.1 .1 (an)-11 (he r)-6.1 (nt)-1.1 (n)-12.3 (i)3.1 (n)-12.3 1i)3.2 (ng)-12.2 (t)-

Country (C)	Country	Holder Variable
Subject Public Key Information	RSA (2048-bit) / System Generated	Fixed
Extensions		
Key Usage (Critical)	Digital Signature Key Encipherment Data Encipherment	Fixed
Certificate Policies	3. Certificate Policy (QuoVadis Grid ICA OID): Policy Identifier=1.3.6.1.4.1.8024.0.1.10.0.0 4. Certificate Policy (IGTF Classic Authentication Profile OID): Policy Identifier=1.2.840.113612.5.2.2.1	Fixed
Extended Key Usage	Server Authentication (1.3.6.1.5.5.7.3.1) Client Authentication (1.3.6.1.5.5.7.3.2)	Fixed
Subject Alternative Name	SAN dNSName with the Fully Qualified Domain Name or an iPAddress	Holder Variable

10.9 QuoVadis Device

Purpose
QuoVadis Device Certificates are intended for use in establishing web-based data communication conduits via TLS/SSL protocols. QuoVadis Device Certificates (i.e. with the OID 1.3.6.1.4.1.8024.1.600

QuoVadis may accept at its discretion other official documentation supporting an application. QuoVadis may also use the services of a third party to confirm Applicant information.

High Risk Domains

QuoVadis maintains a list of High Risk Domains and has implemented technical controls to prevent the issuance of Certificates to certain domains. QuoVadis follows documented procedures that identify and require additional verification activity for High Risk Certificate Requests prior to the Certificate's approval.

Digital Certificate Delivery

Extended Key Usage	Depends on the type of certificate. May include (where relevant): • Server Authentication (1.3.6.1.5.5.7.3.1) • Client Authentication (1.3.6.1.5.5.7.3.2) • Time Stamping (1.3.6.1.5.5.7.3.8) • Secure Email (1.3.6.1.5.5.7.3.4) • Smart Card Logon (1.3.6.1.4.1.311.20.2.2) • Code Signing (1.3.6.1.5.5.7.3.3) • KDC Authentication (1.3.6.1.5.2.3.5)	Holder Variable
Subject Alternative Name	If the Server Authentication EKU is present then this field must contain either a dNSName containing the Fully- Qualified Domain Name or an iPAddress containing the IP address of a server.	Holder Variable
Certificate Policies	This extension includes the QV Device Certificate Class OID = 1.3.6.1.4.1.8024.1.600. If the Server Authentication EKU is present: = 2.23.140.1.2.2 If the Server Authentication EKU is present, either: = 1.3.6.1.4.1.8024.0.1.100.1.1 (if chains to QV Root 1), OR = 1.3.6.1.4.1.8024.0.3.100.1.1 (if chains to QV Root 3) If the Code Signing EKU is present: = 2.23.140.1.2.3	Fixed

11 APPENDIX B

11.1 Business SSL

Field	Value
Version	V3
Serial Number	Unique number
Issuer Signature Algorithm	sha256RSA (1.2.840.113549.1.1.11)
Issuer Distinguished Name	Unique X.500 CA DN. CN = QuoVadis QVRCA1G1 SSL ICA or QuoVadis QVRCA1G3 SSL ICA or QuoVadis QVRCA3G1 SSL ICA or QuoVadis QVRCA3G3 SSL ICA O = QuoVadis Limited C = BM

	Client Authentication (1.3.6.1.5.5.7.3.2)
Certificate Policies	c=no; Certificate Policies; {1.3.6.1.4.1.8024.0.2.100.1.1 } [

1. A government agency in the jurisdiction of the Applicant's legal creation, existence, or recognition;
2. A third party database that is periodically updated and considered a Reliable Data Source;
3. A site visit by the CA or a third party who is acting as an agent for the CA; or
4. An Attestation Letter.

If the Subject Identity Information is to include a DBA or tradename, QuoVadis verifies the Applicant's right to use the DBA/tradename using at least one of the following:

1. Documentation provided by, or communication with, a government agency in the jurisdiction of the Applicant's legal creation, existence, or recognition;
2. A Reliable Data Source;
3. Communication with a government agency responsible for the management of such DBAs or tradenames;
4. An Attestation Letter accompanied by documentary support; or
5. A utility bill, bank statement, credit card statement, government-issued tax document, or other form of identification that the CA determines to be reliable.

QuoVadis verifies the country associated with the Subject using one of the following:

a) the IP Address range assignment by country for either (i) the web site's IP
b) address, as indicated by the DNS record for the web site or (ii) the Applicant's IP address;
c) the ccTLD of the requested Domain Name;
d) information provided by the Domain Name Registrar; or
e) a method identified in "Identity" above.

Application Process

During the Certificate approval process, QuoVadis Validation Specialists employ controls to validate the identity of the Applicant and other information featured in the Certificate Application to ensure compliance with this CP/CPS.

Step 1: The Applicant provides a signed Certificate Application to QuoVadis, which includes identifying information to assist QuoVadis in processing the request and

CRL Distribution Points	c = no; CRL HTTP URL =http://crl.quovadisglobal.com/<CA Name>.crl

Purposes of Code Signing

The primary purpose of QuoVadis Code Signing Certificates is to establish that executable code originates from a source identified by QuoVadis. QuoVadis Certificates focus only on the identity of the Subject named in the Certificate, and not on the behaviour of the Subject. As such, Certificates are not intended to provide any assurances, or otherwise represent or warrant:

- That the Subject named in the Certificate is actively engaged in doing business;
- That the Subject named in the Certificate complies with applicable laws;
- That the Subject named in the Certificate is trustworthy, honest, or reputable in its business dealings; or
- That it is “safe” to do business with the Subject named in the Certificate.

Eligible Applicants

Eligible Applicants include Individual Applicants and Organisational Applicants.

An Individual Applicant is an Applicant that is an individual and requests a Certificate that will list the Applicant’s legal name as the Certificate subject.

An Organisational Applicant is an Applicant that requests a Certificate subject other than the name of an individual. Organisational Applicants include private and public corporations, LLCs, partnerships, government entities, non-profit organizations, trade associations, and other entities.

Private Key Protection

Certificate Holder Key Pairs must be generated and protected in one of the following options:

- A Trusted Platform Module (TPM) that generates and secures a key pair and that can document the Certificate
- Holder’s private key protection through a TPM key attestation
- A hardware cryptographic module with a unit design form factor certified as conforming to at least FIPS 140 Level 2, Common Criteria EAL 4+, or equivalent.
- Another type of hardware storage token with a unit design form factor of SD Card or USB token (not necessarily certified as conformant with FIPS 140 Level 2 or Common Criteria EAL 4+). The Certificate Holder MUST also warrant that it will

Step 2: QuoVadis independently verifies information usTQoenn u a14 (er)ar

12 APPENDIX C

12.1.1 Definitions and Acronyms

In this QuoVadis CP/CPS the following Key terms and Abbreviations shall have the following meaning in the operation of the QuoVadis PKI unless context otherwise requires:

"**Advanced Electronic Signature**" means an electronic signature which meets the requirements set out in Article 26 of the eIDAS Regulation.

"**Applicant**" means an Individual or Organisation that has submitted an application for the issue of a Digital Certificate.

"**Application Software Suppliers**" mean those developers of Internet browser software or other software that displays or uses certificates and distribute Root Certificates embedded in their software, including but not limited to Apple Inc., Microsoft Corporation, Mozilla Corporation, , Adobe Systems Incorporated, Oracle Corporation, etc.

"**Approved Client Issuing CA**" means an Issuing CA managed and operated by an external third party.

"**Authorised Relying Party**" means an Individual o-2 (s)-2 (u)4 (e)-6 (o)4 (f)-4 (a)-6 (Dig)4 (89 0 Td

"**Autetmaetmy**

(such as an ISP or hosting company), and who completes and submits a Certificate Request on behalf of the Applicant.

“**Certificate Re-issuance**” is when a Certificate Holder registers for a new certificate, but there is an opportunity to change the identifying information (e.g. new email address, new last name, etc.) or other information (corrected certificate policies, modified key usage, etc.) from what was in the old certificate. The new certificate also has a different Public Key and a different validity period from the old certificate.

“**Certificate Re-key**” is when all the identifying information from the old certificate is duplicated in the new certificate, but there is a different Public Key and a different validity period.

“**Certificate Revocation**” means the process of removing a Digital Certificate from the management system and indicating that the Key Pair related to that Digital Certificate should no longer be used.

“**Certificate Revocation List**” means a list of Digital Certificates signed by the Issuing Certification Authority that have been revoked.

“

“**Digital Transmission**” means the transmission of information in an electronic format.

“**Device**” means software, hardware or other electronic or automated means configured to act in a particular way without human intervention.

“**Device Certificate**” means a Digital Certificate issued to identify a Device.
“Distinguished Name” means the unique identifier for the Holder of a Digital Certificate.

“**eIDAS Regulation**” means Regulation (EU) No. 910/2014 on electronic identification and trust services for electronic transactions in the internal market.

“**Enterprise RA**” means an employee or agent of an organization unaffiliated with the CA who authorizes issuance of Certificates to that organisation.

“**EU Qualified Certificate**” means qualified certificate as specified in Regulation (EU) No 910/2014.

“**Federal Information Processing Standaed(ue i)59 Cenrl I (or)2 (m)2 (a)5 (t)2 (i)3-8erAnedeN0 (f)8 (i)6 (g(e**

"**Key**" means a sequence of symbols that controls the operation of a cryptographic transformation (e.g. Encipherment, decipherment, cryptographic check function computation, signature generation, or signature verification).

"**Key Pair**" means two related Keys, one being a Private Key and the other a Public Key having the ability whereby one of the pair will decrypt the other.

"**Object Identifier**" means the unique identifier registered under the ISO registration standard to reference a specific object or object class.

"**Operational Term**" means the term of validity of a Digital Certificate commencing on the date of its issue and terminating on the earlier of (i) the date disclosed in that Digital Certificate or (ii) the date of that Digital Certificate's Revocation.

"**Organisation**" means an entity that is legally recognised in its jurisdiction of domicile (and can include a body corporate or un-incorporate, partnership, trust, non-profit making Organisation, or Government entity).

"**Participants**" means participants within the QuoVadis PKI and include (i) Issuing CAs and their Subsidiaries and Holding Companies; (ii) Registration Authorities and their Subsidiaries and Holding Companies; (iii) Certificate Holders, (including Certificate Applicants); (iv) Authorised Relying Parties.

"**PKCS**" means Public-Key Cryptography Standard.

"**Policy Management Authority**" means the QuoVadis body responsible for overseeing and approving CP/CPS amendments and general management.

"**Proprietary Marks**" means any patents (pending or otherwise), trade marks, trade names, logos, registered designs, symbols, emblems, insignia, fascia, slogans, copyrights, know-how, information, drawings, plans and other identifying materials whether or not registered or capable of registration and all other proprietary rights whatsoever owned by or available to QuoVadis adopted or designated now or at any time hereafter by QuoVadis for use in connection with the QuoVadis PKI.

"**Private Key**" means a Key forming part of a Key Pair that is required to be kept secret and known only to the person that holds it.

"**Public Key**" means a Key forming part of a Key Pair that can be made public.

"**Public Key Infrastructure**" (PKI) means a system for publishing the Public Key values used in public key cryptography. Also a system used in verifying, enrolling, and certifying users of a security application.

"**Qualified Certificate**" A Digital Certificate whose primary purpose is to identify a person with a high level of assurance, where the Digital Certificate meets the

“**Registration Authority Officer**” means an Individual designated by a Registration Authority as being authorised to perform the functions of that Registration Authority.

“**Regulated Certificate**” means a Digital Certificate that meets the requirements of Article 7 of ZertES (see section 8.1.1).

“**Regulated electronic signature**” means an Advanced Electronic Signature which has been created using a secure signature creation unit as referred to in Arti (e)10 (A)1 (rt)2 (i)6 (7e s)4 (i)

“**Secure Cryptographic Device**” means device which holds the Certificate Holder's private key, protects this key against compromise and performs signing or decryption functions on behalf of the Certificate Holder.

“**Secure Signature Creation Device**” (SSCD) means a secure container specifically designed to carry and protect a digital certificate, which meets the following requirements laid down in annex III of Directive 1999/93/EC:

1. Secure signature-creation devices must, by appropriate technical and procedural means, ensure at the least that:
   a) the signature-creation-data used for signature generation can practically occur only once, and that their secrecy is reasonably assured;
   b) the signature-creation-data used for signature generation cannot, with reasonable assurance, be derived and the signature is protected against forgery using currently available technology;
   c) the signature-creation-data used for signature generation can be reliably protected by the legitimate signatory against the use of others.
2. Secure signature-creation devices must not alter the data to be signed or prevent such data from being presented to the signatory prior to the signature process.

“**Subordinate CA**” means a Certification Authority whose Certificate is signed by the Root CA, or another Subordinate CA.

“**Subscriber**” means a natural or legal person that has entered a formal contract with QuoVadis for the issuance of Digital Certificates to Certificate Holders. The Subscriber may be responsible for the identity vetting of these Certificate Holders. A Subscriber may also hold a Digital Certificate (but is not required to).

“**Technically Constrained Subordinate CA Certificate**” means a Subordinate CA Certificate which uses a combination of Extended Key Usage settings and Name Constraint settings to limit the scope within which the Subordinate CA Certificate may issue Subscriber or additional Subordinate CA Certificates.

“**Token**” means a Cryptographic Module consisting of a hardware object (e.g., a “smart card”), often with a memory and microchip.

“**Utility Certificate**” means a Digital Certificate issued to a Responsible Person/s to be used in the day-to-day administration of the QuoVadis PKI.

“**Validation**” means an online check, by Online Certificate Status Protocol request, or a check of the applicable Certificate Revocation List(s) (in the absence of Online Certificate Status Protocol capability) of the validity of a Digital Certificate and the validity of any Digital Certificate in that Digital Certificate’s Certificate Chain for the purpose of confirming that the Digital Certificate is valid at the time of the check (i.e., it is not revoked or expired).

Acronyms

CA	Certificate Authority or Certification Authority
CAA	Certificate Authority Authorisation
CP/CPS	Certificate Policy & Certification Practice Statement
CRL	Certificate Revocation List
CSR	Certificate Signing Request
CT	Certificate Transparency
PMA	QuoVadis Policy Management Authority
EV	Extended Validation
FIPS	Federal Information Processing Standard
ICANN	Internet Corporation for Assigned Names and Numbers
IETF	Internet Engineering Task Force
ITU	International Telecommunication Union
ERA	Enterprise Registration Authority
LRA	Local Registration Authority
OID	Object Identifier
PKI	Public Key Infrastructure
PKIX	IETF Working Group on Public Key Infrastructure
PKCS	Public Key Cryptography Standard
RA	Registration Authority
SSL	Secure Sockets Layer
TLS	Transaction Layer Security
X.509	The ITU-T standard for Certificates and their corresponding authentication framework