digicert + QuoVadis

QuoVadis
Root Certification Authority
Root CA 3

Certificate Policy/
Certification Practice Statement

OIDs:	1.3.6.1.4.1.8024.0.1 1.3.6.1.4.1.8024.0.3
Effective Date:	June 20, 2019
Version:	4.27

QuoVadis PMA	7 December 2018	4.25	Updates to include changes for EU Qualified certs and itsme Sign Issuing CA G1. More explicit reference to the BR Domain Vetting methods.
QuoVadis PMA	6 June 2019	4.26	Updates for where QSCD managed on

3.3 Identification And Authentication For Renewal Requests 37
3.3.1 Identification and Authentication For Routine Re-Key 37
3.3.2 Identification and Authentication For Re-Key After Revocation 37
3.4 Identification and Authentication For Revocation Requests 37
3.4.1 Issuing Certification Authority 37
3.4.2 Registration Authority 37
3.4.3 Certificate Holder 38
4 Certificate Life-Cycle Operation Requirements 38
4.1 Certificate Application 38
4.1.1 Who Can Submit A Certificate Application 38
4.1.2 Enrolment Process And Responsibilities 38
4.2 Certificate Application Processing 39
4.2.1 Performing Identification And Authentication Functions 39
4.2.2 Approval Or Rejection Of Certificate Applications 39
4.2.3 Time To Process Certificate Applications 40
4.2.4 Certificate Authority Authorisation (CAA) 40
4.3 Certificate Issuance 41
4.3.1 Certification Authority Actions During Certificate Issuance 41
4.3.2 Notification To Applicant Certificate Holder By The Certification Authority Of Issuance Of Certificate 41
4.4 Certificate Acceptance 42
4.4.1 Notice Of Acceptance 42
4.4.2 Conduct Constituting Certificate Acceptance 43
4.4.3 Publication Of The Certificate By The Certification Authority 43
4.4.4

5.3.6 Sanctions for Unauthorised Actions 59
5.3.7 Independent Contractor Requirements 59
5.3.8 Documentation Supplied To Personnel 59
5.4 Audit Logging Procedures 59

6.2.8 Method Of Activating Private Key 70
6.2.9 Method Of Deactivating Private Key 70
6.2.10 Method Of Destroying Private Key 70
6.2.11 Cryptographic Module Rating 70
6.3 v(i1od a2 3 g)]l00 Tc 0 Tw 11.08.5-0.001 Tc 0.001 Tw 0.217 0 Td(...0.....)Tj(

7.5.1 Digital Certificate Fields 81
7.5.2 QuoVadis Root Certificate Hashes 82
8 Compliance Audit and Other Assessments 84
8.1 Frequency, Circumstance And Standards Of Assessment 84
8.1.1 QuoVadis Certification Authority 84
8.1.2 Issuing Certification Authorities 86
8.1.3 Registration Authorities 86
8.2 Identity And Qualifications Of Assessor 86
8.3 Assessor's Relationship to Assessed Entity 87

10.3 QV Advanced 112
10.4 QV Advanced + ... 114
10.4.1 ElDI-V/GeBüV Certificates 116
10.4.2 SuisseID Identity and Authentication Certificates 117
10.5 QV Qualified - eIDAS 120
10.5.1 eIDAS Qualified Certificate issued to a natural person on a QSCD 120
10.5.2 eIDAS Qualified Certificate issued to a natural person 122
10.5.3 eIDAS Qualified Certificate issued to a legal person on a QSCD 125
10.5.4 eIDAS Qualified Certificate issued to a legal person 129
10.6 authorisauthorisauthorisauthorisauthorisQV Qualified – SuisseID 132
10.7 QV Closed Community 134
10.7.1 Grid Certificates 134
10.8 QuoVadis Device 139
11 APPENDIX B 142
11.1 Business SSL 142
11.2 Code Signing 146
12 APPENDIX C 151
12.1.1 Definitions and Acronyms 151

1 Introduction

1.1 Overview

- Accredited Certification Authority by the EU Policy Management Authority for Grid Authentication in e-Science (EUGridPMA). This entitles QuoVadis to issue Digital Certificates meeting the guidelines of the International Grid Trust Federation (IGTF), which will enable validated and approved Grid users to gain access to Grid related resources.
- Accredited Certification Service Provider under PKIoverheid. PKIoverheid is the name for the PKI designed for trustworthy communication within and with the Dutch Government. Please note that there is a separate QuoVadis Certification Practice Statement (CPS) for PKIoverheid, which can be found in the QuoVadis Repository on the QuoVadis website (https://www.quovadisglobal.com).
- Authorised Certification Service Provider (Bermuda) entitled to issue Accredited Certificates under the requirements of the Electronic Transactions Act 1999. This authorisation synthesises elements of the ISO 17799 Code of Practice for Information Security Management and the European Electronic Signature Standardisation Initiative, as well as the WebTrust for Certification Authorities programme.

QuoVadis ensures the integrity of its PKI operational hierarchy by binding Participants to contractual agreements. This CP/CPS is not intended to create a contractual relationship between QuoVadis and any Participant in the QuoVadis PKI. This CP/CPS merely provides a general overview of the QuoVadis PKI including Digital Certificate Profiles as defined in Appendix A and Appendix B.

The QuoVadis PKI is designed and is operated to comply with the broad strategic direction of existing international standards for the establishment and operation of a Public Key Infrastructure Certification Authority. Any person seeking to rely on Digital Certificates or participate within the QuoVadis PKI must do so pursuant to definitive contractual documentation.

QuoVadis SSL Certificates are issued for use with the SSL /TLS protocol to enable secure transactions of data through privacy, authentication, and d (o)10 (nalo)10 (n o)1a(t)2 Dt (u)10h

- QuoVadis Root Certification Authority/QuoVadis Root CA 1 G3
  1.3.6.1.4.1.8024.0.1
- QuoVadis Root CA 3/QuoVadis Root CA 3 G3
  1.3.6.1.4.1.8024.0.3

QuoVadis provides identification and authentication services for Certificate Holders, servers, and personal computer or network devices. The registration procedures set out in this CP/CPS and in Appendix A and Appendix B define the credentials necessary to establish the identity of an individual or entity.

This CP/CPS describes all subordinate services that operate under the QuoVadis Root CA, i.e. that are within the QuoVadis “chain of trust”.

Participants (“Participants”) within the QuoVadis PKI include:

- Certification Authorities;
- Registration Authorities;
- Certificate Holders including applicants for Digital Certificates prior to Digital Certificate issuance; and
- Authorised Relying Parties.

The practices described or referred to in this CP/CPS:

- accommodate the diversity of the community and the scope of applicability within the QuoVadis chain of trust; and
- adhere to the purpose of the CP/CPS of describing the uniformity and efficiency of practices throughout the QuoVadis PKI.

In keeping with their primary purpose, the practices described in this CP/CPS:

- are the minimum requirements necessary to ensure that Certificate Holders and Authorised Relying Parties have a high level of assurance, and that critical

An Issuing CA may, but shall not be obliged to, detail its specific practices and other requirements in a policy or practices statement adopted by it following approval by the QuoVadis Policy Management Authority.

Within the QuoVadis PKI all Issuing CAs are responsible for the management of Digital Certificates issued by them. Digital Certificate Management includes all aspects associated with the application, issue and revocation of Digital Certificates, including any required identification and authentication processes included in the Digital Certificate application process. Issuing CAs, if authorised to do so by QuoVadis, may rely on third party Registration Authorities in the performance of Certificate Holder Identification and Authentication requirements. In circumstances where an Issuing CA has relied on a third party Registration Authority to perform Identification and Authentication, the Issuing CA bears all responsibility and liability for the Identification and Authentication of its Certificate Holders.

Notwithstanding the foregoing, Issuing CAs are required to conduct regular compliance audits of their Registration Authorities to ensure that they are complying with their obligations according to their respective RA Agreements, (including the performance of Identification and Authentication requirements) and this CP/CPS. Issuing CAs are required to ensure that all aspects of the services they offer and perform within the QuoVadis PKI are in compliance at all times with this CP/CPS.

Issuing CAs chaining to a QuoVadis Root must not be used for Man in the Middle (MITM) purposes for the interception of encrypted communications. Such Issuing CAs should also not be used for traffic management of domain names /IP addresses that the entity does not own or control. QuoVadis will not issue a subordinate Issuing CA Certificate to be used for these purposes.

Issuing CAs are required to ensure that;

- FIPS 140-3 or equivalent cryptographic modules are used for CA Private Key management.
- Private Keys are used only in connection with the signature of Digital Certificates and Certificate Revocation Lists.
- Enforce multi-factor authentication for all accounts capable of directly causing certificate issuance.
-

1.3.3 Certificate Holders

1.3.3.1 Obligations And Responsibilities

Certificate Holders are required to act in accordance with this CP/CPS and Certificate Holder Agreement. A Certificate Holder represents, warrants and covenants with and to QuoVadis, Relying Parties, Application Software Suppliers and the Registration Authority processing their application for a Digital Certificate that:

- Both as an applicant for a Digital Certificate and as a Certificate Holder, submit complete and accurate information in connection with an application for a Digital Certificate and will promptly update such information and representations from time to time as necessary to maintain such completeness and accuracy.
- Comply fully with any and all information and procedures required in connection with the Identification and Authentication requirements relevant to the Digital Certificate issued. See Appendix A and Appendix B.
- Promptly review, verify and accept or reject the Digital Certificate that is issued and ensure that all the information set out therein is complete and accurate and to notify the Issuing CA, Registration Authority, or QuoVadis immediately in the event that the Digital Certificate contains any inaccuracies.
- Secure the Private Key and take all reasonable and necessary precautions to prevent the theft, unauthorised viewing, tampering, compromise, loss, damage, interference, disclosure, modification or unauthorised use of its Private Key (to include password, hardware token or other activation data used to control access to the Participant's Private Key).
- Exercise sole and complete control and use of the Private Key that corresponds to the Certificate Holder's Public Key. In the case of legal persons, the private key must be maintained and used under the control of the Certificate Holder and is recommended to be used only for electronic seals.
- Immediately notify the Issuing CA, Registration Authority or QuoVadis in the event that their Private Key is compromised, or if they have reason to believe or suspect or ought reasonably to suspect that their Private Key has been lost, damaged, modified or accessed by another person, or compromised in any other way whatsoever. Following compromise, the use of the Certificate Holder's Private Key should be immediately and permanently discontinued.
- Take all reasonable measures to avoid the compromise of the security or integrity of the QuoVadis PKI.
- Forthwith upon termination, revocation or expiry of the Digital Certificate (howsoever caused), cease use of the Digital Certificate absolutely.
- At all times utilise the Digital Certificate in accordance with all applicable laws and regulations.

- Use the signing Key Pairs for electronic signatures in accordance with the Digital Certificate profile and any other limitations known, or which ought to be known, to the Certificate Holder.
- Discontinue the use of the digital signature Key Pair in the event that QuoVadis notifies the Certificate Holder that the QuoVadis PKI has been compromised.
- If the policy requires the use of a Qualified Electronic Signature Creation Device (QSCD), digital signatures must only be created by a QSCD.
- For Qualified certificates issued to natural persons, it is recommended that the Certificate Holder's key pair is only used for electronic signatures.

With respect to the issuance of SSL/TLS Certificates specifically, In the context of this CP/CPS, the Certificate Holder is the Individual responsible for requesting, installing and maintaining the trusted system for which an SSL Certificate has been issued. The

- that the Digital Certificate intended to be relied upon is valid and has not been revoked, the Authorised Relying Party being obliged to check the status of that Digital Certificate utilising either the QuoVadis Database, the QuoVadis Certificate Revocation List, or the QuoVadis Online Certificate Status Protocol and otherwise in accordance with the provisions of this QuoVadis CP/CPS;
- that the Authorised Relying Party has, at the time of that reliance, verified the Digital Signature, if any;
- that the Authorised Relying Party has, at the time of that reliance, verified that the Digital Signature, if any, was created during the Operational Term of the Digital Certificate being relied upon;
- that the Authorised Relying Party ensures that the data signed has not been altered following signature by utilising trusted application software;
- that the signature is trusted and the results of the signature are displayed correctly by utilising trusted application software;
- that the identity of the Certificate Holder is displayed correctly by utilising trusted application software; and
- that any alterations arising from security changes are identified by utilising trusted application software.

1.3.4.3 Accepted Limitation Of Liability

Digital Certificates include a reference to the relevant CP/CPS, which contains statements detailing limitations of liability and disclaimers of warranty. In accepting a Digital Certificate, Relying Parties acknowledge and agree to all such limitations and disclaimers documented in the CP/CPS.

1.3.4.4 Assumptions About A Certificate Holder

A relying party shall make no assumptions about information that does not appear in a Digital Certificate.

1.3.4.5 Certificate Compromise

A party cannot rely on a Digital Certificate issued by QuoVadis if the party has actual or constructive notice of the compromise of the Digital Certificate or its associated Private Key. Such notice includes but is not limited to the contents of the Digital Certificate and information incorporated in the Digital Certificate by reference, which includes this CP/CPS and the current set of revoked Digital Certificates published by QuoVadis. Certificates have pointers to URLs where QuoVadis publishes status information, including Certificate Revocation Lists (CRLs), and Relying Parties are required to check the most recent CRL.

No reliance may be placed on Digital Certificates and Digital Certificates may not be used in circumstances (i) where applicable law or regulation prohibits their use; (ii) in breach of this QuoVadis CP/CPS or the relevant Certificate Holder or Relying Party Agreement; (iii) in any circumstances where the use of Digital Certificates could lead to death, injury, or damage to property; or (iv) as otherwise may be prohibited by the terms of issue.

1.5 Policy Administration

1.5.1 Organisation Administering the CP/CPS

QuoVadis operates the Policy Management Authority (PMA) that is responsible for setting policies and practices for the overall PKI.

1.5.2 Contact Person

This CP/CPS is administered by the QuoVadis PMA. Enquiries or other communications about this CP/CPS should be addressed to QuoVadis Limited.

Policy Director
QuoVadis Limited
Suite 1640,
48 Par-La-Ville Road,
Hamilton HM-11, Bermuda

Website: https://www.quovadisglobal.com
Electronic mail: compliance@quovadisglobal.com

1.5.3 Person Determining the CP/CPS Suitability

The QuoVadis PMA determines the suitability of this CP/CPS to the functions and uses of Participants in the QuoVadis PKI.

1.5.4 CP/CPS Approval Procedures

This CP/CPS is regularly reviewed and approved by the QuoVadis PMA. Notice of proposed changes are recorded in the change log at the beginning of this CP/CPS until they are approved, at which time the approved change will be recorded there permanently. Any changes to this CP/CPS that relate to Grid topics (refer to section 10.6.1 below) should be approved by the relevant Grid PMA.

1.5.4.1 Publication of CP/CPS

This CP/CPS is published electronically in PDF format at https://www.quovadisglobal.com/repository.

1.5.4.2 Frequency of Publication

Newly approved versions of this CP/CPS, Certificate Holder or Relying Party Agreements and other relevant documents are published in accordance with the amendment, notification and other relevant provisions contained within those

documents. Information about amendments to this CP/CPS may be found in Section 9.12.

1.5.4.3 Access Control

QuoVadis internal documents not published at https://www.quovadisglobal.com/repository are available only to Participants in the QuoVadis PKI where deemed necessary.

1.6 Definitions and Acronyms

See Appendix C.

2 Publication and Repository Responsibilities

2.1 Repositories

The QuoVadis Repository (https://www.quovadisglobal.com/repository) serves as the primary repository. However, copies of the X.500 Directory may be published at such other locations as are required for the efficient operation of the QuoVadis PKI.

2.2 Publication of Certificate Information

The QuoVadis Root Certification Authority and chained Issuing CAs publish a Repository that lists all Digital Certificates issued and all the Digital Certificates that have been revoked. The location of the repository and Online Certificate Status Protocol responders are given in the individual Certificate Profiles more fully disclosed in

inconsistency between this document and those Requirements, those Requirements take precedence over this document.

2.3 Time or Frequency of Publication

Digital Certificate information is published promptly following generation and issue and immediately following the completion of the revocation process.

2.4 Access Controls on Repositories

and readily identifiable X.501 Distinguished Name (DN). The Distinguished Name may include the following fields:

- Common Name (CN)
- Organisational Unit (OU)
- Organisation (O)
- Locality (L)
- State or Province (S)
- Country (C)
- Email Address (E)

Alternatively, Distinguished Names may be based on domain name components, e.g. CN=John Smith, DC=QuoVadis, DC=BM.

The Common Name may contain the applicant's first and last name (surname). For Digital Certificates covered under the Baseline Requirements, the use of Internal Server Names and Reserved IP Addresses is prohibited, and the FQDN or authenticated domain name is placed in the Common Name (CN) attribute of the Subject field and the Subject Alternative Name extension.

TLS/SSL Certificates are issued using the Fully Qualified Domain Name (FQDN) name of the server, service, or application that has been confirmed with the Certificate Holder. The Distinguished Names of a Code Signing Certificate must identify the legal entity that intends to have control over the use of the Private Key when signing code. The Baseline Requirements contain provisions prohibiting Certificates containing Internal Server Names or Reserved IP Addresses.

Wildcard TLS/SSL Certificates have a wildcard asterisk character for the server name in the Subject field. Wildcard EV Certificates may not be issued under the EV Guidelines.

The FQDN or authenticated domain name is placed in the Common Name (CN) attribute of the Subject field and, when applicable, the Subject Alternative Name extension.

3.1.2 Need For Names To Be Meaningful

Distinguished Names must be meaningful and unambiguous. QuoVadis supports the use of Digital Certificates as a form of identification within a particular community of in004 Tc -(u)10 (ppor)7 (h(ng)10 ((t)12004 Tw T*6 (i)6 MC /P <</M1at)2 (i)6 o4 (tt)2 (i.ni)5.9 (510.1

for a Digital Certificate. The Issuing CA shall do so in accordance with an appropriate secure protocol, such as the IETF PKIX Certificate Management Protocol, including PKCS#10. This requirement does not apply where a Key Pair is generated on behalf of a Certificate Holder.

3.2.2 Authentication Of Organisation Identity

The Identity of an Organisation is required to be authenticated with respect to each Digital Certificate that asserts (i) the identity of an Organisation; or (ii) an Individual or Device's affiliation with an Organisation. Without limitation to the generality oTjeral</Msaton;t (o)g30.8

1. Communicating directly with the Domain Name Registrant via email, fax or postal mail provided by the Domain Name Registrar. Performed in accordance with BR section 3.2.2.4.2 using a Random Value (valid for no more than 30 days from its creation)
2. Communicating directly with the Domain Name Registrant by calling their phone number and obtaining a response confirming the Applicant's request for validation of the FQDN. The phone number used must be the number listed by the Domain Name Registrar. Performed in accordance with BR section 3.2.2.4.3;
3. Communicating with the Domain's administrator using a constructed email address created by pre-pending 'admin', 'administrator', 'webmaster', 'hostmaster', or 'postmaster' to the Authorisation Domain Name. Performed in accordance with BR section 3.2.2.4.4;
4. Confirming the Applicant's control over the requested FQDN by confirming the presence of an agreed-upon Random Value under the "/.well-known/pki-validation" directory. Performed in accordance with BR section 3.2.2.4.6;
5. Confirming the Applicant's control over the requested Authorisation Domain Name (which may be prefixed with a label that begins with an underscore character) by confirming the presence of an agreed-upon Random Value in a DNS record. Performed in accordance with BR section 3.2.2.4.7;
6. Confirming the Applicant's control over the FQDN through control of an IP address returned from a DNS lookup for A or AAAA records for the FQDN, performed in accordance with BR Sections 3.2.2.5 and 3.2.2.4.8;
7. Confirming that the Applicant is the Domain Contact for the Base Domain Name (provided that the CA or RA is also the Domain Name Registrar or an Affiliate of the Registrar), performed in accordance with BR Section 3.2.2.4.12;
8. Confirming the Applicant's control over the FQDN by sending a Random Value via email to a DNS CAA Email Contact and then receiving a confirming response utilizing the Random Value. The relevant CAA Resource Record Set is found using the search algorithm defined in RFC 6844 Section 4, as amended by Errata 5065 performed in accordance with BR Section 3.2.2.4.13;
9. Confirming the Applicant's control over the FQDN by sending a Random Value via email to the DNS TXT Record Email Contact for the Authorisation Domain Name for the FQDN and then receiving a confirming response utilizing the Random Value, performed in accordance with BR Section 3.2.2.4.14;
10. Confirming the Applicant's control over the FQDN by calling the Domain Contact's phone number and obtaining a confirming response to validate the authorised Domain Name. Each phone call can confirm control of multiple authorised Domain Names provided that the same Domain Contact phone number is listed for each authorised Domain Name being verified and they provide a confirming response for each authorised Domain Name, performed in accordance with BR Section 3.2.2.4.15; and
11. Confirming the Applicant's control over the FQDN by calling the DNS TXT Record Phone Contact's phone number and obtaining a confirming response to

3.2.2.3 Wildcard Domain Validation

Before issuing a Certificate with a wildcard character (*) in a CN or subjectAltName of type DNS-ID, QuoVadis programmatically enforces that the wildcard character occurs in the first label position to the left of a "registry- controlled" label or "public suffix".

3.2.2.4 Data Source Accuracy

Prior to using a data source as a Reliable Data Source, QuoVadis evaluates it for reliability, accuracy and resistance to falsification.

3.2.3 Authentication Of Individual Identity

An Individual's Identity is to be authenticated in accordance with the class/type of Digital Certificate together with the relevant application data and documentation. TLS/SSL Certificates are only issued to organisations and not natural persons.

3.2.4 Non-Verified Certificate Holder Information

The QuoVadis Issuing CA may accept any form of Non-Verified Holder Information for the issuance of Digital Certificates used solely for demonstration or testing purposes.

An Issuing CA within the QuoVadis PKI may accept the following Non-Verified Certificate Holder Information for other classes of Digital Certificate:

- Organisational Unit (OU)
- Other information that is permitted as Non-Verified according to the Certificate class or relevant industry standards

3.2.5 Validation Of Authority

Where an Applicant's Name is to be associated with an Organisational Name to indicate his or her status as a Counterparty, Employee or specifies an Authorisation level to act on behalf of an Organisation, the Registration Authority will validate the Applicant's Authority by reference to business records maintained by the Registration Authority, its Subsidiaries, Holding Companies or Affiliates. Validation of authority is conducted in compliance with this CP/CPS and the Certificate Profiles detailed in Appendix B. Validity of authority of Applicant Representatives and Agents is verified against contractual documentation and Reliable Data Sources.

3.2.6 Criteria For Interoperation

QuoVadis may provide interoperation services to certify a non-QuoVadis CA, allowing it to interoperate with the QuoVadis PKI. In order for such interoperation services to be provided the following criteria must be met:

3.4.3 Certificate Holder

A Certificate Holder may request that his or her Digital Certificate be revoked by:

- Authenticating to the QuoVadis Digital Certificate administration system or other relevant system and requesting revocation via this system;
- Applying in person to the Registration Authority, Issuing CA or QuoVadis supplying either original proof of identification in the form of a valid Driving License or Passport;
- Sending a digitally signed email message to the Issuing Registration Authority, Issuing CA or QuoVadis requesting that their Digital Certificate be revoked.
- Telephonic communication using a pre-existing shared secret, password or other information associated with Certificate Holder's account with the Certification Authority following appropriate Identification.

4 Certificate Life-Cycle Operation Requirements

4.1 Certificate Application

Digital Certificate applications are subject to various assessment procedures depending upon the type of Digital Certificate applied for.

4.1.1 Who Can Submit A Certificate Application

An application in a form prescribed by the Issuing CA must be completed by Applicants, which includes all registration information as described by this CP/CPS (including, without limitation, that information set out in Appendix A) and the relevant Certificate Holder Agreement or other terms and conditions upon which the Digital Certificate is to be issued. All applications are subject to review, approval, and acceptance by the Issuing CA in its discretion.

4.1.2 Enrolment Process And Responsibilities

Certain information concerning applications for Digital Certificates is set out in this QuoVadis CP/CPS. However, the issue of Digital Certificates by Issuing CAs will be pursuant to forms and documentation required by that Issuing CA. Notwithstanding the foregoing, the following steps are required in any application for a Digital Certificate: (i) Identity of the Holder or Device is to be established in accordance with Appendix A, (ii) a Key Pair for the Digital Certificate is to be generated in a secure fashion, (iii) the

QuoVadis, at its sole discretion not to be unreasonably withheld, may override any decision to Approve a Certificate Holder Application.

4.2.3 Time To Process Certificate Applications

Registration Authorities and Issuing CAs operating within the QuoVadis PKI are under no obligation to process Digital Certificate Applications other than within a commercially reasonable time.

4.2.4 Certificate Authority Authorisation (CAA)

Prior to issuing SSL Digital Certificates, QuoVadis checks for CAA records for each dNSName in the subjectAltName extension of the Digital Certificate to be issued. If the QuoVadis Digital Certificate is issued, it will be issued within the TTL of the CAA record, or 8 hours, whichever is greater.

When processing CAA records, QuoVadis processes the issue, issuewild, and iodef property tags as specified in RFC 6844 as amended by Errata 5065 (Appendix A). QuoVadis may not act on the contents of the iodef property tag. QuoVadis will not issue a Digital Certificate if an unrecognized property is found with the critical flag.

QuoVadis may not check CAA records for the following exceptions:

I. For Digital Certificates for which a Certificate Transparency pre-certificate was created and logged in at least two public logs, and for which CAA was checked.
II. For Digital Certificates issued by a Technically Constrained Subordinate CA Certificate, where the lack of CAA checking is an explicit contractual provision in the contract with the Applicant.
III. If the CA or an Affiliate of the CA is the DNS Operator (as defined in RFC 7719) of the domain's DNS.

QuoVadis treats a record lookup failure as permission to issue if:

I. the failure is outside the CA's infrastructure;
II. the lookup has been retried at least once; and
III. the domain's zone does not have a DNSSEC validation chain to the I of./ned Sub o o o o o o o

4.3 Certificate Issuance

4.3.1 Certification Authority Actions During Certificate Issuance

Digital Certificate issuance is governed by and should comply with the practices described in and any requirements imposed by the QuoVadis CP/CPS.

4.3.1.1 QuoVadis Root Certification Authority

The Root Certification Authority Certificate has been self-generated and self-signed.

4.3.1.2 QuoVadis Issuing Certification Authority Certificates

Upon accepting the terms and conditions of the QuoVadis Issuing CA Agreement by the Issuing CA, successful completion of the Issuing CA application process as prescribed by QuoVadis, and final approval of the application by the QuoVadis Root Certification Authority, the QuoVadis Root Certification Authority issues the Issuing CA Digital Certificate to the relevant Issuing CA.

4.3.1.3 QuoVadis Registration Authority Appointment

Upon accepting the terms and conditions of the QuoVadis Registration Authority Agreement, successful completion of the Registration Authority application process and final approval of the application, the Registration Authority becomes duly appointed, and appropriately trained and qualified staff members of the Registration Authority are

4.4 Certificate Acceptance

Digital Certificate acceptance is governed by and should comply with the practices described in, and any requirements imposed by, this CP/CPS.

Until a Digital Certificate is accepted, it is not published in any Repository or otherwise made publicly available. By using a Digital Certificate, the Holder thereof certifies and agrees to the statements contained in the notice of approval. This CP/CPS sets out what constitutes acceptance of a Digital Certificate. An Applicant that accepts a Digital Certificate warrants to the relevant Issuing CA, and all Authorised Relying Parties who reasonably rely, that all information supplied in connection with the application process and all information included in the Digital Certificate issued to them is true, complete, and not misleading. Without limitation to the generality of the foregoing, the use of a Digital Certificate or the reliance upon a Digital Certificate signifies acceptance by that person of the terms and conditions of this QuoVadis CP/CPS and Certificate Holder Agreement (as the same may, from time to time, be amended or supplemented) by which they irrevocably agree to be bound.

By accepting a Digital Certificate issued by an Issuing CA operating within the QuoVadis PKI, the Certificate Holder expressly represents and warrants to QuoVadis and all Authorised Relying Parties who reasonably rely on the information contained in the Digital Certificate that at the time of acceptance and throughout the operational period of the Digital Certificate, until notified otherwise by the Certificate Holder, that:

- No unauthorised person has ever had access to the Certificate Holder's Private Key;
- All representations made by the Certificate Holder to QuoVadis regarding the information contained in the Digital Certificate are true;
- All information contained in the Digital Certificate is true to the extent that the Certificate Holder had knowledge or notice of such information, and does not promptly notify QuoVadis of any material inaccuracies in such information; and
- The Digital Certificate is being used exclusively for authorised and legal purposes, consistent with this CP/CPS.

4.4.1 Notice Of Acceptance

BY ACCEPTING A DIGITAL CERTIFICATE, THE CERTIFICATE HOLDER ACKNOWLEDGES THAT HE OR SHE AGREES TO THE TERMS AND CONDITIONS CONTAINED IN THIS CERTIFICATE POLICY & CERTIFICATION PRACTICE STATEMENT AND THE APPLICABLE CERTIFICATE HOLDER AGREEMENT. ALSO BY ACCEPTING A DIGITAL CERTIFICATE, THE CERTIFICATE HOLDER ASSUMES A DUTY TO RETAIN CONTROL OF THE PRIVATE KEY CORRESPONDING TO THE PUBLIC KEY CONTAINED IN THE CERTIFICATE, TO USE A TRUSTWORTHY

SYSTEM AND TO TAKE REASONABLE PRECAUTIONS TO PREVENT THE PRIVATE KEY'S LOSS, EXCLUSION, MODIFICATION, OR UNAUTHORISED USE.

4.4.2 Conduct Constituting Certificate Acceptance

The Certificate Requester is responsible for installing the issued Certificate on the Certificate Holder's computer or cryptographic module according to the Certificate Holder's system specifications. A Certificate Holder is deemed to have accepted a Certificate when:

- The Certificate Holder downloads, installs, or otherwise takes delivery of the Certificate; or
- 30 days pass since issuance of the Certificate.

The downloading, installing or otherwise taking delivery of a Digital Certificate constitutes acceptance of a Digital Certificate within the QuoVadis PKI.

4.4.3 Publication Of The Certificate By The Certification Authority

All Digital Certificates issued within the QuoVadis PKI are made available in public repositories, except where Certificate Holders have requested that their Digital Certificates not be published.

4.4.4 Notification Of Certificate Issuance By The Certification Authority To Other Entities

Issuing CAs and Registration Authorities within the QuoVadis PKI may choose to notify other Entities of Digital Certificate Issuance.

4.5 Key Pair And Certificate Usage

4.5.1 Certificate Holder Private Key And Certificate Usage

Within the QuoVadis PKI, a Certificate Holder may only use the Private Key and corresponding Public Key in the Digital Certificate for their lawful and intended use. The Certificate Holder accepts the Certificate Holder Agreement by accepting the Digital Certificate, and by accepting the Digital Certificate unconditionally agrees to use the Digital Certificate in a manner consistent with the Key-Usage field extensions included in the Digital Certificate Profile.

4.5.2 Relying Party Public Key And Certificate Usage

Any party receiving a signed electronic document may rely on that Digital Signature to the extent that they are authorised by contract with the Certificate Holder, or by

4.7.3 Processing Certificate Re-Key Request

Digital Certificate Re-Key requests are processed in the same manner as requests for new Digital Certificates and in accordance with the provisions of this CP/CPS. In order to process a Re-Key request, the Certificate Holder is required to confirm that:

- Details contained in the original Digital Certificate application have not changed.
- Authenticate their identity to the Registration Authority.

Using their existing Digital Certificate, the Certificate Holder may digitally sign an electronic message to the Nominating Registration Authority requesting that the Digital Certificate be Re-Keyed and confirming that the original application details have not changed. Appropriate vetting will be performed in relation to the details to be included in the Digital Certificate.

4.7.4 Notification Of New Certificate Issuance To Certificate Holder

Issuing CAs and Registration Authorities within the QuoVadis PKI shall notify Certificate Holders of Digital Certificate Issuance.

4.7.5 Conduct Constituting Acceptance Of A Re-Key Certificate

Downloading, installing or otherwise taking delivery of a Re-Keyed Digital Certificate constitutes acceptance of the Digital Certificate Re-Key within the QuoVadis PK]f (ng)1

Digital Certificate Modification requests are processed in the same manner as requests for new Digital Certificates and in accordance with the provisions of this CP/CPS.

4.9 Certificate Revocation And Suspension

4.9.1 Circumstances For Revocation

Digital Certificates shall be revoked when any of the information on a Digital Certificate changes or becomes obsolete or when the Private Key associated with the Digital Certificate is compromised or suspected to be compromised. A Digital Certificate will be revoked in the following instances upon notification of:

- QuoVadis Certification Authority key compromise
- Certificate Holder profile creation error
- Key Compromise including unauthorised access or suspected unauthorised access to Private Keys, lost or suspected lost keys, stolen or suspected stolen keys, destroyed or suspected destroyed keys or superseded by replacement keys and a new Certificate.
- The Certificate Holder has failed to meet his, her or its obligations under this QuoVadis CP/CPS or any other agreement, regulation, or law that may be in

- Affiliation change
- Cessation of operation
- Incorrect information contained in Digital Certificate
- Certificate Holder bankruptcy
- Certificate Holder liquidation
- Certificate Holder death
- Certificate Holder request
- Issuing Registration Authority Request
- Breach of Certificate Holder agreement with QuoVadis

Ceradis

- QuoVadis receives notice or otherwise becomes aware that there has been some other modification of the information pertaining to the Certificate Holder that is contained within the Certificate;
- The Certificate Holder fails or refuses to comply, or to promptly correct inaccurate, false or misleading information after being made aware of such inaccuracy, misrepresentation or falsity;
- QuoVadis determines, in its sole discretion, that the Private Key corresponding to the Certificate was used to sign, publish or distribute spyware, Trojans, viruses, rootkits, browser hijackers, phishing, or other content, or that is harmful, malicious, hostile or downloaded onto a user's system without their consent;
-

4.9.2 Who Can Request Revocation

The following entities may request revocation of a Digital Certificate:

- QuoVadis may revoke any Digital Certificate issued within the QuoVadis PKI at its sole discretion, and shall publish the list of revoked Digital Certificates in a publicly accessible Certificate Revocation List.
- An Issuing CA operating within the QuoVadis PKI may revoke Digital Certificates that it has issued.
- A Registration Authority or Subscriber operating within the QuoVadis PKI may request revocation of Digital Certificates that it requested to be issued.
- Certificate Holders within the QuoVadis PKI may request revocation of their own Digital Certificates.
- An Application Software Vendor who has embedded a QuoVadis Root Certification Authority Certificate in its application as a trusted root may request the revocation of Digital Certificate chained to that Root Certificate.

The NCA that issued the Authorisation Number for a PSP in a PSD2 Certificate.

4.9.3 Procedure For Revocation Request

QuoVadis will revoke a Digital Certificate upon receipt of a valid request. A revocation request should be promptly and directly communicated to the Issuing CA and the Registration Authority that approved or acted in connection with the issue thereof. The Certificate Holder may be required to submit the revocation request via the QuoVadis

For certificates issued from the itsme sign Issuing CA G1 all revocation requests must be directed to the itsme first-line helpdesk.

4.9.4 Revocation Request Grace Period

No grace period is permitted once a revocation request has been verified. Issuing CAs will revoke Digital Certificates as soon as reasonably practical following verification of a revocation request.

4.9.5 Time Within Which The Certification Authority Must Process The Revocation Request

QuoVadis will begin investigation of a certificate problem report within 24 hours of its receipt. For certificates containing the ETSI OIDs defined in section 10.1.1 the maximum delay between the receipt of the revocation request and the update of the certificate status information is at most 24 hours. For certificates issued from the itsme

Failure to do so negates the ability of the Authorised Relying Party to claim that it acted on the Digital Certificate with Reasonable Reliance.

QuoVadis supports an OCSP capability using the GET method for Certificates issued in accordance with the Baseline Requirements.

Where required by the Baseline Requirements (all TLS/SSL certificates) or other industry requirements, if the QuoVadis OCSP responder receives a request for status of a certificate that has not been issued, then the responder will not respond with a "good" status.

4.9.11 Other Forms Of Revocation Advertisements Available

Not applicable.

4.9.12 Special Requirements in Relation to Key Compromise

Should a Private Key become compromised, the related Certificate shall immediately be revoked. Should the private CA key become compromised, all Certificates issued by that CA shall be revoked.

4.9.13 Circumstances For Suspension S4 Tc 0 Tw 11.17 0 Td( )TjEMC9/H3

4.10.2 Service Availability

Digital Certificate status services are available 24 hours a day, 7 days a week, 365 days of the year.

4.10.3 Optional Features

Online Certificate Status Protocol is available for all Certificate types issued by QuoVadis Issuing CAs.

4.11 End Of Subscription

Within the QuoVadis PKI a Certificate Holder may end a subscription by:

- Allowing a Digital Certificate to expire.
- Revoking a Digital Certificate.

4.12 Key Archival And Recovery

QuoVadis provides optional Key Archive services for certain Certificate Profiles (see Appendix A, section 10.1.2). Key archive is prohibited for QV Advanced+ and QV Qualified Certificates, or for any Private Key whose Key Usage is dedicated to Signing or Authentication. With respect to TLS/SSL and Codesigning certificates.The QuoVadis PKI does not support key escrow or recovery of Certificate Holder private keys.

4.12.1 Key Archival And Recovery Policy And Practices

Registration Authorities are permitted to instruct QuoVadis to archive the Certificate Holder's Private Key for certain Certificate Profiles as specified in their Registration Authority Agreement. End-user Certificate Holder Private Keys shall only be recovered under the circumstances permitted within the Registration Authority Agreement and Trust/Link Administrator Guide.

Archived Private Keys are stored in encrypted form using the QuoVadis Trust/Link application. Certificate Holders are notified when their Private Keys are archived.

Properly authenticated Certificate Holders may subsequently retrieve their own Private Keys.

In addition, properly authenticated RA Officers with specific Key Recovery permissions may request retrieval of a Certificate Holder's Private Keys under the following conditions:

- RAs must protect Certificate Holder's archived Private Keys from unauthorised disclosure.

- RAs may retrieve Certificate Holder’s archived Private Keys only for properly authenticated and authorised requests for recovery.
- RAs shall re

5.1.3 Power and Air-Conditioning

The QuoVadis secure operating area is connected to dual power feeds via a fault

no control including, without limitation, acts of espionage, sabotage, criminal conduct, or malicious interference.

5.3.1 Qualifications, Experience, and Clearance Requirements

QuoVadis requires that personnel meet a minimum standard with regards to Qualifications, Experience, Clearance and Training.

5.3.2 Background Check Procedures

Background check procedures may include but are not limited to checks and confirmation of:

- Previous employment
- Professional references
- Educational qualifications
- Criminal Records

5.3.6 Sanctions for Unauthorised Actions

Appropriate disciplinary actions are taken for unauthorised actions.

5.3.7 Independent Contractor Requirements

QuoVadis does not support the use of independent contractors to fulfil trusted roles. Where appropriate, QuoVadis authorises independent contractors to carry out identification and documentation activities for the issuance of non TLS/SSL certificates. These parties are contractually obliged to act in accordance with this CP/CPS including but not limited to training and data retention.

5.3.8 Documentation Supplied To Personnel

QuoVadis provides personnel with all required training materials needed to perform their job function and their duties under the job rotation program. This includes specific documentation of the validation, issuance, and revocation processes for Certificates.

5.4 Audit Logging Procedures

5.4.1 Types Of Events Recorded

QuoVadis records details of the actions taken to process a certificate request and to issue a Digital Certificate, including all information generated and documentation received in connection with the certificate request.

QuoVadis logs the following events:

- CA key lifecycle management events;
- CA and Subscriber Certificate lifecycle management events;
- Security events, including
  - Successful and unsuccessful PKI system access attempts;
  - PKI and security system actions performed;
  - Security profile changes;
  - System crashes, hardware failures, and other anomalies;
  - Firewall and router activities; and
  - Entries to and exits from the CA facility.

QuoVadis event logs include:

- Date and time of the entry
- Serial or sequence number of entry (for automatic journal entries)

- Details of the of entry (name, type etc)
- Source of entry (for example, terminal, port, location, customer, IP address)
- Destination address (if relevant)
- Identity of the entity making the journal entry (e.g. User ID)

5.4.2 Frequency Of Processing Log

Audit logs a

5.7 Compromise And Disaster Recovery

QuoVadis has an Incident Response Plan as well as a QuoVadis Business Continuity Plan. The purpose of this plan is to restore core business operations as quickly as practicable when systems and/or operations have been significantly and adversely impacted by fire, strikes, etc.

QuoVadis and each Issuing CA have in place an appropriate disaster recovery and business resumption plan that provides for the immediate continuation of Digital Certificate revocation services in the event of an unexpected emergency. QuoVadis regards its disaster recovery and business resumption plan as proprietary, security-sensitive, and confidential.

6 Technical Security Controls

The QuoVadis Certification Authority Private Keys are protected within a hardware security module meeting at least Federal Information Processing Standard-140-2 level 3 and/or EAL 4. Access to the modules within the QuoVadis environment, including the Root and Operational Digital Certification Authorities' Private Keys, are restricted by the use of token/smartcards and associated pass phrases. These smartcards and pass phrases are allocated among the multiple members of the QuoVadis management team. Such 2-of-N allocation ensures that no one member of the team holds total control over any component of the system. The hardware security modules are always stored in a physically secure environment and are subject to security controls throughout their lifecycle.

6.1 Key Pair Generation And Installation

6.1.1 Key Pair Generation

Root CA key pair generation is witnessed by a Qualified Auditor and follows a formal key generation script. In all instances, CA private keys are generated in a physically secure environment within cryptographic modules that are validated to FIPS 140-2 Level-3. CA Certificate signing keys are only used within this secure environment. Access to the modules within the QuoVadis environment, including the private keys, is restricted by the use of token/smart cards and associated pass phrases. These smartcards and pass phrases are allocated among multiple members of the QuoVadis management team. Such allocation ensures that no one member of the team holds total control over any component of the system. The hardware security modules are always stored in a physically secure environment and are subject to security controls throughout their lifecycle.

6.1.2 Private Key Delivery To Certificate Holder

Currently QuoVadis generates and uses at least the following key sizes, signature algorithms and hash algorithms for signing Certificates, CRLs and certificate status server responses:

- 2048-bit RSA Key or 384-bit ECDSA key
- SHA-256 digest algorithm

6.1.6 Public Key Parameters Generation And Quality Checking

For Certificate Holders, the quality of parameters used to create Public Keys are determined by the relevant Registration Authority application or by the Certificate Holder's client application.

For QuoVadis, its Issuing CAs and Registration Authorities, all hard0.002 ethges5u6 (e a)16 (ng4 (soc

6.2.4 Private Key Backup

All Issuing CA Keys are held in secure cryptographic devices and are equally secured whenever stored outside the FIPS- boundary of the secure cryptographic device, never appearing in plaintext. Issuing CA Private Keys are stored in an encrypted state (using an encryption key to create a “cryptographic wrapper” around the key). Access is only by N- of-M control discussed above in Section 6.2.2. They are backed up under further encryption and maintained on-site and in secure off-site storage.

Certificate Holders may choose to backup their Private Keys by backing up their hard drive or the encrypted file containing their Keys.

6.2.5 Private Key Archive

The QuoVadis PKI does not support private key archive for TLS/SSL Certificates. Private Keys used for encryption shall not be archived, unless the Certificate Holder or Registration Authority specifically contracts for such services. Private Key archive is prohibited for QV Advanced+ and QV Qualified Certificates, or for any Private Key whose Key Usage is dedicated to Signing or Authentication.

Where a single Key Pair is generated for Signing and Encryption, the Private Key will only be archived on the specific request of the Certificate Holder and the corporate entity with which that Certificate Holder is affiliated.

> Under no circumstances will Private Keys for Swiss or European Qualified Dffs

Holder, QuoVadis operates the QSCD in accordance with Annex II of the eIDAS Regulation.

6.3 Other Aspects Of Key Pair Management

6.3.1 Public Key Archival

Public Keys will be recorded in Digital Certificates that will be archived in the Repository. No separate archive of Public Keys will be maintained.

6.3.2 Certificate Operational Periods And Key Pair Usage Periods

Usage periods for Public Keys and Private Keys shall match the usage periods for the Digital Certificate that binds the Public Key to an Individual, Organisation, or Device. Please see the variable Issuing Certificate Authority 'Valid From' and 'Valid To' fields in the Certificate Profiles outlined in Appendix A.

The maximum validity periods for Digital Certificates issued within the QuoVadis PKI are:

- Root CA Certificate 30 years
- All Issuing CA Certificates 10 – 15 years
- Qualified Certificates 1 to 3 years
  - Business SSL Certificates 825 days
  - EV SSL Certificates 2 years
- All other Digital Certificates Variable
  (But less than the remainder of the appropriate Issuing Certificate Authority Certificate)

6.4 Activation Data

6.4.1 Activation Data Generation And Installation

Two-factor authentication shall be used to protect access to a Private Key. One of these factors is a randomly and automatically generated key that protects the Private Key.

A unique Personal Identification Code may be generated by a Registration Authority during Key Pair creation, to protect the transport of the Keys and Digital Certificates to the Certificate Holder.

QuoVadis Certification Authority Officers are also required to use strong passwords to further prevent unauthorised access to CA systems.

6.4.2 Activation Data Protection

If activation data must be transmitted, it shall be via a channel of appropriate protection, and distinct in time and place from the associated Cryptographic Module. Personal Identification Codes may be supplied to Users in two portions using different delivery methods, for example by e-mail and by standard post, to provide increased security against third-party interception of the Personal Identification Code. Activation Data should be memorised, not written down. Activation Data must never be shared. Activation data must not consist solely of information that could be easily guessed, e.g., a Certificate Holder's personal information.

6.4.3 Other Aspects Of Activation Data

Where a Personal Identification Code is used, the User is required to enter the Personau0 (a.ofn)10 (f

The QuoVadis Chief Security Officer periodically verifies the integrity of the Certificate Authority software and monitors the configuration of the Certificate Authority systems.

6.7 Network Security Controls

All access to Issuing CA equipment via a network is protected by network firewalls and filtering routers. Firewalls and filtering routers used for Issuing CA equipment limits services to and from the Issuing CA equipment to those required to perform Issuing CA functions.

Any and all unused network ports and services are turned off to ensure that Issuing CA equipment is protected against known network attacks. Any network software present on the Issuing CA equipment is software required for the functioning of the Issuing CA application. All Root CA equipment is maintained and operated in stand-alone, off-line configurations.

6.8 Time-Stamping

The QuoVadis Time-stamping Authority uses PKI and trusted time sources to provide reliable standards-based time- stamps. The QuoVadis Time-stamp Policy defines the operational and management practices of the QuoVadis Time- stamp Authority such that Participants and Relying Parties may evaluate their confidence in the operation of the time- stamping services.

The QuoVadis Time-stamp Policy aims to deliver time-stamping services used in support of Qualified Electronic Signatures, as well as under applicable Swiss and Bermuda law and regulations. However, QuoVadis Time-stamps may be equally applied to any application requiring proof that a datum existed before a particular time.

The structure and content of the QuoVadis Time-stamp Policy is in accordance with ETSI EN 319 421, Electronic Signatures and Infrastructures (ESI); Policy and Security Requirements for Trust Service Providers issuing Time- Stamps. The QuoVadis Time-

7 Certificate, CRL, And OCSP Profiles For Certificates Which Do Not Include Server Authentication Key Use

7.1 Certificate Profile

All QuoVadis Digital Certificates conform to Digital Certificate and Certificate Revocation List profiles as described in RFC 5280 and utilise the ITU-T X.509 version 3 Digital Certificate standard.

The table below describes the basic fields that may be included in QuoVadis Digital Certificates. Refer to APPENDIX A for additional Certificate contents that are specific to

Valid From	The date on which the Certificate validity period begins (MM/DD/YYYY HH:MM

Fields	Content	Demarcation
Extensions		
Authority Key Identifier	Provides a means of identifying the Public Key corresponding to the Private Key used to sign a Certificate. This field contains the Subject Key Identifier of the issuer's Certificate.	Fixed
Subject Key Identifier	Provides a means of identifying Certificates that contain a particular Public Key. This field contains the ID of the Certificate Holder's key.	Fixed

Extended Key Usage (EKU)	This extension indicates one or more purposes for which the certified Public Key may be used, in addition to or in place of the basic purposes indicated in the key usage extension. The main EKUs used by QuoVadis include: • smartcardlogon • clientAuth • emailProtection The EKU in QuoVadis Digital Certificates is dependent on the QuoVadis Certificate Class and the Key Usage. Refer to Appendix A.	Fixed
CRL Distribution Points	Identifies how CRL information is obtained. The following URL is included in QuoVadis Certificates: http://crl.quovadisglobal.com/<caname>.crl (where <caname> is the short name of the relevant CA)	Fixed
Authority Information Access	Indicates how to access information and services for the issuer of 25.1.914 0.933972 677.52 1m(i)6 (s)Q157 (s)0[illegible] 06.12 06.12 06.69 rg/T	

7.1.5 Name Constraints

Effective August 16, 2017, QuoVadis no longer accepts new external entities who wish to operate their own TLS/SSL CAs as subordinate CAs under a QuoVadis root.

Legacy external TLS/SSL root signings are either Technically Constrained or publicly disclosed and audited. Technically Constrained CA certificates include an Extended Key Usage (EKU) extension specifying all extended key usages that the Subordinate CA Certificate is authorised to issue certificates for including the id-kp-serverAuth extended key usage and include the Name Constraints X.509v3 extension with constraints on dNSName, iPAddress and DirectoryNames.

Effective 22nd June 2017, new Subordi10 (on Qk)2 (u)10 ((nd J)14 (un)10 H1tpf64 (3 ex)1( )]TJ-0.2u0

7.2.1 Version Number

Issuing CAs within the QuoVadis PKI issue X.509 version 2 Certificate Revocation Lists.

7.2.2 Certificate Revocation List And Certificate Revocation List Entry Extensions

All User PKI software must correctly process all Certificate Revocation List extensions identified in the Digital Certificate and Certificate Revocation List profile.

7.3 Online Certificate Status Protocol Profile

Online Certificate Status Protocol is enabled for all Digital Certificates within the QuoVadis PKI.

7.3.1 Online Certificate Status Protocol Version Numbers

Version 1 of the Online Certificate Status Protocol, as defined by RFC2560, is supported within the QuoVadis PKI.

7.3.2 Online Certificate Status Protocol Extensions

No Stipulation.

7.4 Lightweight Directory Access Protocol Profile

QuoVadis will host a repository in the form of a Lightweight Directory Access Protocol directory for the purpose of (i) storing and making available all X.509 v. 3 Digital Certificates issued under the QuoVadis PKI, (ii) facilitating public access to download these Digital Certificates for Certificate Holder and relying party requirements, and (iii) receiving (from the QuoVadis PKI), storing and making publicly available, regularly updated Certificate Revocation List v. 2 information, for the purpose of Digital Certificate validation.

7.5 Digital Certificate Fields and Root CA Certificate Hashes

7.5.1 Digital Certificate Fields



7.5.2 QuoVadis Root Certificate Hashes

Note that all QuoVadis CA Certificates and CRLs are available for download from the QuoVadis Repository at https://www.quovadisglobal.com/QVRepository/DownloadRootsAndCRL.aspx.

7.5.2.1 QuoVadis Root CA Certificate Hashes

Field	Certificate Profile
Serial Number	3ab6508b
Signature Block	Signature matches Public Key Root Certificate: Subject matches Issuer Key Id Hash (sha1): 86 26 cb 1b c5 54 b3 9f bd 6b ed 63 7f b9 89 a9 80 f1 f4 8a Subject Key Id (precomputed): 8b 4b 6d ed d3 29 b9 06 19 ec 39 39 a9 f0 97 84 6a cb ef df Cert Hash(sha1): de 3f 40 bd 50 93 d3 9b 6c 60 f6 da bc 07 62 01 00 89 76 c9

7.5.2.2 QuoVadis Root CA 1 G3 Certificate Hashes

Field	Certificate Profile
Serial Number	78 58 5f 2e ad 2c 19 4b e3 37 07 35 34 13 28 b5 96 d4 65 93
Signature Block	Signature matches Public Key Root Certificate: Subject matches Issuer Key Id Hash (sha1): 92 ae ef 0e 89 02 ee 6d 79 68 d1 a1 0e 75 60 01 fa e4 eb fc Subject Key Id (precomputed): a3 97 d6 f3 5e a2 10 e1 ab 45 9f 3c 17 64 3c ee 01 70 9c cc Cert Hash(sha1): 1b 8e ea 57 96 29 1a c9 39 ea b8 0a 81 1a 73 73 c0 93 79 67

7.5.2.3 QuoVadis Root CA 3 Certificate Hashes

Field	Certificate Profile
Serial Number	05c6
Signature Block	Signature matches Public Key Root Certificate: Subject matches Issuer Key Id Hash(sha1): 14 8d b3 54 ed 9b 2f 13 08 7c c3 8b 4b c1 5b 96 8a c5 53 78 Subject Key Id (precomputed): f2 c0 13 e0 82 43 3e fb ee 2f 67 32 96 35 5c db b8 cb 02 d0 Cert Hash(sha1): 1f 49 14 f7 d8 74 95 1d dd ae 02 c0 be fd 3a 2d 82 75 51 85

8 Compliance Audit and Other Assessments

8.1 Frequency, Circumstance And Standards Of Assessment

8.1.1 QuoVadis Certification Authority

QuoVadis CAs following this CP/CPS are subject to audits in respect of its various accreditations and certifications as follows:

Standards / Law
Bermuda Accredited

https://www.quovadisglobal.com/accreditations.aspx. Compliance audits as carried out under these provisions may substitute for audits noted in this CP/CPS.

8.1.2 Issuing Certification Authorities

Issuing CAs should be audited in accordance with the accreditations listed above. These audits shall include the review of all relevant documents maintained by the Issuing CA regarding operations within the QuoVadis PKI and under this QuoVadis CP/CPS, and other related operational policies and procedures.

8.1.3 Registration Authorities

Selected Registration Authorities within the QuoVadis PKI are subject to annual compliance reviews performed by or on behalf of QuoVadis in order to determine compliance by those entities with their operational requirements within the QuoVadis PKI. The obligations of Issuing CAs and Registration Authorities within the QuoVadis PKI is established by contract between those entities.

8.2 Identity And Qualifications Of Assessor

The audit services described in Section 8.1.1 are to be performed by independent, recognised, credible, and established audit firms or information technology consulting firms; provided they are qualified to perform and are experienced in performing information security audits, specifically having significant experience with PKI and cryptographic technologies. The Bermuda Certificate Service Provider and WebTrust audits have been carried out by Ernst & Young. The accreditation audits for Swiss and European signature requirements have been performed by KPMG AG and BSI.

8.3 Assessor’s Relationship To Assessed Entity

The auditor and the Issuing CA under audit, must not have any other relationship that would impair the auditor’s independence and objectivity under Generally Accepted Auditing Standards. These relationships include financial, legal, social or other relationships that could result in a conflict of interest.

8.4 Topics Covered By Assessment

The topics covered by an audit of an Issuing CA will include but may not be limited to:

- Security Policy and Planning;
- Physical Security;
- Technology Evaluation;
- Services Administration;
- Personnel Vetting;

- Contracts; and
- Privacy Considerations.

8.5 Actions Taken As A Result Of Deficiency

Actions taken as the result of deficiency will be determined by the nature and extent of the deficiency identified. Any determination will be made by QuoVadis with input from the Auditors. QuoVadis at its sole discretion will determine an appropriate course of action and time frame to rectify the deficiency.

For Qualified Certificates, in accordance with the Swiss Digital Signature law, the course of action and time frame for rectification of any deficiency as set by the accrediting authority Metas-SAS must be followed.

For Qualified Certificates, in accordance with the eIDAS Regulation, the course of action and time frame for rectification of any deficiency as set by the Conformity Assessment Body must be followed.

8.5.1 Issuing Certification Authorities

If irregularities are found, the Issuing CA in question must submit a report to the QuoVadis Root CA detailing actions the Issuing CA will take in response to the irregularity.

Where the Issuing CA fails to take appropriate action in response to an irregularity, the QuoVadis Root CA may (i) indicate the irregularities, but allow the Issuing CA to continue operations for a limited period of time; (ii) allow the Issuing CA to continue operations for a maximum of thirty (30) days pending correction of any problems prior to revocation of that Issuing CA’s Issuing Certificate; (iii) limit the class of any Digital Certificates issued by the Issuing CA; or (iv) revoke the Issuing CA's Issuing Certificate. Any decision regarding which of these actions to take will be based on the severity of the irregularities. Any remedy may include permanent or temporary cessation of the Issuing CA’s services, but all relevant factors must be considered prior to making a decision. A special audit may be required to confirm the implementation and effectiveness of any remedy.

In circumstances where any irregularities are found with respect to QuoVadis, in its capacity as an Issuing CA, the principles enunciated above will be followed by the QuoVadis Root CA.

8.5.2 Registration Authorities

If irregularities are found, the QuoVadis Root CA, or if applicable the Issuing CA, will address the issues raised with the relevant entity. Any action to be taken will be

determined by QuoVadis by reference to its determination as to the severity or materiality of the irregularity. In the event that QuoVadis determines that remedial action is required, the relevant entity will be advised by QuoVadis as to the procedures and action required to remedy the irregularity. Remedial action determined by QuoVadis shall be limited to the operations and procedures required to be taken in order to ensure that the Registration Authority operates in compliance with the QuoVadis CP/CPS. In the event that QuoVadis determines that remedial action is required, and such action is not taken in accordance with QuoVadis' determination, QuoVadis may (i) allow the Nominating Issuing CA to continue operations for a further period of time whilst the irregularities are addressed; (ii) allow the Nominating CA and its Registration Authority to continue operations for a maximum of thirty (30) days pending full implementation of the actione ti(i)6 ()2 (athr)2 (r)7 (e)10 (m)-3 (10 (n (ti(io)10 (n/(e)1a92 (i)6 (on(en)10 w)15.ec)4 (t)2 (y
i daysrdhg ammodar i0 0 -1.116 (og)10 he ac(n or)7 (d)9 (e)10TJT*[(nothor)7 (i)6 rdang be batt r ent th

9 OTHER BUSINESS AND LEGAL MATTERS

9.1 Fees

Issuing CAs and Registration Authorities within the QuoVadis PKI will make available all applicable fees upon request. Fees for Digital Certificate issuance vary widely based upon volumes and Digital Certificate types. Annual Fees for Qualified Certificate Holder Certificates issued to individual public applicants are €100.00 (Euro)

9.1.1 Certificate Issuance Or Renewal Fees

Fees may be payable with respect to the issuance or re-issuance of Digital Certificates - details of which are contained within the relevant contractual documentation governing the issuance or re-issuance of such Digital Certificates.

9.1.2 Certificate Access Fees

Fees may be payable with respect to access to the QuoVadis X.500 Directory services

--

9.2.4 Fiduciary Relationships

QuoVadis is not the agent, fiduciary or other representative of any Certificate Holder and/or Relying Party and must not be represented by the Certificate Holder and/or Relying Party to be so. Certificate Holders and/or Relying Parties have no authority to bind QuoVadis by contract or otherwise, to any obligation.

Participation in the QuoVadis PKI does not make any participant an agent, fiduciary, trustee, or other representative of any entity, legal or otherwise. Nothing contained in this QuoVadis CP/CPS or in any corresponding Certificate Holder or Relying Party Agreement shall be deemed to constitute QuoVadis, QuoVadis PKI Participants or any of their agents, directors, employees, consultants, suppliers, contractors, partners or Counterparties a fiduciary, endorser, promoter, agent, partner, representative, or Counterparty of any entity, and the use of or reliance upon Digital Certificates or other forms of participation within the QuoVadis PKI is to be construed accordingly.

9.3 Confidentiality Of Business Information

9.3.1 Scope Of Confidential Information

Any personal or corporate information held by Issuing CAs related to a Certificate Holder's application and the issuance of Digital Certificates is considered confidential and will not be released without the prior consent of the relevant Holder, unless required otherwise by law or to fulfil the requirements of this QuoVadis CP/CPS.

There is no requirement to place a copy of any Private Key with any backup/recovery or escrow service. Under contract between an Issuing CA and a Certificate Holder or the Certificate Holder's Nominating Registration Authority, a copy of an entity's encryption Keys may be archived by QuoVadis for possible retrieval of encrypted information upon the loss or corruption of the original encryption Keys.

9.3.2 Information Not Within The Scope Of Confidential Information

Information appearing in Digital Certificates or stored in the Repository is not considered confidential, unless statutes or special agreements so dictate.

9.3.3 Responsibility To Protect Confidential Information

QuoVadis, Issuing CAs, Registration Authorities, Certificate Holders, Relying Parties and all others are responsible for protecting Confidential Business Information in their possession, custody or control.

9.4 Privacy Of Personal Information

9.4.1 Privacy Plan

QuoVadis, Issuing CAs, Registration Authorities, Certificate Holders, Relying Parties and all others using or accessing any personal data in connection with matters dealt with this CP/CPS shall comply with the Council Directive 95/46/EC of the European Parliament and of the Council of 24 October 1995 on the protection of individuals with

9.6

business and solely in accordance with the Certificate Holder Agreement; and

- Other Certificates: use the Certificate in accordance with all applicable laws, solely in accordance with the Certificate Holder Agreement and as may be reasonably used for its intended purpose.

- Reporting and Revocation Upon Compromise: An obligation and warranty to promptly cease using a Certificate and its associated Private Key, and promptly request that QuoVadis revoke the Certificate, in the event that: (a) any information in the Certificate is or becomes incorrect or inaccurate, or (b) there is any actual or suspected misuse or compromise of the Certificate Holder's Private Key associated with the Public Key listed in the Certificate; andthe Ced6(e)105MC /LBody <</M

- They will collect enough information about a Digital Certificate and its Corresponding Holder to make an informed decision as to the extent to which they can rely on the Digital Certificate.
- That they are solely responsible for making the decision to rely on a Digital Certificate.
- That they shall bear the legal consequences of any failure to perform Relying Party obligations under the terms of this CP/CPS and the Relying Party agreement.

9.6.5 Representations And Warranties Of Other Participants

Participants within the QuoVadis PKI represent and warrant that they accept and will perform any and all duties and obligations as specified by this CP/CPS.

9.7 Disclaimers Of Warranties

To the extent permitted by applicable law, this CP/CPS, the Certificate Holder Agreement, the Relying Party Agreement, the Issuing CA Agreement, the Registration Authority Agreement and any other contractual documentation applicable within the QuoVadis PKI shall disclaim QuoVadis' possible warranties, including any warranty of merchantability or fitness for a particular purpose.

To the extent permitted by applicable law, QuoVadis makes no express or implied representations or warranties pursuant to this CP/CPS. QuoVadis expressly disclaims

QuoVadis has the obligation to prove that such procedures were followed in accordance with ZertES.

QuoVadis cannot disclaim liability to either the Certificate Holder or Relying Party except where the Certificate Holder or Relying Party has not complied with the terms and conditions of use of the Certificate.

9.8.3.1 Certificate Loss Limits

- Without prejudice to any other provision of this Section 9, QuoVadis' liability for breach of its obligations pursuant to this QuoVadis CP/CPS shall, absent fraud or wilful misconduct on the part of QuoVadis, be subject to a monetary limit determined by the type of Digital Certificate held by the claiming party and shall be limited absolutely to the monetary amounts set out below.

Loss Limits/ Reliance Limits	Maximum per Certificate

- periodically testing local and offsite backups to ensure that the information is retrievable in the event of a failure;
- periodically reviewing its Contingency & Disaster Recovery Plan, including the identification, analysis, evaluation and prioritisation of risks; and
- periodically testing uninterrupted power supplies.

9.8.5 Claims Against QuoVadis Liability

9.8.5.1 Notification Period

QuoVadis shall have no obligation pursuant to any claim for breach of its obligations hereunder unless the claiming party gives notice to QuoVadis within ninety (90) days after the claiming party knew or ought reasonably to have known of a claim, and in no event more than three years after the expiration of the Digital Certificate held by the claiming party.

9.8.5.2 Mitigating Acts And Disclosure Of Supporting Information

As a precondition to QuoVadis' payment of any claim under the terms of this QuoVadis CP/CPS, a claiming party shall do and perform, or causaf1ausaeleri0.00 28.rmacd fausad pC tf i

9.10 Term And Termination

9.10.1 Term

This CP/CPS becomes effective upon publication in the QuoVadis Repository. Amendments to this CP/CPS become effective upon publication in the QuoVadis Repository.

9.10.2 Termination

This CP/CPS shall remain in force until it is amended or replaced by a new version.

9.10.3 Effect Of Termination And Survival

The provisions of this QuoVadis CP/CPS shall survive the termination or withdrawal of a Certificate Holder or Relying Party from the QuoVadis PKI with respect to all actions based upon the use of or reliance upon a Digital Certificate or other participation within the QuoVadis PKI. Any such termination or withdrawal shall not act so as to prejudice or affect any right of action or remedy that may have accrued to any person up to and including the date of withdrawal or termination.

9.11 Individual Notices And Communications With Participants

Electronic mail, postal mail, fax, and web pages will all be valid means for QuoVadis to provide any of the notices required by this QuoVadis CP/CPS, unless specifically provided otherwise. Electronic mail, postal mail, and fax will all be valid means of providing any notice required pursuant to this QuoVadis CP/CPS to QuoVadis unless specifically provided otherwise (for example in respect of revocation procedures).

9.12 Amendments

9.12.1 Procedure For Amendment

Amendments to this CP/CPS are made and approved by the QuoVadis Policy Management Authority. Amendments shall be in the form of an Amended CP/CPS or a replacement CP/CPS. Updated versions of this CP/CPS supersede and designated or conflicting provisions of the referenced version of the CP/CPS.

There are two possible types of policy change:

- the issue of a new CP/CPS; or
- a change to or alteration of a policy stated in an existing CP/CPS.

9.13 Dispute Resolution Provisions

Complaints can be communicated to QuoVadis via the QuoVadis website using the

shall be cumulative and shall be in addition to every other right or remedy given hereunder or now or hereafter existing in law or in equity or by statute or otherwise.

10 APPENDIX A

10.1 Digital Certificate Profiles

Within the QuoVadis PKI an Issuing CA can only issue Digital Certificates with approved Digital Certificate Profiles. All Digital Certificate Profiles within the QuoVadis PKI are detailed below.

Procedures for Certificate Holder registration as well as descriptions of fields are described below for each type of Digital Certificate issued. Additionally, specific Certificate Policies and QuoVadis' _liability arrangements that are not described in this CP/CPS may be drawn up under contract for individual Subscribers.

10.1.1 QuoVadis Certificate Class

QuoVadis Certificate Class	Description	QuoVadis / ETSI Certificate Policy OID	Assurance Level	Requires token?
QV Standard				

QV Qualified	QuoVadis Qualified Certificate on a Qualified Signature Creation Device (QSCD), where the device is managed by a QTSP.	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.400 ETSI policy identifier OIDs: 0.4.0.194112.1.2 (QCP-n-qscd) 0.4.0.194112.1.3 (QCP-l-qscd)	High	Yes Adobe AATL Approved
	QuoVadis Qualified Certificate on a Qualified Signature Creation Device (QSCD), where the device is managed by a QTSP.	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.410	High	Yes
	Relevant to the Policy in ETSI EN 319 411-2 for: EU qualified certificates issued to a natural person (QCP-n- -- -n -			

10.2 QV Standard

Purpose
Standard Digital Certificates provide flexibility for a range of uses appropriate to their reliance value including S/MIME, electronic signatures, authentication, and encryption.

Registration Process
Validation procedures for QuoVadis Standard Digital Certificates collect either direct evidence or an attestation from an appropriate and authorised source, of the identity (such as name and organisational affiliation) and other specific attributes of the Certificate Holder.

Fields	Content		Demarcation
Subject			
Email Address (E)	aaa@bbb.xx.yy or aaa@bbb.com		Holder Variable
Common Name (CN)	Common Name		Holder Variable
givenName (natural person certs)	givenName (natural person certs)	Can use Pseudonym instead of givenName and surname	Holder Variable
Surname (natural person certs)	Surname (natural person certs)		Holder Variable
Organisational Unit (OU)	Variable Data		Holder Variable
Organisation (O)	Organisation legal name		Natural Person Certs: Optional Legal Person
OrganisationIdentifier	Holds an identification of an organisation different from the organisation name.		
Country/Locality	Variable Data		Holder Variable
Subject Public Key Information	RSA (2048-bit2048-bit) / System Generated		Fixed
Extensions			
Subject Alternative Name			

10.3 QV Advanced

Purpose

QV Advanced Digital Certificates provide reliable vetting of the holder's identity and may be used for a broad range of applications including digital signatures, encryption, and authentication.

Registration Process

Validation procedures for QuoVadis Advanced Digital Certificates are based on the Normalised Certificate Policy (NCP) described in ETSI EN 319 411-1.

Unless the Certificate Holder has already been identified by the RA through a face-to-face identification meeting, accepted Know Your Customer (KYC) standards or a contractual relationship with the RA, validation requirements for a Certificate Holder shall include the following:

Fields	Content	Demarcation
Subject		
Email Address (E)		

10.4 QV Advanced +

Purpose

QuoVadis Advanced+ Digital Certificates are used for the same purposes as QuoVadis Advanced Digital Certificates, with the only difference being that they are issued on a Secure Cryptographic Device. The QuoVadis Advanced+ Certificate Class is trusted in the Adobe Approved Trust List (AATL).

Swiss Regulated Certificates issued under the Swiss Federal signature law (ZertES) are included in the QuoVadis Advanced+ certificate class. These certificates are issued out of the “QuoVadis Swiss Regulated CA G1” and have the notice text “regulated certificate” in the CertificatePolicies user notice. Swiss Regulated Certificates can be issued to natural and legal persons.

Registration Process

Adobe OIDs	Note these Adobe OIDs are only relevant for signing Certificates.	
Adobe Time Stamp (OID = 1.2.840.113583.1.1.9.1)	http://tsa01.quovadisglobal.com/TSS/HttpTspServer	Fixed
Adobe Archive RevInfo (OID = 1.2.840.113583.1.1.9.2)	This relates to OCSP revocation checking within Adobe products for long term validation purposes.	Fixed

10.4.1 ElDI-V/GeBüV Certificates

The procedure below assumes an application by a company or organisation on behalf of its employees or devices for Digital Certificates.

Purpose
The ElDI-V/GeBüV Certificate is issued to organisations (companies, municipalities, etc.) and issued primarily to digitally sign electronic invoices. The Certificates may also be used for commercial purposes (such as legally-

Key Usage	Non Repudiation	
Certificate Policies	OID = 1.3.6.1.4.1.8024.0.1.0.0.1 (This is the QuoVadis ElDI-V OID)	Fixed
Policy Qualifier User Notice	Gestuetzt auf Art. 2 Abs. 2 ElDI-V; en vertu de l’art	

presence. Only a valid passport or national ID is accepted as evidence. Storage of personal data is in accordance with ZertES.

Evidence shall be provided of:

- Full name (including surname and given names consistent with applicable law and national identification practices); and
- Date and place of birth, reference to a nationally recognized identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.

If the Certificate Holder is identified in association with an organisational entity, additional evidence shall be provided of:

- Full name and legal status of the associated organisational entity;
- Any relevant existing registration information (e.g. company registration) of the organisational entity;
- Authorisation from an authorised Organisation representative; and
- Evidence that the Certificate Holder is associated with the organisational entity.

Private Keys for SuisseID IAC Certificates are generated and stored on a Hardware Security Module that meets FIPS PUB 140-2, level 3 or EAL 4 standards. This Hardware Security Module is located in a QuoVadis data centre. Access by the Certificate Holder to the keys is protected using multifactor authentication aimed to achieve the same level of assurance of sole control as achieved by a stand-alone QSCD.

QuoVadis SuisseID IAC Certificates have a maximum validity of three years.

Fields	Content	Demarcation
Signature Algorithm	sha256RSA	
Subject		
Common Name (CN)	First Name - Last Name (Authentication)	Holder Variable

Extensions		
Key Usage (Critical)	DigitalSignature	Fixed
Certificate Policies		
CertPolicyID (SuisseID)	2.16.756.5.26.1.1.2	Fixed
User Notice	SuisseID identity and authentication certificate	Fixed
CertPolicyID (QuoVadis Certificate Class)	1.3.6.1.4.1.8024.1.300	Fixed
URL	https://www.quovadisglobal.com/repository	Fixed
Subject Alternative Name		
RFC822 email address	RFC822 email address (same as subject email address)	Holder Variable
Microsoft UPN	MUST be in the format: <SuisseID Number>@upn.suisseid.ch	Holder Variable

If the Certificate Holder is a physical person who is identified in association with an organisational entity, additional evidence shall be provided of:

- Full name and legal status of the associated organisational entity;
- Any relevant existing registration information (e.g. company registration) of the organisational entity; and
- Evidence that the Certificate Holder is associated with the organisational entity.

These Digital Certificates require a Qualified Signature Creation Device (QSCD) that meets the requirements laid down in annex II of Regulation (EU) N° 910/2014.

Fields	Content	Demarcation
Subject		
CommonName (CN)	CommonName	Required
givenName (G)		

Certificate Policies	1.3.6.1.4.1.8024.1.400 or 1.3.6.1.4.1.8024.1.410 (Cert Class: QV Qualified QSCD) https://www.quovadisglobal.com/repository	Fixed

10.5.3

	• hyphen-minus "-" (0x2D (ASCII), U+002D (UTF-8)); and • 2-8 character NCA identifier (A-Z uppercase only, no separator) • hyphen-minus "-" (0x2D (ASCII), U+002D (UTF-8)); and • PSP identifier (authorisation number as specified by the NCA).	
Organisation Unit (OU)	Organisation Unit Name	Optional
Locality	Locality	Optional
State / Province (ST)	State or Province	Optional
Country (C)	Country	

id-etsi-

e NCA,

10.6 authorisauthorisauthorisauthorisauthorisQV Qualified – SuisseID

Common Name (CN)	First Name

escrow is forbidden for all Grid Digital Certificates. Revocation requests must be properly authenticated before they are accepted. Revocation requests can be made by end entities, Registration Authorities and QuoVadis. Others can also request revocation if they can sufficiently prove compromise of the associated Private Key. Subscribers must request revocation as soon as possible. This should be within one working day after detection of loss or compromise of the Private Key pertaining to the Digital Certificate, or if the data in the Digital Certificate is no longer valid. Proxy Certificates will be supported in relation to Grid Digital Certificate. A Grid Digital Certificate must be revoked if a related Proxy Certificate is compromised in any way. The maximum Certificate Revocation List lifetime for Grid Digital Certificates is 30 days.

Grid Certificate Re-Keying can only take place if the Certificate Holder is already in possession of a valid Grid Certificate and uses this Certificate to submit the Re-Key request. Certificates can only be Re-Keyed for up to a maximum of 3 years, after which period the Certificate Holder is required to apply for a new Certificate. If the Certificate Holder has lost their Private Key, or if their existing Certificate has expired, they will need to apply for new Certificate.

10.7.1.1 Grid End User Certificate

Purpose
Grid technology provides the software infrastructure for sharing of computing resources across various domains. The purpose of a Grid End User Certificate is to help the Certificate Holder to access the Grid services that require Certificate-based authentication.
Registration Process
The identity vetting of all Applicants must be performed by an approved Registration Authority (RA). Face to face registration is required at the RA or alternatively the Applicants can have their identity vetted at a post office providing an approved identity vetting service. The Applicant must present a valid photo ID and/or valid official documents in accordance with formally documented RA procedures. The RA is responsible for recording, at the time of validation, sufficient information regarding the Applicant to identify the Applicant. The RA is responsible for maintaining documented evidence on retaining the same identity over time. The Digital Certificate request submitted for certification must be bound to the act of identity vetting.
Digital Certificate Delivery
All successful Grid End User Certificate requests will be processed by the QuoVadis Grid Issuing CA. QuoVadis will not generate the Private Keys for Grid End User Certificates.

Common Name (CN)	QuoVadis Grid ICA / QuoVadis Grid ICA G2

Country (C)	Country	Holder Variable
Subject Public Key Information	RSA (2048-bit) / System Generated	Fixed
Extensions		
Key Usage (Critical)	Digital Signature Key Encipherment Data Encipherment	Fixed

10.8 QuoVadis Device

	= 1.3.6.1.4.1.8024.0.3.100.1.1 (if chains to QV Root 3) If the Code Signing EKU is present: = 2.23.140.1.2.3
Certificate Transparency (optional)	(1.3.6.1.4.1.11129.2.4.4) If the Server Authentication EKU is present, this field MAY include two or more Certificate Transparency proofs from approved CT Logs.

11 APPENDIX B

11.1 Business SSL

Field	Value
Version	V3
Serial Number	Unique number
Issuer Signature Algorithm	sha256RSA (1.2.840.113549.1.1.11)

Client Authentication (1.3.6.1.5.5.7.3.2)

Step 5: QuoVadis obtains and documents further explanation or clarification as necessary to resolve discrepancies or details requiring further explanation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the Certificate Request and notify the Applicant accordingly. Two QuoVadis Validation Specialists must approve issuance of the Certificate.

Step 6: QuoVadis creates the Business SSL Certificate.

Step 7: The Business SSL Certificate is delivered to the Applicant.

Renewal

Renewal requirements and procedures include verification that the Applicant continues to have authority to use the domain name, and that the Certificate Application is approved by an authorised representative of the Applicant.

11.2 Code Signing

Field	Value	Comments
Version	V3	
Serial Number	Unique number	
Issuer Signature Algorithm	sha256RSA (1.2.840.113549.1.1.11)	
Issuer Distinguished Name	Issuer Distinguished Name	
Validity Period	1, 2, or 3 years expressed in UTC format	
Subject Distinguished Name		
Organization Name	subject:organisationName (2.5.4.10)	Required field. The Subject's verified legal name.
Organisation Unit	subject:organisationUnit (2.5.6.5)	Optional field. Must not include a name, DBA, tradename, trademark, address, location, or other text that refers to a specific natural person or Legal Entity unless QuoVadis has verified this information
Common Name	subject:commonName (2.5.4.3)	Required field. The Subject's verified legal name.
State or province (if any)	subject:stateOrProvinceName (2.5.4.8)	Required if the subject:localityName field is absent. Optional if the subject:localityName fields is present.
Locality	subject:locality (2.5.4.6)	Required if the subject:stateOrProvinceName field is absent. Optional if the subject:stateOrProvinceName field is present.
Country		

Prior to issuing a Code Signing Certificate to an Individual Applicant, the QuoVadis:

1. Verifies the Subject's identity using a government photo ID,
2. Verifies the Subject's address using reliable data sources,
3. Obtains a biometric associated with the Subject, such as a fingerprint or notarized handwritten Declaration of Identity,
4. Verifies the Certificate Requester's authority to request a certificate and the authenticity of the Certificate request using a verified method of communication.

A Declaration of Identity is a written document that consists of the following:

1. the identity of the person performing the verification,
2. a signed declaration by the verifying person stating that they verified the identity of the Applicant,
3. a unique identifying number from an identification document of the verifier,
4. a unique identifying number from an identification document of the Applicant,
5. the date and time of the verification, and
6. a declaration of identity by the Applicant that is signed in handwriting in the presence of the person performing the verification.

Application Process

During the Certificate approval process, QuoVadis Validation Specialists employ controls to validate the identity of the Applicant and other information featured in the Certificate Application to ensure compliance with this CP/CPS.

Step 1: The Applicant provides a signed Certificate Application to QuoVadis, which includes identifying information to assist QuoVadis in processing the request and issuing the Certificate, along with a PKCS#10 CSR and billing details.

Step 2: QuoVadis independently verifies information using a variety of sources in accordance with the "Verification Requirements" section above.

Step 3: The Applicant accepts the Certificate Holder Agreement and approves Certificate issuance.

Step 4: All signatures are verified through follow-up procedures or telephone calls.

Step 5: QuoVadis obtains and documents further explanation or clarification as necessary to resolve discrepancies or details requiring further explanation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the Certificate Request and notify the Applicant accordingly. Two QuoVadis Validation Specialists must approve issuance of the Certificate.

Step 6: QuoVadis creates the Code Signing Certificate. Step 7: The Certificate is delivered to the Applicant.

12 APPENDIX C

12.1.1 Definitions and Acronyms

In this QuoVadis CP/CPS the following Key terms and Abbreviations shall have the following meaning in the operation of the QuoVadis PKI unless context otherwise requires:

Advanced Electronic Signature means an electronic signature which meets the requirements set out in Article 26 of the eIDAS Regulation.

Applicant means an Individual or Organisation that has submitted an application for the issue of a Digital Certificate.

Application Software Suppliers mean those developers of Internet browser software or other software that displays or uses certificates and distribute Root Certificates embedded in their software, including but not limited to Apple Inc., Microsoft Corporation, Mozilla Corporation, , Adobe Systems Incorporatedoratfedoratpl28osof

Aa Suppl

Certificate Renewal is when all the identifying information and the Public Key from the old certificate are duplicated in the new certificate, but there is a different (longer) validity period.

Certificate Requester is a natural person who is employed by the Applicant, or an authorised agent who has express authority to represent the Applicant or a third party (such as an ISP or hosting company), and who completes and submits a Certificate Request on behalf of the Applicant.

Certificate Re-issuance is when a Certificate Holder registers for a new certificate, but there is an opportunity to change the identifying information (e.g. new email address, new last name, etc.) or other information (corrected certificate policies, modified key usage, etc.) from what was in the old certificate. The new certificate also has a different Public Key and a different validity period from the old certificate.

Certificate Re-key is when all the identifying information from the old certificate is duplicated in the new certificate, but there is a different Public Key and a different validity period.

Certificate Revocation means the process of removing a Digital Certificate from the management system and indicating that the Key Pair related to that Digital Certificate should no longer be used.

Certificate Revocation List means a list of Digital Certificates signed by the Issuing Certification Authority that have been revoked.

Confirming Person is a natural person who must be a senior officer of the Applicant (e.g., Secretary, President, CEO, CFO, COO, CIO, CSO, Director, etc.) who has express authority to sign the QV Authority Letter on behalf of the Applicant.

Contract Signer is a natural person who is employed by the Applicant and who has express authority to sign Certificate Holder Agreements on behalf of the Applicant.

Counterparty means a person that is known to a Nominating Registration Authority or its respective Subsidiaries or Holding Companies and where the relationship with the

Issuing CA; and (vi) has prescribed Key Usages and Reliance Factor that governs its issuance and use whether expressly included or incorporated by reference to this CP/CPS.

Digital Signature means data appended to, or a cryptographic transmission of, a data unit that allows a recipient of the data to prove the source and integrity of the data unit.

Digital Transmission means the transmission of information in an electronic format.

Device a r3.5c 9.84 0 Td( )Tj0.004 Tc - -0 0C /P <<4 Tc -.84 0fact <<odo[(m)7n an eodo

Private Key means a Key forming part of a Key Pair that is required to be kept secret and known only to the person that holds it.

Public Key means a Key forming part of a Key Pair that can be made public.

Public Key Infrastructure (PKI) means a system for publishing the Public Key values used in public key cryptography. Also a system used in verifying, enrolling, and certifying users of a security application.

Qualified Certificate A Digital Certificate whose primary purpose is to identify a person with a high level of assurance, where the Digital Certificate meets the qualification requirements defined by the applicable legal framework of Regulation (EU) No. 910/2014 on electronic identification and trust services for electronic transactions in the internal market (the “eIDAS Regulation”).

Qualified Certificate for Electronic Signature means a certificate for electronic signatures, that is issued by a qualified trust service provider and meets the requirements laid down in Annex I of Regulation (EU) No 910/2014.

Qualified Electronic Signature means an advanced electronic signature that is created by a qualified electronic signature creation device, and which is based on a qualified certificate for electronic signatures.

Qualified Electronic Signature Creation Device (QSCD) means an electronic signature creation device that meets the requirements laid down in Annex II of Regulation (EU) No 910/2014.

Qualified Trust Service Provider (QTSP) means a trust service provider who provides one or more qualified trust services and is granted the qualified status under regulation EU910/2014 by the supervisory body.

QuoVadis means QuoVadis Limited, a Bermuda exempted compan-3 (e)-5.1 (d E)-40 (nat)2 (ur)7 (e)

Reserved IP Address means an IPv4 or IPv6 address that the IANA has marked as reserved.

Root Certification Authority Certificate means the self-signed Digital Certificate issued to the QuoVadis Root Certification Authority.

Root Certification Authority means QuoVadis as the source Certification Authority being a self-signed Certification Authority that signs Issuing CA Certificates.

Secure Cryptographic Device means device which holds the Certificate Holder's private key, protects this key against compromise and performs signing or decryption functions on behalf of the Certificate Holder.

Secure Signature Creation Device (SSCD) means a secure container specifically designed to carry and protect a digital certificate, which meets the following requirements laid down in annex III of Directive 1999/93/EC:

1. Secure signature-creation devices must, by appropriate technical and procedural means, ensure at the least that:
   a) the signature-creation-data used for signature generation can practically occur only once, and that their secrecy is reasonably assured;
   b) the signature-creation-data used for signature generation cannot, with reasonable assurance, be derived and the signature is protected against forgery using currently available technology;
   c) the signature-creation-data used for signature generation can be reliably protected by the legitimate signatory against the use of others.
2. Secure signature-creation devices must not alter the data to be signed or prevent such data from being presented to the signatory prior to the signature process.

Subordinate CA means a Certification Authority whose Certificate is signed by the Root CA, or another Subordinate CA.

Subscriber means a natural or legal person that has entered a formal contract with QuoVadis for the issuance of Digital Certificates to Certificate Holders. The Subscriber may be responsible for the identity vetting of these Certificate Holders. A Subscriber may also hold a Digital Certificate (but is not required to).

Technically Constrained Subordinate CA Certificate means a Subordinate CA Certificate which uses a combination of Extended Key Usage settings and Name Constraint settings to limit the scope within which the Subordinate CA Certificate may issue Subscriber or additional Subordinate CA Certificates.

Token means a Cryptographic Module consisting of a hardware object (e.g., a “smart card”), often with a memory and microchip.

Utility Certificate means a Digital Certificate issued to a Responsible Person/s to be used in the day-to-day administration of the QuoVadis PKI.

Validation means an online check, by Online Certificate Status Protocol request, or a check of the applicable Certificate Revocation List(s) (in the absence of Online Certificate Status Protocol capability) of the validity of a Digital Certificate and the validity of any Digital Certificate in that Digital Certificate's Certificate Chain for the purpose of confirming that the Digital Certificate is valid at the time of the check (i.e., it is not revoked or expired).

Acronyms

CA	Certificate Authority or Certification Authority
CAA	Certificate Authority Authorisation
CP/CPS	Certificate Policy & Certification Practice Statement
CRL	Certificate Revocation List
CSR	Certificate Signing Request
CT	Certificate Transparency
PMA	QuoVadis Policy Management Authority
eIDAS	Regulation (EU) N°910/2014 on electronic identification and trust services for electronic transactions in the internal market
ETSI	European Telecommunications Standards Initiative
EV	Extended Validation
FIPS	Federal Information Processing Standard
ICANN	Internet Corporation for Assigned Names and Numbers
IETF	Internet Engineering Task Force
ITU	International Telecommunication Union
ERA	Enterprise Registration Authority
LRA	Local Registration Authority
OID	Object Identifier
PKI	Public Key Infrastructure

PKIX	IETF Working Group on Public Key Infrastructure
PKCS	Public Key Cryptography Standard
RA	Registration Authority
SSL	Secure Sockets Layer
TLS	Transaction Layer Security
X.509	The ITU-T standard for Certificates and their corresponding authentication framework