digicert + QuoVadis

QuoVadis Root CA2 Certification Policy/ Certification Practice Statement

OID:	1.3.6.1.4.1.8024.0.2
Effective Date:	June 7, 2019
Version:	2.6

5 Facility, Management, and Operational Controls 36
5.1 Physical Controls 36
5.1.1 Site Location and Construction 36
5.1.2 Physical Access 36
5.1.3

7.1.1 Version Numbers 52
7.1.2 Certificate Extensions 52
7.1.3 Algorithm Object Identifiers 52
7.1.4 Name Forms 52
7.1.5 Name Constraints 52
7.1.6 Certificate Policy Object Identifier 52
7.1.7 Usage Of Policy Constraints Extension 53
7.1.8 Policy Qualifiers Syntax And Semantics 53
7.1.9 Processing Semantics For The Critical Certificate Policies Extension 53
7.2 CRL Profile 53
7.2.1 Version Number 53
7.2.2 CRL And CRL Entry Extensions 53
7.3 Online Certificate Status Protocol Profile 54
7.3.1 Online Certificate Status Protocol Version Numbers 54
7.3.2 Online Certificate Status Protocol Extensions 54
7.4 Certificate Transparency 54
8 Compliance Audit and Other Assessments 55
8.1 Frequency, Circumstance And Standards Of Assessment 55
8.2 Identity And Qualifications Of Assessor 55
8.3 Assessor's Relationship To Assessed Entity 55
8.4 Topics Covered By Assessment 55
8.5 Actions Taken As A Result Of Deficiency 56
8.6 Publication Of Audit Results 56
8.7 Self Audits 56
9 Other Business and Legal Matters 57
9.1 Fees 578.6
9.1.1 Certificate c -1.1 (e l0 (A)111.1 (1.)-1.1 (1)]TJ0 g/TT1.....)Tj(.....1 (e l0 (A)11)-6Tw 1>>BDC 0

9.4.1 Privacy Plan 59
9.4.2 Information Treated As Private 59
9.4.3 Information Deemed Not Private 60
9.4.4 Responsibility To Protect Private Information 60
9.4.5 Notice And Consent To Use Private Information 60
9.4.6 Disclosure Pursuant To Judicial Or Administrative Process 60
9.5 Intellectual Property Rights 60
9.6 Representations And Warranties 61
9.6.1 Certification Authority Representations 61
9.6.2 Third Party LRA Representations and Warranties 61
9.6.3 Certificate Holder Representations And Warranties 62
9.6.4 Relying Parties Representations And Warranties 63
9.6.5 Representations And Warranties Of Other Participants 64
9.7 Disclaimers Of Warranties 64
9.8 QuoVadis Liability 65
9.8.1 Limitations of Liability 65
9.8.2 Exclusions of Liability 66
9.8.3 Certificate Loss Limits 67
9.9 Indemnities 67
9.10 Term And Termination 68
9.10.1 Term 68
9.10.2 Termination 68
9.10.3 Effect Of Termination And Survival 68
9.11 Individual Notices And Communications With Participants 68
9.12 Amendments 69
9.12.1 Procedure For Amendment 69
9.12.2 Notification Mechanism And Period 69
9.12.3 Circumstances Under Which OID Must Be Changed 69
9.13 Dispute Resolution Provisions 69
9.14 Governing Law 70
9.15 Compliance With Applicable Law 70
9.16 Miscellaneous Provisions 70
9.16.1 Entire Agreement 70
9.16.2 Assignment 70
9.16.3 Severability 70
9.16.4 Enforcement (Waiver Of Rights) 70
9.16.5 Force Majeure 71
9.17 Other Provisions .... Span <<

framework with 9 sections that cover practices and procedures for identifying Certificate applicants; issuing and revoking Certificates; and the security controls related to managing the physical, personnel, technical, and operational components of the CA infrastructure. To preserve the outline specified by RFC 3647, some sections will have the statement "Not applicable" or "No Stipulation."

Regulation (EU) No. 910/2014 on electronic identification and trust services for electronic transactions in the internal market (the “eIDAS Regulation”) came into force on 1 July 2016. QuoVadis is listed on the Trusted List for the Netherlands (https://webgate.ec.europa.eu/tl-browser/#/trustmark/NL/NTRNL-30237459) for Qualified certificates for website authentication in accordance with the eIDAS Regulation.

1.2 Document Name And Identification

This document is the QuoVadis Root CA2 CP/CPS which was adopted by the QuoVadis Policy Management Authority (PMA). The Object Identifier (OID) assigned to QuoVadis Root CA2 is 1.3.6.1.4.1.8024.0.2.

The provisions of this CP/CPS, as amended on at least an annual basis, are incorporated by reference into all QuoVadis Certificates that are issued on or after the effective date of publication of this CP/CPS. QuoVadis shall make amendments to this CP/CPS in accordance with Section 9.10.

1.3 PKI Participants

Participants (Participants) within the QuoVadis PKI include:

- Certification Authorities (Root and Issuing);
- Registration Authorities (“RA”) and Local Registration Authorities (“LRA”);
- Certificate Holders including Applicants for Certificates prior to Certificate issuance; and
- Relying Parti-5 (a)-6 (r)1 (t)-4Vooregi fI225iuo87 (ef)00.282 n Tw 12 -0 0 12 72 3408nuoVadis s

1.4 Certificate Usage

1.4.1 Appropriate Certificate Uses

Certificates issued pursuant to this CP/CPS may be used for all legal authentication, encryption, access control, and digital signature purposes, as designated by the key usage and extended key usage fields found within the Certificate.

1.4.2 Prohibited Certificate Usage

QuoVadis Certificates may not be used and no participation is permitted in the QuoVadis PKI (i) in circumstances that breach, contravene, or infringe the rights of others; or (ii) in circumstances that offend, breach, or contravene any applicable law, statute, regulation, order, decree, or judgment of a court of competent jurisdiction or governmental order; or (iii) in connection with fraud, pornography, obscenity, hate, defamation, harassment, or other activity that is contrary to public policy.

No reliance may be placed on Certificates and Certificates may not be used in circumstances (i) where applicable law or regulation prohibits their use; (ii) in breach of this CP/CPS or the relevant Certificate Holder Agreement; (iii) in any circumstances where the use of Certificates could lead to death, injury, or damage to property; or (iv) as otherwise may be prohibited by the terms of issue.

1.5 Policy Administration

1.5.1 Organisation Administering the CP/CPS

This CP/CPS and related agreements and security policy documents referenced within this document are administered by the QuoVadis Policy Management Authority (PMA).

Office Address:
QuoVadis Limited
3rd Floor Washington Mall 7 Reid Street,
Hamilton HM-11 Bermuda

Mailing Address:
QuoVadis Limited Suite 1640
48 Par-La-Ville Road
Hamilton HM-11, Bermuda

e-mail: compliance@quovadisglobal.com

1.5.2 CP/CPS Approval Procedures

Approval of this CP/CPS and any amendments hereto is by the QuoVadis PMA. Amendments may be made by updating this entire document or by addendum. The QuoVadis PMA, at its sole discretion, determines whether changes to this CP/CPS require notice or any change in the OID of a Certificate issued pursuant to this CP/CPS.

1.6 Definitions and Acronyms

Applicant: The Applicant is an entity applying for a Certificate.

Application Software Suppliers: Mean those developers of Internet browser software or other software that displays or uses certificates and distribute Root Certificates embedded in their software, including but not limited to Apple Inc., Microsoft Corporation, Mozilla Corporation, Adobe Systems Incorporated, Oracle Corporation, etc.

Authority Letter: The Authority Letter is a signed by a Confirming Person acting for the Applicant for EV Certificates to establish the authority of individuals to act as the Certificate Holder's agents.

Certificate Approver: A Certificate Approver is a natural person who is employed by the Applicant, or an authorised agent who has express authority to represent the Applicant to: (i) act as a Certificate Requester and to authorise other employees or third parties to act as a Certificate Requesters, and (ii) to approve Certificate Requests submitted by other Certificate Requesters.

Certificate Application: Any of several forms completed by Applicant or QuoVadis and used to process the request for an EV Certificate, including but not limited to agreements signed by Contract Signers and online forms submitted by Certificate Requesters.

Certificate Holder: Means either the Individual to whom an end entity Certificate is issued, referred to as a Registrant in the Trust/Link system or the Individual responsible for requesting, installing and maintaining the trusted system for which an TLS/SSL Certificate has been issued, referred to as a Subscriber in the Trust/Link system.

Certificate Holder Agreement: Is the agreement executed between a Certificate Holder and QuoVadis relating to the provision of designated Certificate-related services that governs the Certificate Holder’s rights and obligations related to the Certificate.

Certificate Requester: A Certificate Requester is a natural person who is employed by the Applicant, or an authorised agent who has express authority to represent the Applicant or a third party (such as an ISP or hosting company), and who completes and submits a Certificate Request on behalf of the Applicant.

Confirming Person: A confirming Person is a natural person who must be a senior officer of the Applicant (e.g., Secretary, President, CEO, CFO, COO, CIO, CSO, Director, etc.) who has express authority to sign the QV Authority Letter on behalf of the Applicant.

Contract Signer: A Contract Signer is a natural person who is employed by the Applicant and who has express authority to sign Certificate Holder Agreements on behalf of the Applicant.

Effective Date: Is the date that the Baseline Requirements v1.0 come into force, which is 1 July 2012.

Internal Server Name: A Server Name (which may or may not include an Unregistered Domain Name) that is not resolvable using the public DNS.

Participants: A Participant is an individual or entity within the QuoVadis PKI and may include: CAs and their Subsidiaries and Holding Companies; Certificate Holders including Applicants; and Relying Parties.

Qualified Certificate: A Digital Certificate whose primary purpose is to identify a person with a high level of assurance, where the Digital Certificate meets the qualification requirements defined by the applicable legal framework of Regulation (EU) No. 910/2014 on electronic identification and trust services for electronic transactions in the internal market (the “eIDAS Regulation”).

Reliable Data Source: An identification document or source of data used to verify Subject Identity Information that is generally recognized among commercial enterprises and governments as reliable, and which was created by a third party for a purpose other than the Applicant obtaining a Certificate.

Relying Party: The Relying Party is an individual or entity that relies upon the information contained within the Certificate.

Relying Party Agreement: The Relying Party Agreement is an agreement which must be read and accepted by a Relying Party prior to validating, relying on or using a Certificate or accessing or using the QuoVadis Repository.

Repository: The Repository refers to the CRL, OCSP, and other directory services provided by QuoVadis containing issued and revoked Certificates.

Required Website Content: Either a Random Value or a Request Token, together with additional information that uniquely identifies the Subscriber, as specified by the CA. A Random Value is specified by QuoVadis and exhibits at least 112 bits of entropy.

Reserved IP Address:exhi tyeservedandoitiy: Ty:bided Wetbid ihi t(c)4 (esr)7 oh0 sie(R)6 tdW[a(R)J id

2 Publication and Repository Responsibilities

2.1 Repositories

The QuoVadis Repository (https://www.quovadisglobal.com/repository) serves as the primary repository for revocation data on issued Certificates. However, copies of QuoVadis directories may be published at such other locations as required for efficient operation of the QuoVadis PKI.

2.2 Publication of Certificate Information

QuoVadis operates and maintains its Repository with resources sufficient to provide a commercially reasonable response time for the number of queries generated by all of the Certificates issued by its CAs.

QuoVadis publishes Certificate Revocation Lists (CRL) and Online Certificate Status Protocol (OCSP) resources to allow Relying Parties to determine the validity of a QuoVadis Certificate. Each CRL contains entries for all revoked un-expired Certificates issued. QuoVadis maintains revocation entries on its CRLs, or makes Certificate status information available via OCSP, until after the expiration date of the revoked Certificate.

To ensure TLS/SSL Certificates function properly throughout their lifecycle, QuoVadis may log TLS/SSL Certificates with a Certificate Transparency database (“CT Log”). CT Log information is publicly accessible. Once submitted, Certificate information cannot be removed from a CT Log.

QuoVadis conforms to the current version of the Baseline Requirements for the Issuance and Management of Publicly- Trusted Certificates (“Baseline Requirements”) published at http://www.cabforum.org. In the event of any inconsistency between this document and those Requirements, those Requirements

3 Identification and Authentication

The identification and authentication procedures used by QuoVadis depend on the class of Certificate being issued. See Appendix B for Certificate Profiles and the relevant verification requirements.

3.1 Naming

3.1.1 Types Of Names

All Certificate Holders require a distingu

3.1.5 Uniqueness Of Names

1. Communicating directly with the Domain Name Registrant via email, fax or postal mail provided by the Domain Name Registrar. Performed in accordance with BR section 3.2.2.4.2 using a Random Value (valid for no more than 30 days from its creation)
2. Communicating directly with the Domain Name Registrant by calling their phone number and obtaining a response confirming the Applicant's request for validation of the FQDN. The phone number used must be the number listed by the Domain Name Registrar. Performed in accordance with BR section 3.2.2.4.3;
3. Communicating with the Domain's administrator using a constructed email address created by pre-pending 'admin', 'administrator', 'webmaster', 'hostmaster', or 'postmaster' to the Authorization Domain Name. Performed in accordance with BR section 3.2.2.4.4;
4. C
Communic -0.012 Tm 0 (d7 57 (0) Tc 5 g rde R 3 .02 Tw 0 .05 21 (0 e) 9 T (ha) (10) 7 4 s s e 0 4 T c

validate the authorized Domain Name. Each phone call can confirm control of multiple authorized Domain Names provided that the same DNS TXT Record Phone Contact phone number is listed for each authorized Domain Name being verified and they provide a confirming response for each authorized Domain Name, performed in accordance with BR Section 3.2.2.4.16.

High Risk Domains

QuoVadis maintains a list of High Risk Domains and has implemented technical

3.2.2.3 Wildcard Domain Validation

Before issuing a certificate with a wildcard character (*) in a CN or subjectAltName of type DNS-ID, QuoVadis programmatically enforces that the wildcard character occurs in the first label position to the left of a “registry-controlled” label or “public suffix”.

3.2.2.4 Data Source Accuracy

Prior to using a data source as a Reliable Data Source, QuoVadis evaluates it for reliability, accuracy, a 3.2 Td[(th)-2 (e)]TJ0 Tc 0 Tw 1.4 0 0 Tw 14.m (ce)10 ( )-yp9i* Tw 00 (da)10 (t)2 (

3.3.2 Identification and Authentication For Re-Key After Revocation

After revocation, a Certificate Holder must submit a new application.

3.4 Identification and Authentication For Revocation Requests

See Section 4.9 for information about Certificate Revocation procedures.

4 Certificate Life-Cycle Operation Requirements

4.1 Certificate Application

The process to apply for QuoVadis Certificates varies by Certificate Policy and is described in Appendix B.

4.2 Certificate Application Processing

4.2.1 Performing Identification And Authentication Functions

During application processing, QuoVadis Validation Specialists employ controls to validate the identity of the Certificate Holder and other information featured in the Certificate Application to ensure compliance with this CP/CPS.

4.2.2 Approval Or Rejection Of Certificate Applications

From time to time, QuoVadis may modify the requirements related to application information requested, based on QuoVadis requirements, business context of the usage of Certificates, or as may be required by law, or changes to the EV Guidelines, Baseline Requirements, or the Code Signing Minimum Requirements.

QuoVadis, in its sole discretion, may refuse to accept an application for a Certificate or for the renewal of a Certificate, and may refuse to issue a Certificate, without incurring any liability for loss or damages arising out of such refusal. QuoVadis reserves the right not to disclose reasons for such a refusal. Applicants whose applications have been rejected may subsequently re-apply.

4.2.3 Time To Process Certificate Applications

QuoVadis makes reasonable efforts to confirm Certificate Application information and issue a Certificate within a reasonable time frame, which is dependent on the Applicant providing the necessary details and documentation in a timely manner. Upon the receipt of the necessary details and documentation, QuoVadis aims to confirm submitted application data and to complete the validation process and issue or reject a Certificate Application within three working days.

From time to time, events outside of the control of QuoVadis may delay the issuance process. However, QuoVadis will make every reasonable effort to meet its issuance times and to make Applicants aware of any factors that may affect issuance times in a timely manner.

- The Certificate Holder fails or refuses to comply, or to promptly correct inaccurate, false or misleading information after being made aware of such inaccuracy, misrepresentation or falsity;
- QuoVadis determines, in its sole discretion, that the Private Key corresponding to the Certificate was used to sign, publish or distribute spyware, Trojans, viruses, rootkits, browser hijackers, phishing, or other content, or that is harmful, malicious, hostile or downloaded onto a user's system without their consent;
- If QuoVadis receives notice or otherwise becomes aware that a Certificate Holder has been added as a denied party or prohibited person to a blacklist, or is operating from a prohibited destination;
- Either the Certificate Holder's or QuoVadis' obligations under this CP/CPS are delayed or prevented by a natural disaster, computer or communications failure, or other cause beyond the person's reasonable control, and as a result another person's information is materially threatened or compromised;
- A QuoVadis CA Private Key used to issue that Certificate has been compromised;
- Revocation is required by the QuoVadis CP/CPS
- The technical content or format of the Certificate presents an unacceptable risk to Application Software Suppliers or Relying Parties (e.g. the CA/Browser Forum might determine that a deprecated cryptographic/signature algorithm or key size presents an unacceptable risk and that such Certificates should be revoked and replaced by CAs within a given period of time).
- QuoVadis' right to issue and manage Certificates under the EV Guidelines, the Baseline Requirements, or the Code Signing Minimum Requirements expires or is revoked or terminated (unless arrangements have been made to continue maintaining the CRL/OCSP Repository); or
- QuoVadis ceases operations for any reason and has not arranged for another suitable CA to provide revocation support for the Certificate.

4.9.2 Who Can Request Revocation

QuoVadis may revoke any Certificate issued within the QuoVadis PKI at its sole discretion. The Certificate Holder and its appropriately authorised representatives can request revocation of a Certificate. QuoVadis may, if necessary, also confirm the revocation request by contact with additional, authorised representatives of the Certificate Holder.

Parties who are not the Certificate Holder (such as Relying Parties, Application Software Suppliers, and other third parties) may file a Certificate Problem Report to initiate a Certificate revocation request. Problem reports may include complaints; suspected Private Key compromise; Certificate misuse, including Code Signing

Certificates used to sign Suspect Code; or other types of fraud, compromise, misuse, or inappropriate conduct related to the Certificate.

4.9.3 Procedure For Revocation Request

QuoVadis will revoke a Certificate upon receipt of a valid request from the Certificate Holder, verified through an out- of-band communication. QuoVadis will begin an investigation of all Certificate Problem Reports within twenty-four

hours and decide whether revocation or other appropriate action is warranted based on at least the following criteria:

I. The nature of the alleged problem;
II. Number of Certificate Problem Reports received about a particular Certificate or website;
III. The identity of the complainants (for example, complaints from a law enforcement official that a web site is engaged in illegal activities have more weight than a complaint from a consumer alleging they never received the goods they ordered); and
IV. Relevant legislation in force.

QuoVadis maintains a continuous 24/7 ability to internally respond to any high priority Certificate Problem Report and will take such action as deemed appropriate based on the nature of such a report. This may include, but not be limited to, the revocation of a Certificate that is the subject of such a complaint.

Certificate Holders may also revoke their Certificates via the Trust/Link system.

4.9.4 Revocation Request Grace Period

No grace period is permitted once a revocation request has been verified. QuoVadis will revoke Certificates as soon as reasonably practical following verification of a revocation request.

4.9.5 Time Within Which The CA Must Process The Revocation Request

QuoVadis will begin investigation of a certificate problem report within 24 hours of its receipt. QuoVadis will take commercially reasonable steps to revoke the Digital Certificate within 4 hours of receipt of a valid revocation request.

In the case of Code Signing Certificates, QuoVadis complies with the revocation timeframes specified for malware in section 13.1.5.3 of Code Signing Minimum Requirements.

5 Facility, Management, and Operational Controls

The section of the CP/CPS provides a high level description of the security policy, physical and logical access control mechanisms, service levels, and personnel policies

5.3 Personnel Controls

5.3.1 Qualifications, Experience, And Clearance Requirements

Background checks are conducted on all individuals selected to take up a trusted role in the QuoVadis PKI in accordance with a designated security screening procedure, prior to the commencement of their duties.

For purposes of mitigating the risk that one individual acting alone could compromise the integrity of the QuoVadis PKI or any Certificate issued therein, QuoVadis performs relevant background checks of individuals and defines the tasks that the individuals will be responsible to perform. QuoVadis determines the nature and extent of any background checks in its sole discretion. The foregoing fully stipulates QuoVadis' obligations with respect to personnel controls and QuoVadis shall have no other duty or responsibility with respect to the foregoing. Without limitation, QuoVadis shall not be liable for employee conduct that is outside of their duties and for which QuoVadis has no control including, without limitation, acts of espionage, sabotage, criminal conduct, or malicious interference.

5.3.2 Background Check Procedures

Background check procedures may include but are not limited to checks and confirmation of:

- Previous employment
- Professional references
- Educational qualifications
- Criminal records
- Credit/financial history and status
- Driving licenses
- Social security records

Where the above checks and confirmations cannot be obtained due to a prohibition or limitation of law or other circumstances, QuoVadis will utilise available substitute investigation techniques permitted by law that provide similar information including background checks performed by applicable government agencies.

5.3.3 Training Requirements

QuoVadis provides its personnel with on-the-job and professional training in order to maintain appropriate and required levels of competency to perform job responsibilities. This includes specific vetting training for Validation Specialists, who may not undertake

Certificate validation and issuance until they have passed a suitable examination on knowledge and skills.

5.3.4 Retraining Frequency And Requirements

Validation Specialists engaged in Certificate validation and issuance must maintain adequate skill levels in order to have issuance privilege, consistent with QuoVadis' training and performance programs.

5.3.5 Job Rotation Frequency And Sequence

QuoVadis provides and maintains a program of job rotation in order to maintain appropriate and required levels of competency across key roles.

5.3.6 Sanctions For Unauthorised Actions

Appropriate disciplinary actions are taken for unauthorised actions.

5.3.7 Independent Contractor Requirements

The QuoVadis PKI does not support the use of independent contractors to fulfil trusted roles.

5.3.8 Documentation Supplied To Personnel

QuoVadis provides personnel all required training materials needed to perform their job function and their duties under the job rotation program. This includes specific documentation of the validation, issuance, and revocation processes for Certificates.

5.4

- Firewall and router activities; and
- Entries to and exits from the CA facility.

QuoVadis event logs include:

- Date and time of the entry
- Serial or sequence number of entry (for automatic journal entries)
- Details of the of entry (name, type etc)
- Source of entry (for example, terminal, port, location, customer, IP address)
- Destination address (if relevant)
- identity of the entity making the journal entry (e.g. User ID)

5.4.2 Frequency Of Processing Log

Audit logs are verified and consolidated at least monthly.

5.4.3 Retention Period For Audit Log

QuoVadis audit logs are retained for at least seven years..

Certain high volume system generated logs are retained for 18 months based on a risk assessment.

5.4.4 Protection Of Audit Log

The relevant audit data collected is regularly analysed for any attempts to violate the ec(m)7 a6 ( )10 (ec)Tj0n -25.74 -1.98 Td17.736 (er)7 (t)2 (ai)6

6 Technical Security Controls

6.1 Key Pair Generation And Installation

6.1.1 Key Pair Generation

Root CA key pair generation is witnessed by a Qualified Auditor and follows a formal key generation script. In all instances, CA private keys are generated in a physically secure environment within cryptographic modules that are validated to FIPS 140-2 Level-3. CA Certificate signing keys are only used within this secure environment. Access to the modules within the QuoVadis environment, including the private keys, is restricted by the use of token/smart cards and associated pass phrases. These smartcards and pass phrases are allocated among multiple members of the QuoVadis management team. Such allocation ensures that no one member of the team holds total control over any component of the system. The hardware security modules are always stored in a physically secure environment and are subject to security controls throughout their lifecycle.

6.1.2 Private Key Delivery To Certificate Holder

Certificate Holders are solely responsible for the generation of the private keys used in their Certificate Requests. QuoVadis does not provide TLS/SSL key generation, escrow, recovery or back

QuoVadis Issuing CA uses an RSA minimum key length of 2048-bit modulus. Certificate Holders may submit 2048-bit or larger keys to QuoVadis.

6.1.6 Public Key Parameters Generation And Quality Checking

The cryptographic modules used by QuoVadis have been D 2(es)3.9 (us)14 (ed by)14 (Q)2 e(6uQa

6.2.3 Private Key Escrow

Private keys shall not be escrowed.

6.2.4 Private Key Backup

Issuing CA private keys are stored in an encrypted state (using an encryption key to create a “cryptographic wrapper” around the key. Access is only by N-of-M control as defined in this CP/CPS. Backup copies are maintained on site and in secure, offsite storage.

6.2.5 Private Key Archive

The QuoVadis PKI does not support private key archive.

6.2.6 Private Key Transfer Into Or From A Cryptographic Module

If a Cryptographic Module is used, the Private Key must be generated in it and remain there in encrypted form, and be decrypted only at the time at which it is being used. Private Keys must never exist in plain-text form outside the cryptographic module. In the event that a Private Key is to be transported from one Cryptographic Module to another, the Private Key must be encrypted during transport.

6.2.7 Private Key Storage On Cryptographic Module

CA private keys are generated and stored in a physically secure environment within

Certificate Holders should also deactivate their private keys via logout and removal procedures when they are not in use.

6.2.10 Method Of Destroying Private Key

Private keys should be destroyed when they are no longer needed, or when the Certificates to which they correspond expire or are revoked.

All Digital Certificate Holders have an obligation to protect their private keys from compromise. Private keys shall be destroyed in a way that prevents their loss, theft, modification, unauthorised disclosure or unauthorised use.

Upon expiration of a key pair's allowed lifetime, or upon CA termination, QuoVadis personnel shall destroy the CA private key by deleting and overwriting the data (e.g., via re-initialization or zeroization) or physical destruction (e.g., with a metal shredder or hammer). Such destruction shall be documented.

6.2.11 Cryptographic Module Rating

The cryptographic modules used by the QuoVadis PKI are validated to FIPS 140-2 Level-3 security standards.

6.3 Other Aspects Of Key Pair Management

6.3.1 Public Key Archival

Public keys will be recorded in Certificates that will be archived in the Repository. No separate archive of public keys will be maintained. The validity period of Certificates will be dependent on the Certificate Policy in question.

6.3.2 Certificate Operational Periods And Key Pair Usage Periods

The maximum validity periods for Certificates issued within the QuoVadis PKI are:

Root CA Certificate 30 years
Issuing CA Certificates 10-15 years
Business SSL Certificates 3 years (825 days after March 1, 2018)
EV SSL Certificates 2 years

6.4 Activation

6.4.2 Activation Data Protection

No activation data other than access

6.6 Life Cycle Technical Controls

All hardware and software procured for the QuoVadis PKI must be purchased in a

7 Certificate, CRL, and OCSP Profiles

7.1 Certificate Profile

7.1.1 Version Numbers

Information for interpreting Certificate and CRL Profiles may be found in IETF RFC 5280. QuoVadis Certificates follow the ITU X.509v3 standard, which allows a CA to add certain Certificate extensions to the basic Certificate structure.

7.1.2 Certificate Extensions

See Appendix A and Appendix B.

7.1.3 Algorithm Object Identifiers

See Appendix A and Appendix B.

7.1.4 Name Forms

See Appendix A and Appendix B.

7.1.5 Name Constraints

Effective August 16, 2017 QuoVadis no longer accepts new external entities who wish to operate their own TLS/SSL CAs as subordinate CAs under a QuoVadis root.

Legacy external TLS/SSL root signings are either Technically Constrained or publicly disclosed and audited. Technically Constrained CA certificates include an Extended Key Usage (EKU) extension specifying all extended key usages that the Subordinate CA Certificate is authorized to issue certificates for including the id-kp-serverAuth extended key usage and include the Name Constraints X.509v3 extension with constraints on dNSName, iPAddress and DirectoryNames.

7.1.6 Certificate Policy Object Identifier

An object identifier (OID) is a number unique within a specific domain that allows for the unambiguous identification of a policy, including a CP/CPS such as this. The Certificate Policy OIDs that incorporate this CP/CPS into a given Certificate by reference (and identify that this CP/CPS applies to a given Certificate containing the OID) are listed in Appendix A and Appendix B.

8 Compliance Audit and Other Assessments

8.1 Frequency, Circumstance And Standards Of Assessment

The practices specified in this CP/CPS have been designed to meet or exceed the requirements of, and QuoVadis is audited for compliance to, generally accepted and developing industry standards including:

- AICPA/CICA WebTrust for Certification Authorities, WebTrust for Baseline Requirements and the WebTrust Extended Validation Program;
- Bermuda Authorised Certification Service Provider standards of the Bermuda electronic Transactions Act;
- Swiss Zert ES Qualified Certification Service Provider standards (ZertES),

8.5 Actions Taken As A Result Of Deficiency

Actions taken as the result of deficiency will be determined by the nature and extent of the deficiency identified. Any determination will be made by QuoVadis with input from auditors. QuoVadis at its sole discretion will determine an appropriate course of action and time frame to rectify the deficiency.

8.6 Publication Of Audit Results

The results of these audits in the form of publicly available audit reports or opinions as provided by the external auditors responsible for these audits are published on the QuoVadis website at https://www.quovadisglobal.com/accreditations.aspx

9 Other Business and Legal Matters

9.1 Fees

9.1.1 Certificate Issuance Or Renewal Fees

QuoVadis charges Certificate Holder fees for verification, issuance, and renewal. Such

9.2.2 No Partnership or Agency

Certificate Holder shall not represent itself as being the affiliate nor an agent, partner, employee or representative of QuoVadis and shall not hold itself out as such nor as having any power or authority to incur any obligation of any nature express or implied on behalf of QuoVadis and nothing in this Agreement shall operate nor be construed so as to constitute Certificate Holder as an agent, partner, employee, or representative of QuoVadis.

9.2.3 Insurance Cover

QuoVadis maintains the following insurance related to its respective performance and obligations:

- Commercial General Liability insurance (occurrence form) with policy limits of at least $2 million in coverage, and
- Professional Liability/Errors & Omissions insurance, with policy limits of at least $5 million in coverage, and including coverage for (i) claims for damages arising out of an act, error, or omission, unintentional breach of contract, or neglect in issuing or maintaining EV Certificates, and (ii) claims for damages arising out of infringement of the proprietary rights of any third party (excluding copyright, and trademark infringement), and invasion of privacy and advertising injury.

9.2.4 Other Assets

No stipulation.

9.2.5 Insurance Or Warranty Coverage For End-Entities

Certificate Holders are entitled to apply to commercial insurance providers for financial protection against accidental occurrences such as theft, corruption, loss or unintentional disclosure of the private key that corresponds to the public key in their QuoVadis Certificate. Relying Parties are entitled to apply to commercial insurance providers for protection against financial loss.

9.3 Confidentiality Of Business Information

9.3.1 Scope Of Confidential Information

QuoVadis keeps the following types of information confidential and maintains reasonable controls to prevent the exposure of such records to non-trusted personnel.

- All private keys;
- Any activation data used to access private keys or gain access to the CA system;

- Any business continuity, incident response, contingency, and disaster recovery plans;
- Any oth

any actual or suspected misuse or compromise of the Certificate Holder's Private Key associated with the Public Key listed in the Certificate; and

- Termination of Use of Certificate: An obligation and warranty to promptly cease all use of the Private Key corresponding to the Public Key listed in a Certificate upon expiration or revocation of that Certificate.

Without limiting other Certificate Holder obligations stated in this CP/CPS, Certificate Holders are solely liable for any misrepresentations they make in Certificates to third parties that reasonably rely on the representations contained therein.

Upon accepting a Certificate the Certificate Holder represents to QuoVadis and to Relying Parties that at the time of acceptance and until further notice:

- The Certificate Holder retains control of the Certificate Holder's private key, uses a trustworthy system, and takes reasonable precautions to prevent its loss, disclosure, modification, or unauthorised use and that no unauthorised person has ever had access to the Certificate Holder's private key.
- All representations made by the Certificate Holder to QuoVadis regarding the information contained in the Certificate are accurate and true to the best of the Certificate Holder's knowledge or to the extent that the Certificate Holder receives notice of such information, the Certificate Holder shall act promptly to notify QuoVadis of any material inaccuracies contained in the Certificate.
- The Certificate is used exclusively for authorised and legal purposes, consistent with this CP/CPS, and that the Certificate Holder will use the Certificate only in conjunction with the entity named in the organisation field of the Certificate.
- The Certificate Holder agrees with the terms and conditions of this CP/CPS and other agreements and policy statements of QuoVadis.

9.6.4 Relying Parties Representations And Warranties

The Relying Party is solely responsible for making the decision to rely on a QuoVadis Certificate. A Relying Party accepts that in order to reasonably rely on a QuoVadis Certificate, the Relying Party must:

- Read and agree with the terms of the QuoVadis Relying Party Agreement including the limitations on the usage of the Certificate and also the limitations of liability for reliance on a QuoVadis Certificate.
- Verify the QuoVadis Certificate by referring to the relevant CRL in the QuoVadis Repository and trust the Certificate only if it is valid and has not been revoked or has expired.
- Rely on a QuoVadis Certificate only as may be reasonable under the circumstances, given (i) the Relying Party's

Certificate Holder, (ii) the economic value of the transaction or communication, (iii) the potential losses or damage which might be caused by an erroneous identification or a loss of confidentiality or privacy of information in the transaction

disturbances; fire or explosion; catastrophic epidemic; trade embargo; restriction or impediment (including, without limitation, export controls); any lack of telecommunications availability or integrity; legal compulsion including, any judgments of a court of competent jurisdiction to which QuoVadis is, or may be, subject; and any event or occurrence or circumstance or set of circumstances that is beyond the control of QuoVadis.

9.8.3 Certificate Loss Limits

Without prejudice to any other provision of this Section 9, QuoVadis' liability for breach of its obligations pursuant to this QuoVadis CP/CPS shall, absent fraud or wilful misconduct on the part of QuoVadis, be subject to a monetary limit determined by the type of Digital Certificate held by the claiming party and shall be limited absolutely to the monetary amounts set out below.

Loss Limits/ Reliance Limits	Maximum per Certificate
Standard Certificates	US $250,000
Device Certificate	US $250,000

In no event shall QuoVadis' liability exceed the loss limits set out in the table above. The loss limits apply to the life cycle of a particular Digital Certificate to the intent that the loss limits reflect QuoVadis' total potential cumulative liability per Digital Certificate per year (irrespective of the number of claims per Digital Certificate). The foregoing limitation applies regardless of the number of transactions or causes of action relating to a particular Digital Certificate in any one year of that Digital Certificate's life cycle.

9.9 Indemnities

Notwithstanding any limitations on its liability to Certificate Holders and Relying Parties, QuoVadis acknowledges that the Application Software Suppliers who have a Root Certificate distribution agreement in place with QuoVadis do not assume any obligation or potential liability of QuoVadis under this CP/CPs or that otherwise might exist because of the issuance or maintenance of Certificates or reliance thereon by Relying Parties or others. QuoVadis shall defend, indemnify, and hold harmless each Application Software Supplier for any and all claims, damages, and losses suffered by such Application Software Supplier related to a Certificate issued by QuoVadis, regardless of the cause of action or legal theory involved. This does not apply, however, to any claim, damages, or loss suffered by such Application Software Supplier related to a Certificate issued by QuoVadis where such claim, damage, or loss was directly caused by such Application Software Supplier's software displaying as not trustworthy a

Certificate that is still valid, or displaying as trustworthy: (1) a Certificate that has expired, or (2) a Certificate that has been revoked (but only in cases where the revocation status is currently available from QuoVadis online, and the application software either failed to check such status or ignored an indication of revoked status).

Any user of a QuoVadis Certificate, whether a Certificate Holder, Relying Party or otherwise, shall indemnify and hold harmless QuoVadis from any and all damages and losses arising out of: (i) use of the QuoVadis Certificate in a manner not authorised by QuoVadis; (ii) tampering with the QuoVadis Certificate; or (iii) misrepresentation or omission of material fact in order to obtain or use a Certificate, whether or not such misrepresentation or omission was intentional. In addition, Certificate Holders shall indemnify and hold harmless QuoVadis from any and all damages (including legal fees) for lawsuits, claims or actions by third-parties relying on or otherwise using a QuoVadis Certificate relating to: (i) Certificate Holder's breach of its obligations under the Certificate Holder Agreement or this CP/CPS; (ii) Certificate Holder's failure to protect its private key; or (iii) claims (including without limitation infringement claims) pertaining to content or other information or data supplied by Certificate Holder.

9.10 Term And Termination

9.10.1 Term

This CP/CPS and any amendments hereto shall become effective upon publication in the Repository and shall remain in effect perpetually until terminated in accordance with this Section 9.10.

9.10.2 Termination

This CP/CPS shall remain in force until it is amended or replaced by a new version in accordance with this Section 9.10.

9.10.3 Effect Of Termination And Survival

The conditions and effect resulting from termination of this CP/CPS will be communicated via the QuoVadis website upon termination. That communication will outline the provisions that may survive termination of this CP/CPS and remain in force. The responsibilities for protecting business confidential and private personal information shall survive termination, and the terms and conditions for all existing Certificates shall remain valid for the remainder of the validity periods of such0 (ped11)6.9 (s5(i)16 (ng-8 (i)6 (c)4 1(at)2

10 APPENDIX A – CA Profiles

QuoVadis Root CA2

Field	Value
Version	V3
Serial Number	Unique number 0509
Issuer Signature Algorithm	sha-1WithRSAEncryption {1 2 840 113549 1 1 5}
Issuer Distinguished Name	Unique X.500 CA DN. CN = QuoVadis Root CA 2 O =QuoVadis Limited C = BM
Validity Period	25 years expressed in UTC format NotBefore: 11/24/2006 18:27:00 NotAfter: 11/24/2031 18:23:33
Subject Distinguished Name	CN = QuoVadis Root CA 2 O =QuoVadis Limited C = BM

Value
V3
Unique number 445734245b81899b35f2ceb82b3b5ba726f07528
sha256RSA {1.2.840.113549.1.1.11 }
Unique X.500 CA DN. CN = QuoVadis Root CA 2 G3 O =QuoVadis Limited C = BM
30 years expressed in UTC format NotBefore: 01/12/2012 18:59:32 NotAfter: 01/12/2042 18:59:32
CN = QuoVadis Root CA 2 G3 O =QuoVadis Limited C = BM
Public Key Algorithm: Algorithm ObjectId: 1.2.840.113549.1.1.1 RSA Algorithm Parameters: 05 00 Public Key Length: 4096-bit
sha256RSA {1.2.840.113549.1.1.11 }
Value
c=no; ed e7 6f 76 5a bf 60 ec 49 5b c6 a5 77 bb 72 16 71 9b c4 3d
c=yes; Certificate Signing, Off-line CRL Signing, CRL Signing (06)
c=yes; Subject Type=CA Path Length Constraint=None
67 ec 9f 90 2d cd 64 ae fe 7e bc cd f8 8c 51 28 f1 93 2c 12
09 3c 61 f3 8b 8b dc 7d 55 df 75 38 02 05 00 e1 25 f5 c8 36

QuoVadis Global SSL ICA G2

Field	Value
Version	V3
Serial Number	Unique number 48982de2a92cb339e1c8f933358275d3e4f88255
Issuer Signature Algorithm	sha256RSA {1.2.840.113549.1.1.11 }
Issuer Distinguished Name	Unique X.500 CA DN. CN = QuoVadis Root CA 2 O =QuoVadis Limited C = BM
Validity Period	10 years expressed in UTC format NotBefore: 6/1/2013 13:35 NotAfter: 6/1/2023 13:35
Subject Distinguished Name	CN = QuoVadis Global SSL ICA G2 O = QuoVadis Limited C = BM
Subject Public Key Information	2048-bit RSA key modulus, rsaEncryption {1 2 840 113549 1 1 1}
Signature Algorithm	sha256RSA {1.2.840.113549.1.1.11 }
Extension	**Value**
Authority Key Identifier	c=no; KeyID= 1a 84 62 bc 48 4c 33 25 04 d4 ee d0 f6 03 c4 19 46 d1 94 6b
Subject Key Identifier	

QuoVadis Global SSL ICA G3

Field	Value
Version	V3
Serial Number	Unique number 7ed6e79cc9ad81c4c8193ef95d4428770e341317
Issuer Signature Algorithm	sha256RSA {1.2.840.113549.1.1.11 }
Issuer Distinguished Name	Unique X.500 CA DN. CN = QuoVadis Root CA 2 G3 O =QuoVadis Limited C = BM
Validity Period	10 years expressed in UTC format NotBefore: 11/6/2012 14:50:18 NotAfter: 11/6/2022 14:50:18
Subject Distinguished Name	CN = QuoVadis Global SSL ICA G3 O = QuoVadis Limited C = BM
Subject Public Key Information	4096-bit RSA key modulus, rsaEncryption {1 2 840 113549 1 1 1}
Signature Algorithm	sha256RSA {1.2.840.113549.1.1.11 }

QuoVadis EV SSL ICA G1

Field	Value
Version	V3
Serial Number	Unique number 73da5afa23d93fba842e0a20f401c9d86e24fc5d
Issuer Signature Algorithm	sha256RSA {1.2.840.113549.1.1.11 }
Issuer Distinguished Name	Unique X.500 CA DN. CN = QuoVadis Root CA 2 O =QuoVadis Limited C = BM
Validity Period	10 years expressed in UTC format NotBefore: 13/1/2015 14:42:15 NotAfter: 13/1/2025 14:42:15
Subject Distinguished Name	CN = QuoVadis EV SSL ICA G1 O = QuoVadis Limited C = BM
Subject Public Key Information	

CRL Distribution Points	c = no; CRL HTTP URL = http://crl.quovadisglobal.com/qvrca2.crl
Key Id Hash(sha1):	d8 44 ec ec e9 e1 42 f6 9e f5 2b 53 ee 8f 11 e8 55 62 bf eb
Cert Hash(sha1):	62 85 32 b7 3d bb 41 a5 86 2a e4 af f7 49 e6 7a cb cb b5 60

QuoVadis EV SSL ICA G3

Field	Value
Version	V3
Serial Number	Unique number 524fc1f16e34d1702b84a13fb042bbcc7c3c9032
Issuer Signature Algorithm	sha256RSA {1.2.840.113549.1.1.11 }
Issuer Distinguished Name	Unique X.500 CA DN. CN = QuoVadis Root CA 2 G3 O =QuoVadis Limited C = BM
Validity Period	10 years NotBefore: 30/11/2016 NotAfter: 30/11/2026
Subject Distinguished	

	Qualifier: http://www.quovadisglobal.com/repository
Basic Constraints	c=yes; Subject Type=CA Path Length Constraint=0
Authority Information Access	c=no; Access Method= - Id-ad-ocsp (On-line Certificate Status Protocol - 1.3.6.1.5.5.7.48.1); URL = http://ocsp.quovadisglobal.com Access Method=C

Subject Key Identifier	c=no; KeyID= 04 bb 04 d7 9d d8 7d 1c d9 e4 f0 54 bd 8c 3c b6 32 de 76 34
Key Usage	c=yes; Certificate Signing, Off-line CRL Signing, CRL Signing (06)
Enhanced Key Usage	c=no; Server Authentication (1.3.6.1.5.5.7.3.1) Client Authentication (1.3.6.1.5.5.7.3.2) OCSP Signing (1.3.6.1.5.5.7.3.9)
Certificate Policies	[1]Certificate Policy: Policy Identifier=1.3.6.1.4.1.8024.0.2.100.1.1 [2]Certificate Policy: Policy Identifier=1.3.6.1.4.1.8024.0.2.100.1.2 [2,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.quovadisglobal.com/repository
Basic Constraints	c=yes; Subject Type=CA Path Length Constraint=0
Authority Information Access	c=no; Access Method= - Id-ad-ocsp (On-line Certificate Status Protocol - 1.3.6.1.5.5.7.48.1); URL = http://ocsp.quovadisg.059 =O0 >>211( )TjEa3.1 (oc)opns(pan16 1

Validity Period	10 years NotBefore: 13/1/2015 NotAfter: 13/1/2025
Subject Distinguished Name	CN = HydrantID EV SSL ICA G1 O = HydrantID (Avalanche Cloud Corporation) C = US
Subject Public Key Information	4096-bit RSA key modulus, rsaEncryption {1 2 840 113549 1 1 1}
Signature Algorithm	sha256RSA {1.2.840.113549.1.1.11 }

HydrantID SSL ICA G2

Field

11 APPENDIX B

11.1 Business SSL

Field	Value
Version	V3

Application Process

During the Certificate approval process, QuoVadis Validation Specialists employ controls to validate the identity of the Applicant and other information featured in the Certificate Application to ensure compliance with this CP/CPS.

Step 1: The Applicant provides a signed Certificate Application to QuoVadis, which includes identifying information to assist QuoVadis in processing the request and issuing the Business SSL Certificate, along with a PKCS#10 CSR and billing details.

Step 2: QuoVadis independently verifies information using a variety of sources.

Step 3: The Applicant accepts the Certificate Holder Agreement and approves Certificate issuance. Step 4: All signatures are verified through follow-up procedures or telephone calls.

Step 5: QuoVadis obtains and documents further explanation or clarification as necessary to resolve discrepancies or details requiring further explanation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the Certificate Request and notify the Applicant accordingly. Two QuoVadis Validation Specialists must approve issuance of the Certificate.

Step 6: QuoVadis creates the Business SSL Certificate.

Step 7: The Business SSL Certificate is delivered to the Applicant.

Renewal

Renewal requirements and procedures include verification that the Applicant continues to have authority to use the domain name, and that the Certificate Application is approved by an authorised representative of the Applicant.

City or Town of Incorporation	subject:jurisdictionOfIncorporationLocalityName (1.3.6.1.4.1.311.60.2.1.1)	ASN.1 - X520LocalityName as specified in RFC 5280 Full name of Jurisdiction of Incorporation for an Incorporating or Registration Agency at the city or town level, including both country and state or province information as follows.
State/Province of Incorporation	subject:jurisdictionOfIncorporationStateOrProvin ceName (1.3.6.1.4.1.311.60.2.1.2)	ASN.1 - X520StateOrProvinceName as specified in RFC 5280 Full name of Jurisdiction of Incorporation for an Incorporating or Registration Agency at the state or province level, including country information as follows, but not city or town information above.
Country of Incorporation	subj B 9.96 16164.742.32 0.4mn1n(nc)-8	

Purpose of EV SSL

- The Business Entity MUST have a verifiable physical existence and business presence;
- At least one Principal Individual associated with the Business Entity MUST be identified and validated;
- The identified Principal Individual MUST attest to the representations made in the Certificate Holder Agreement;
- Where the Business Entity represents itself under an assumed name, QuoVadis MUST verify the Business Entity's use of the assumed name;
- The Business Entity and the identified Principal Individual associated with the Business Entity MUST NOT be located or residing in any country where QuoVadis is prohibited from doing business or issuing a Certificate under the laws of Bermuda; and
- The Business Entity and the identified Principal Individual associated with the Business Entity MUST NOT be listed on any government denial list or prohibited list (such as a trade embargo) under the laws of Bermuda.

d) Non-Commercial Entity Subjects

Non-Commercial Entities are entities who do not qualify under subsections (a), (b) or (c) above, but that do satisfy the following requirements:

- The Applicant is an International Organization Entity, created under a charter, treaty, convention or equivalent instrument that was signed by, or on behalf of, more than one country's government. The CA/Browser Forum may publish a listing of International Organizations that have been approved for EV eligibility; and
- The International Organization Entity MUST NOT be headquartered in any country where the CA is prohibited from doing business or issuing a certificate by the laws of the CA's jurisdiction; and
- The International Organization Entity MUST NOT be listed on any government denial list or prohibited list (e.g., trade embargo) under the laws of the CA's jurisdiction.
- Subsidiary organizations or agencies of qualified International Organizations may also qualify for EV Certificates issued in accordance with the EV Guidelines.

Additional Warranties and Representations for EV Certificates

QuoVadis makes the following EV Certificate Warranties solely to Certificate Holders, Certificate Subjects, Application Software Suppliers with whom QuoVadis has entered into a contract for inclusion of its Root Certificate in software distributed by such Application Software Suppliers, and all Relying Parties that actually rely on such EV Certificate during the period when it is valid, that it followed the requirements of the EV

documented by the CA pursuant to its verification processes. Such verification processes are intended to accomplish the following:

I.

represent the Applicant. Certificate Requesters are formally recognised by QuoVadis only after QuoVadis has confirmed their appointment with the Applicant.

- Certificate Approver: MUST be either the Applicant, employed by the Applicant, or an authorized agent who has express authority to represent the Applicant to (i) act as a Certificate Requester and to authorize other employees or third parties to act as a Certificate Requester, and (ii) to approve EV Certificate Requests submitted by other Certificate Requesters.
- Contract Signer: MUST be either the Applicant, employed by the Applicant, or an authorized agent who has express authority to represent the Applicant, and who has authority on behalf of the Applicant to sign Subscriber Agreements.
- Confirming Person: Must be a senior officer of the Applicant (e.g., Secretary, President, CEO, CFO, COO, CIO, CSO, Director, etc.) able to sign the QV Authority Letter on behalf of the Applicant.

Certificate Holder Agreement

Each Applicant must enter into a Certificate Holder Agreement with QuoVadis which specifically names both the Applicant and the individual Contract Signer signing the Agreement on the Applicant's behalf, and contains provisions imposing on the Applicant the following obligations and warranties:

- Accuracy of Information: An obligation and warranty to provide accurate and complete information at all times to the QuoVadis, both in the EV Certificate Request and as otherwise requested by the QuoVadis in connection with the issuance of the EV Certificate(s) to be supplied by the QuoVadis;
- Protection of Private Key: An obligation and warranty by the Certificate Holder or a subcontractor (e.g. hosting provider) to take all reasonable measures necessary to maintain sole control of, keep confidential, and properly protect at all times the Private Key that corresponds to the Public Key to be included in the requested EV Certificate(s) (and any associated access information or device – e.g., password or token);
- Acceptance of EV Certificate: An obligation and warranty that it will not install and use the EV Certificate(s) until it has reviewed and verified the accuracy of the data in each EV Certificate;
- Use of EV Certificate: An obligation and warranty to install the EV Certificate only on the server accessible at a domain name listed on the EV Certificate, and to use the EV Certificate solely in compliance with all applicable laws, solely for authorised company business, and solely in accordance with the Certificate Holder Agreement;

Step 7: QuoVadis creates the EV Certificate.

Step 8: The EV Certificate is delivered to the Certificate Requester.

QuoVadis may not issue an EV Certificate until the entire corpus of information and documentation assembled in support of the EV Certificate is such that issuance of the EV Certificate will not communicate inaccurate factual information that QuoVadis knows, or by the exercise of due diligence should discover, from the assembled information and documentation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the EV Certificate Request and notify the Applicant accordingly.

Renewal

Under the EV Guidelines, renewal requirements and procedures are generally the same as those employed for the validation and issuance for new Applicants. The maximum validity period for validated data that can be used to support issuance of an EV Certificate (before revalidation is required) is thirteen months, except for the identity and authority of individuals identified in the EV Authority Letter.

In the case of outdated information, QuoVadis repeats the verification processes required by the EV Guidelines. If a company is no longer in good standing, or if any of the other required information cannot be verified, the Certificate is not renewed.

11.3 QuoVadis Qualified Website Authentication (QCP-w)

ETSI EN 319 411-2 defines “QCP-w“ as the “policy for EU qualified website certificate issued to a natural or a legal person and linking the website to that person”.

QuoVadis policy is that QuoVadis Qualified Website Authentication (QCP-w) certificates (also known as QWAC) will only be issued to legal persons and not natural persons.

QuoVadis QCP-w certificates will be issued under the requirements of ETSI EN 319 411-2 aim to support website authentication based on a qualified certificate defined in articles 3 (38) and 45 of the eIDAS Regulation.

Subject Distinguished Name

		information but would not include state or province or city or town information. Country information MUST be specified using the applicable ISO country code.
Registration Number		

Server Authentication

id-

11.4 Code Signing

Field	Value	Comments
Version	V3	
Serial Number	Unique system generated random number assigned to each certificate, containing at least 64 bits of output.	
Issuer Signature Algorithm	sha256RSA (1.2.840.113549.1.1.11)	
Issuer Distinguished Name	CN = QuoVadis Code Signing CA G1 O = QuoVadis Limited C = BM	
Validity Period	1, 2, or 3 years expressed in UTC format	
Subject Distinguished Name		
Organization	subject:organisationName (2.5.4.10)	Required field. The Subject's verified legal qui

Authority Key Identifier	c=no; Octet String
Subject Key Identifier	c=no; Octet String
Key Usage	c=yes; Digital Signature (80)
Extended Key Usage	c=no; 1.3.6.1.5.5.7.3.3 (codeSigning)

2. a signed declaration by the verifying person stating that they verified the identity of the Applicant,
3. a unique identifying number from an identification document of the verifier,
4. a unique identifying number from an identification document of the Applicant,
5. the date and time of the verification, and
6. a declaration of identity by the Applicant that is signed in handwriting in the presence of the person performing the verification.

Application Process

During the Certificate approval process, QuoVadis Validation Specialists employ controls to validate the identity of the Applicant and other information featured in the Certi16 (f)-8 (i)6

pn e Applicantp
ecld(s)4 ((i)6 (d

pn QuoVadis
ceroc wli(t)2