4.4. Certificate Acceptance 15
4.4.1. Conduct Constituting Certificate Acceptance 15
4.4.2. Publication Of The Certificate By The CA 15
4.4. /S 1 Tf 0 Tc 0 Twgination >>BDC BT /TT0 1 Tf 9.96 -0(4.)1o 0.012 Tw 9 -0 0 uuct Cons CA

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS 24
5.1. Physical Controls 24
5.1.1. Site Location and Construction 24
5.1.2. Physical Access 24
5.1.3. Power And Air-Conditioning 24
5.1.4. Fire Prevention And Protection 25
5.1.5. Media Storage 25
5.1.6. Waste Disposal 25
5.1.7. Off-Site Backup 25
5.2. Procedurao0 Tc 0 Tw 11-7 ((5.)11 (1..)-16g)o 0 Tt0 Tc 3(5.)11 (1s987 0 Td ( )Tj 8.5705 Tc 0.005 Tw 0.067 0 Td (.....

6.2. Private Key Protection And Cryptographic Module Engineering Controls 33
6.2.1. Cryptographic Module Standards And Controls 33
6.2.2. Private Key (N of M) Multi-Person Control 33
6.2.3. Private Key Escrow 33
6.2.4. Private Key Backup 33
6.2.5. Private Key Archive 34
6.2.6. Private Key Transfer Into Or From A Cryptographic Module 34
6.2.7. Private Key Storage On Cryptographic Module 34
6.2.8. Method Of Activating Private Key 34
6.2.9. Method Of Deactivating Private Key 34

9.1.1. Certificate Issuance Or Renewal Fees.....43.....

1. INTRODUCTION

1

This Certificate Policy/Certification Practice Statement (CP/CPS) sets out the certification processes that QuoVadis Root CA2 uses in the generation, issue, use, and management of Certificates and serves to notify Subscriber

2 [illegible]

This document is the QuoVadis Root CA2 CP/CPS which was adopted by the QuoVadis Policy Management Authority (PMA). The Object Identifier (OID) assigned to QuoVadis Root CA2 / QuoVadis Root CA 2 G3 is 1.3.6.1.4.1.8024.0.2.

Separate policy documents in the QuoVadis Repository apply to QuoVadis Certificates signed by the following Root CAs:

- QuoVadis Root Certification Authority / QuoVadis Root CA 1 G3 (OID 1.3.6.1.4.1.8024.0.1) and QuoVadis Root CA 3 / QuoVadis Root CA 3 G3 (OID 1.3.6.1.4.1.8024.0.3)
- Netherlands PKIoverheid
- QuoVadis Private PKI / Trust Anchor Root CA (OID 1.3.6.1.4.1.8024.0.4)

QuoVadis also operates Time-stamping Authority (TSA) services under a separate QuoVadis Time-Stamp Policy/Practice Statement (OID 1.3.6.1.4.1.8024.0.2000.6).

3 [illegible]

1.3.1. Certification Authorities

The following OIDs are pertinent to this CP/CPS:

Root CA 2 G3	1.3.6.1.4.1.8024.0.2	
QuoVadis Business SSL	1.3.6.1.4.1.8024.0.2.100.1.1	Requirements
QuoVadis EV SSL	1.3.6.1.4.1.8024.0.2.100.1.2	Guidelines
QuoVadis Code Signing	1.3.6.1.4.1.8024.0.2.200.1.1	Signing Minimum Requirements
QuoVadis QCP-w	0.4.0.194112.1.4	Certificate (QWAC)
Corporation)	1.3.6.1.4.1.8024.0.3.900.0	

QuoVadis operates certification authorities (CAs) that issue digital certificates. As the operator of CAs,

1.4.2. Prohibited Certificate Usage

Certificates do not guarantee that the Subject is trustworthy, honest, reputable in its business dealings, safe to do business with, or compliant with any laws. A Certificate only establishes that the information in the Certificate was verified in accordance with this CP/CPS when the Certificate was issued. Code signing Certificates do not indicate that the signed code is safe to install or free from malware, bugs, or vulnerabilities.

QuoVadis Certificates shall be used only to the extent the use is consistent with applicable law or regulation, and in particular shall be used only to the extent permitted by applicable export or import laws. CA Certificates subject to the Mozilla Root Store Policy will not be used for any functions except CA functions. In addition, end-user Subscriber Certificates cannot be used as CA Certificates.

QuoVadis may periodically re-key Intermediate CAs. Third party applications or platforms that have an Intermediate CA embedded as a root certificate may not operate as designed after the Intermediate CA has been rekeyed.

QuoVadis strongly discourages key pinning and does not consider it a sufficient reason to delay revocation. Customers should also take care in not mixing certificates trusted for the web with non-web PKI. Any Certificates trusted by Application Software Vendors must comply with all requirements of all applicable root distribution policies, including revocation periods described in Section 4.9

1.5. Policy Administration

1.5.1. Organisation Administering The CP/CPS

This CP/CPS and related agreements and security policy documents referenced within this document are administered by the QuoVadis Policy Management Authority (PMA).

1.5.2. Contact Person

Enquiries or other communications about this CP/CPS should be addressed to the QuoVadis PMA.

Policy Director
QuoVadis Limited
11 Bermudiana

Reliable Data Source: An identification document or source of data used to verify Subject Identity Information that is generally recognized among commercial enterprises and governments as reliable, and which was created by a third party for a purpose other than the Applicant obtaining a Certificate.

Relying Party: The Relying Party is an individual or entity that relies upon the information contained within the Certificate.

Relying Party Agreement：The Relying Party Agreement is an agreement which must be read and accepted by a Relying Party prior to validating, relying on or using a Certificate or accessing or using the QuoVadis Repository.

Repository: The Repository refers to the CRL, OCSP, and other directory services provided by QuoVadis containing issued and revoked Certificates.

Required Website Content：Either a Random Value or a Request Token, together with additional information that uniquely identifies the Subscriber, as specified by the CA. A Random Value is specified by QuoVadis and exhibits at least 112 bits of entropy.

Reserved IP Address: An IPv4 or IPv6 address that the IANA has marked as reserved.

Subordinate CA: A Certification Authority whose Certificate is signed by t CA

Standards / Law	
ETSI EN 319 412-1	Certificate Profiles; Part 1: Overview and common data structures
ETSI EN 319 412-2	Certificate Profiles; Part 2: Certificate profile for certificates issued to natural persons
ETSI EN 319 412-3	Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons
ETSI EN 319 412-5	Certificate Profiles; Part 5: QCStatements
ETSI EN 319 422	Time stamping protocol and electronic time-stamp profiles
EUGridPMA	Accredited CA by the EU Policy Management Authority for Grid Authentication in e-Science (EUGridPMA).
PKIoverheid	Accredited Certification Service Provider under PKIoverheid. PKIoverheid is the name for the PKI designed for trustworthy communication within and with the Dutch Government.
Bermuda Authorised Certificate Service Provider	As defined in Bermuda's Electronic Transactions Act 1999
Application Software Vendor	Adobe Approved Trust List Technical Requirements, v.2.0 Apple Root Store Program Microsoft Trusted Root Store (Program Requirements) Mozilla Root Store Policy v.2.7 Chromium Project Root Store Certificate Policy

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

2.1 [redacted]

QuoVadis provides public repositories for its CA Certificates, revocation data for issued Certificates, CP/CPS and other important policy documents. The QuoVadis legal repository for most services is located at https://www.quovadisglobal.com/repository .

QuoVadis may register TLS Certificates with publicly accessible Certificate Transparency (CT) Logs. Once submitted, Certificate information cannot be removed from a CT Log.

QuoVadis' CA Certificates, CRLs and OCSP responses are regularly accessible online with systems described in Section 5.

2.2 [redacted]

QuoVadis publishes a Repository that lists all Certificates that have been issued or revoked. The location of the Repository and OCSP Responders are given in the individual Certificate Profiles more fully disclosed in Appendix A and Appendix B to this CP/CPS.

2.3 [redacted]

QuoVadis publishes CRL and OCSP resources to allow Relying Parties to determine the validity of a QuoVadis Certificate. Certificate information is published promptly following generation and issue and immediately following the completion of the revocation process.

QuoVadis updates this CP/CPS at least annually to describe how QuoVadis meets the requirements of standards referred to in Sections 1.1 and 1.6.3 including the CA/Browser Forum Baseline Requirements. Those updates indicate conformance by incrementing the version number and adding a dated changelog entry even if no other changes are made to the document as specified in Section 1.2 of this CP/CPS.

2 [illegible]

QuoVadis may use any legal means of communication or investigation to ascertain the identity of an organisational or individual Applicant in compliance with this CP/CPS. QuoVadis may refuse to issue a Certificate in its sole discretion.

3.2.1. Method To Prove Possession Of Private Key

Issuing CAs shall establish that each Applicant for a Certificate is in possession and control of the Private Key corresponding to the Public Key contained in the request for a Certificate. The Issuing CA shall do so in accordance with an appropriate secure protocol, such as the IETF PKIX Certificate Management Protocol, including PKCS#10. If any doubt exists, QuoVadis will not perform certification of the key.

3.2.2. Authentication Of Organisation Identity

Authentication of Organisation identity is conducted in compliance with this CP/CPS and the Certificate Profiles detailed in Appendix B.

2 [illegible]

For each FQDN listed in a Certificate, QuoVadis confirms that, as of the date the Certificate was issued, the Applicant either is the Domain Name Registrant or has control over the FQDN by:

i) Communicating directly with the Domain Name Registrant via email, fax or postal mail provided by the Domain Name Registrar. Performed in accordance with BR Section 3.2.2.4.2

listed for each ADN being verified and they provide a confirming response for each ADN, performed in accordance with BR Section 3.2.2.4.16.

x) Confirming the Applicant's control over the FQDN by calling the DNS CAA Phone Contact’s phone

- The CA must operate under a CPS that meets QuoVadis requirements.

3 [illegible]

3.3.1. Identification And Authentication For Routine Re -Key

Subscribers may request re-key of a Certificate prior to a Certificate's expiration. After receiving a request for re-key, QuoVadis creates a new Certificate with the same Certificate contents except for a new Public Key and, optionally, an extended validity period. If the Certificate has an extended validity period, QuoVadis may perform some revalidation of the Applicant but may also rely on information previously provided or obtained. QuoVadis does not re-key a Certificate without additional Identification and Authentication if doing so would allow the Subscriber to use the Certificate beyond the limits specified for the applicable Certificate Profile.

3.3.2. Identification and Authentication For Re-Key After Revocation

QuoVadis does not allow re-key after revocation. To re-key a revoked Certificate, the Subscriber must undergo the initial Identification and Authentication process prior to re-keying the Certificate.

3 [illegible]

See Section 4.9 for information about Certificate Revocation procedures. All revocation requests are authenticated by QuoVadis or the RA responsible for issuing the Certificate.

4. CERTIFICATE LIFE-CYCLE OPERATION REQUIREMENTS

4 [illegible]

4.1.1. Who Can Submit A Certificate Application

The process to apply for QuoVadis Certificates varies by Certificate Policy and is described in Appendix B. Either the Applicant or an individual authorised to request Certificates on behalf of the Applicant may submit Certificate Requests. Applicants are responsible for any data that the Applicant or an agent of the Applicant supplies to QuoVadis

QuoVadis does not issue Certificates to entities on a government denied list maintained by the United States or that are located in a country with which the laws of the United States prohibit doing business.

QuoVadis maintains an internal database of previously revoked Certificates and previously rejected certificate requests. QuoVadis uses this information to identify subsequent suspicious certificate requests

4.1.2. Enrolment Process And Responsibilities

Certificate Requests must be in a form prescribed by the Issuing CA and typically include i) an application form including

4.2.1. Performing

4.5.1. Subscriber Private Key And Certificate Usage

The Certificate shall be used lawfully in accordance with the QuoVadis CP/CPS and Subscriber Agreement.

4.6.4. Notification of New Certificate Issuance T o Subscriber

QuoVadis may deliver the Certificate in any secure fashion, such as using a QuoVadis Portal.

4.6.5. Conduct Constituting Acceptance O f A Renewal Certificate

Conduct constituting acceptance of a renewed Certificate is in accordance with Section 4.4.1. Issued Certificates are considered accepted 30 days after the Certificate is renewed, or earlier upon use of the Certificate when evidence exists that the Subscriber used the Certificate.

4.6.6. Publication of the Renewal Certificate B y The CA

QuoVadis publishes a renewed Certificate by delivering it to the Subscriber. All renewed CA Certificates are published in QuoVadis' Repository.

4.6.7. Notification O f Certificate Issuance B y The CA To Other Entities

RAs may receive notification of a Certificate's renewal if the RA was involved in the issuance process.

4.7 Certificate Re-Key

Re-keying means creating a new Certificate with a new Public Key and serial number while keeping the Subject information the same.

4.7.1. Circumstance for Certificate Re- Key

Certificates may be re-keyed upon request. After re-keying a Certificate, QuoVadis may revoke the old Certificate but may not further re-key, renew, or modify the previous Certificate. Subscribers requesting re-key should identify and authenticate themselves as permitted by Section 3.3.1.

4.7.2. Who May Request Re-Key

QuoVadis will accept re-key requests from the Subject of the Certificate, an authorised representative for an Organisational certificate, or the nominating RA. QuoVadis may initiate a certificate re-key at the request of the Certificate Subject or at QuoVadis' own discretion.

4.7.3. Processing Certificate Re -Key Request

If the Private Key and any identity and domain information in a Certificate have not changed, then QuoVadis may issue a replacement Certificate using a previously issued Certif

4.8.1. Circumstances For Certificate Modification

Modifying a Certificate means creating a new Certificate for the same Subject with authenticated information that differs slightly from the old Certificate (e.g., changes to email address or non-essential parts of names or attributes) provided that the modification otherwise complies with this CP/CPS. The new Certificate may have the same or a different subject Public Key. Modified information must undergo the same Identification and Authentication procedures as for a new Certificate.

4.8.2. Who May Request Certificate Modification

QuoVadis modifies Certificates at the request of certain Certificate Subjects or in its own discretion. QuoVadis does not make certificate modification services available to all Subscribers.

4.8.3.

vi) The Subscriber was added as a denied party or prohibited person to a blacklist or is operating from a destination prohibited under the laws of the United States;

vii) For Adobe Signing Certificates, Adobe has requested revocation; or

viii) For code-signing Certificates, the Certificate was used to sign, publish, or distribute malware, code that is downloaded without user consent, or other harmful content.

ix) QuoVadis receives notice or otherwise becomes aware that there has been some other modification of the information pertaining to the Subscriber that is contained within the Certificate;

x) The Subscriber fails or refuses to comply, or to promptly correct inaccurate, false or misleading information after being made aware of such inaccuracy, misrepresentation or falsity;

QuoVadis always revokes a Certificate if the binding between the subject and the subject's Public Key in the

PSD2 Certificate) with clear instructions on how they can report suspected Private Key compromise, Certificate misuse, Certificates used to sign Suspect Code, Takeover Attacks, or other types of possible fraud, compromise, misuse, inappropriate conduct, or any other matter related to Certificates at https://www.quovadisglobal.com/certificate-revocation and other resources listed in Section 1.5.2.1

4.9.3. Procedure For Revocation Request

QuoVadis processes a revocation request as follows:

i) QuoVadis logs the request or problem report and the reason for requesting revocation based on the list in Section 4.9.1, including contact information for the requestor. QuoVadis may also include its own reasons for revocation in the log.

ii) QuoVadis may request confirmation of the revocation from a known administrator, where applicable, via out-of-band communication (e.g., telephone, fax, etc.).

iii) If the request is authenticated as originating from the Subscriber or an authorised party, QuoVadis revokes the Certificate based on the timeframes listed in 4.9.1 as listed for the reason for revocation.

iv) For requests from third parties, QuoVadis personnel begin investigating the request within 24 hours after receipt and decide whether revocation is appropriate based on the following criteria:

- the nature of the alleged problem;
- the number of reports received about a particular Certificate or website;
- the identity of the complainants (for example, complaints from a law enforcement official that a web site is engaged in illegal activities have more weight than a complaint from a consumer alleging they never received the goods they ordered); and
- relevant legislation.

v) If QuoVadis determines that revocation is appropriate, QuoVadis personnel revoke the Certificate.8 (ts)-16.8 (f)0.8

5.1.4. Fire Prevention And Protection

QuoVadisdatacentres are equipped with fire suppression mechanisms

5.1.5.

2 AepisAeptAep sar1epoepsRi6.9 (b1)10.8 le fepothARAsc magAept ssAs

ibuDAO o 22 S-(Ap) -AnAupe S-BBee

5.4.1. Types Of Events Recorded

QuoVadis records details

logs are protected in an encrypted format via a Key and Certificate generated especially for the purpose of protecting the logs.

5.4.5. Audit Log Backup Procedures

Each Issuing CA performs an onsite backup of the audit log daily. The backup process includes weekly physical removal of the audit log copy from the Issuing CA premises and storage at a secure, offsite location.

5.4.6. Audit Collec tion System

The security audit process of each Issuing CA runs independently of the Issuing CA software. Security audit processes are invoked at system start up and cease only at system shutdown.

5.4.7. Notification To Event -Causing Subject

Where an event is logged, no notice is required to be given to the individual, organisation, device, or application that caused the event.

5.4.8. Vulnerabilitye.tye.hhh(c)-5.8b6 (ye)76.7 (s)2.3 (yt.)]Tc a3C /H3au 2 90.84 5 0 Tc 00.84 5 T

- Appointment of an individual to a trustedrole
- Destruction of a cryptographicmodule

5.5.2. Retention Period For Archive

- 256-bit ECDSA Key or greater with the matching Secure Hash Algorithm version as required and a valid point on the elliptic curve; or
- a hash algorithm that is equally or more resistant to a collision attack allowed by the references in Sections 1.1 and 8.1.

QuoVadis requires end-entity Certificates to contain a key size that is at least 2048 bits for RSA, DSA, or Diffie-Hellman and 224 bits for elliptic curve algorithms. QuoVadis may require higher bit keys in its sole discretion.

QuoVadis and Subscribers may fulfill transmission security requirements using TLS or another protocol that provides similar security, provided the protocol requires at least AES 128 bits or equivalent for the symmetric key and at least 2048-bit RSA or equivalent for the asymmetric keys

6.1.6. Public Key Parameters Generation And Quality Checking

QuoVadis uses cryptographic modules that conform to FIPS 140-2 and provides random number generation and on-board generation of Public Keys and a wide range of ECC curves. The value of this public exponent equates to an odd number equal to three or more.

6.1.7. Key Us 72 56 Tc -0.002 Tw -3.25302 ((c)-4 (k)-1 (01boTT2 1 Tf -0.001 T2530.002 Tw 12 -0

purposes, the keys are transferred and stored in an encrypted form. QuoVadis’

shelf (COTS). Quality assurance is maintained throughout the process through testing and documentation or by purchasing from trusted vendors as discussed above.

Updates of equipment and software are purchased or developed in the same manner as the original equipment or software and are installed and tested by trusted and trained personnel. All hardware and software essential to QuoVadis' operations is scanned for malicious code on first use and periodically thereafter.

6.6.2. Security Management Controls

QuoVadis has mechanisms in place to control and continuously monitor the security-related configurations of its CA systems. When loading software onto a CA system, QuoVadis verifies that the software is the correct version and is supplied by the vendor free of any modifications.

6.6.3. Life Cycle Security Controls

No stipulation.

6.7 Network Security Controls

QuoVadis CA and RA functions are performed using networks secured in accordance to prevent unauthorised access, tampering, and denial-of-service attacks. Communications of sensitive information shall be protected using point-to-point encryption for confidentiality and Digital Signatures for non-repudiation and authentication.

QuoVadis documents and controls the configuration of its systems, including any upgrades or modifications made. Root Keys are kept offline and brought online only when necessary to sign Issuing CA Certificates, OCSP Responder Certificates, or periodic CRLs. Firewalls and boundary control devices are configured to allow access only by the addresses, ports, protocols and commands required for the trustworthy provision of PKI services by such systems.

The QuoVadis security policy is to block all ports and protocols and open only ports necessary to enable CA functions. All CA equipment is configured with a minimum number of services and all unused network ports and services are disabled.

6.8 Time-Stamping

See Section 5.5.5. In addition, QuoVadis provides a Time-Stamp Authority (TSA) service for use with specific QuoVadis products such as Code Signing Certificates. The QuoVadis Time-Stamp Policy/Practice Statement is structured in accordance with ETSI EN 319 421 and should be read in conjunction with this CP/CPS.

7. CERTIFICATE, CRL, AND OCSP PROFILES

QuoVadis uses the ITU X.509, version 3 standard to construct Certificates. QuoVadis adds certain certificate extensions to the basic certificate structure for the purposes intended by X.509v3 as per Amendment 1 to ISO/IEC 9594-8, 1995. *See* Appendix A and Appendix B.

For publicly-trusted TLS Certificates, QuoVadis meets the technical requirements set forth in Sections 2.2, 6.1.5, and 6.1.6 of the CA/Browser Baseline Requirements and this CP/CPS.

QuoVadis generates non-sequential Certificate serial numbers (positive numbers greater than zero) that contain at least 64 bits of output from a CSPRNG.

7.1 Certificate Profile

7.1.1. Version Number(s)

All Certificates are X.509 version 3 Certificates.

7.1.2. Certificate Extensions

The extensions defined for X.509 v3 Certificates provide methods for associating additional attributes with users or Public Keys and for managing relationships between CAs. See Appendix A and Appendix B.

For Root CA, Subordinate CA, and Subscriber C

QuoVadis does not issue publicly-trusted TLS Certificates to a Reserved IP address or Internal Name.

For CA Certificates, the commonName attribute is present and contains an identifier that uniquely identifies the CA and distinguishes it from other CAs. Certificates are populated with the Issuer Name and Subject Distinguished Name required under Section 3.1.1. Issuer DNs meet the requirements in the CA/Browser Forum Baseline Requirements. *See* also Appendix A and Appendix B.

7.1.5. Name Constraints

QuoVadis may use nameConstraints when appropriate. For publicly-trusted TLS certificates, QuoVadis follows the requirements of Section 7.1.5 of the Baseline Requirements. If the technically constrained Issuing CA Certificates includes the id-kp-serverAuth EKU, then it includes the Name Constraints X.509v3 extension

If present, this extension cannot be marked critical. This extension must be present for a Root CA or Issuing CA Certificate, including Cross Certificates. This extension may be present for Certificate

7.3.2. OCSP Extensions

The singleExtensions of an OCSP response cannot contain the reasonCode (OID 2.5.29.21) CRL entry extension.

7.4 [redacted]

QuoVadis TLS Certificates MAY include Signed Certificate Timestamps (SCT) from independent CT

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

8 [redacted]

The practices in this CP/CPS are designed to meet or exceed the requirements of generally accepted industry

9.6.3. Subscriber Representations And Warranties

Prior to being issued and receiving a Certificate, Subscribers are solely responsible for any misrepresentations they make to third parties and for all transactions that use Subscriber's Private Key, regardless of whether such use was authorized. Subscribers are required to notify QuoVadis and any applicable RA if a change occurs that could affect the status of the Certificate.

QuoVadis requires, as part of the Subscriber Agreement or Terms of Use, that the Applicant make the commitments and warranties in this Section for the benefit of QuoVadis and all Relying Parties and Application Software Vendors. This make take the form of either:

To be relied upon as an EU Qualified Certificate, the CA/ trust anchor for the validation of the Certificate shall be as identified in a service digital identifier of an EU Trusted List entry with service type identifier http://uri.etsi.org/TrstSvc/Svctype/CA/QC" for a QTSP.

ii) Prior to relying on an authentication product or service, Relying Parties must gather sufficient information to make an informed decision about the proper use of the authentication product or service and whether intended reliance on the authentication product or service was reasonable in light of the circumstances. This includes evaluating the risks associated with their intended use and the limitations associated with the authentication product or service provided by QuoVadis.

iii) Relying Parties' reliance on the authentication product or service is (t)6.6 ((v)-3c)-5.8 (l)-7.1 (u)-3.2 (de)-6.9 (s)-4.

from Subscriber, to correct the defect, except that QuoVadis has no obligation to correct defects that arise from (i) misuse, damage, modification or damage of the Certificates or combination of the Certificates with other products and services by parties other than QuoVadis, or (ii) Subscriber's breach of any provision of the Subscriber Agreement.

9.8 [redacted]

This Section 9.8 does not limit a party's liability for: (i) death or personal injury resulti.6 (i).108 -16iT8(c)-aiS Tm [(T)1.6 (h)--

9.9.3. Indemnification By Relying Parties

To the extent permitted by law, each Relying Party shall indemnify QuoVadis, its partners, and their respective directors, officers, employees, agents, and contractors against any loss, damage, or expense, including reasonable attorney's fees, related to the Relying Party's (i) breach of the Relying Party Agreement, an End-User License Agreement, this CP/CPS, or applicable law; (ii) unreasonable reliance on a Certificate; or (iii) failure to check the Certificate's status prior to use.

9.10. [illegible]

9.10.1. Term

This CP/CPS and any amendments to this CP/CPS are effective when published in the QuoVadis Repository and remain in effect until replaced with a newer version.

9.10.2. Termination

This CP/CPS as amended from time to time shall remain in force until it is replaced by a new version.

9.10.3. Effect Of Termination And Survival

The conditions and effect resulting from termination of this CP/CPS will be communicated via the QuoVadis website upon termination. That communication will outline the provisions that may survive termination of this CP/CPS and remain in force. The responsibilities for protecting business confidential and private personal information shall survive termination, and the terms and conditions for all existing Certificates shall remain valid for the remainder of the validity periods of such Certificates.

9.11. [illegible] Among Affiliates

QuoVadis accepts notices related to this CP/CPS at the locations specified in Section 2.2. Notices are deemed effective after the sender receives a valid and digitally signed acknowledgment of receipt from QuoVadis. If an acknowledgement of receipt is not received within five days, the sender must resend the notice in paper form to the street address specified in Section 2.2 using either a courier service that confirms delivery or via certified or registered mail with postage prepaid and return receipt requested. QuoVadis may allow other forms of notice in its Subscriber Agreements.

9.12. [illegible]

9.12.1. Procedure For Amendment

Amendments to this CP/CPS are made and approved by the QuoVadis PMA at at least annually. Amendments are made by posting an updated version of the CP/CPS to the Repository. Updates supersede any designated or conflicting provisions of the referenced version of the CP/CPS. Controls are in place to reasonably ensure that this CP/CPS is not amended and published without the prior authoris

9.13 Dispute Resolution

To the extent permitted by law, before a Participant files suit or initiates an arbitration claim with respect to a dispute involving any aspect of this Agreement, a Participant shall notify QuoVadis, and any other party to the dispute for the purpose of seeking business resolution. Both Participant and QuoVadis shall make good faith efforts to resolve such dispute via business discussions. If the dispute is not resolved within sixty (60) days after the initial notice, then a party may proceed as permitted under applicable law and as specified under this CP/CPS and other relevant agreements.

i) Arbitration: In the event a dispute is allowed or required to be resolved through arbitration, the parties will maintain the confidential nature of the existence, content, or results of any arbitration hereunder, except as may be necessary to prepare for or conduct the arbitration hearing on the merits, or except as may be necessary in connection with a court application for a preliminary remedy, a judicial confirmation or challenge to an arbitration award or its enforcement, or unless otherwise required by law or judicial decision.

ii) Class Action and Jury Trial Waiver: THE PARTIES EXPRESSLY WAIVE THEIR RESPECTIVE RIGHTS TO A JURY TRIAL FOR THE PURPOSES OF LITIGATING DISPUTES HEREUNDER. Each party agrees that any dispute must be brought in the respective party's individual capacity, and not as a plaintiff or class member in any purported class, collective, representative, multiple plaintiff, or similar proceeding ("Class Action"). The parties expressly waive any ability to maintain any Class Action in any forum in connection with any dispute. If the dispute is subject to arbitration, the arbitrator will not have authority to combine or aggregate similar claims or conduct any Class Action nor make an award to any person or entity not a party to the arbitration. Any claim that all or part of this Class Action waiver is unenforceable, unconscionable, void, or voidable may be determined only by a court of competent jurisdiction and not by an arbitrator.

9.14 Governing Law

The (i) laws that govern the interpretation, construction, and enforcement of this Agreement and all matters, claims or disputes related to it, including tort claims, and (ii) the courts or arbitration bodies that have exclusive jurisdiction over any of the matters, claims or disputes contemplated in subsection (i) above, will each depend on where Customer is domiciled, as set forth in the table below.

In instances where the International Chamber of Commerce is designated below as the court or arbitration body with exclusive jurisdiction of such matters, claims or disputes, then the parties hereby agree that (x) all matters, claims or disputes arising out of or in connection with this Agreement shall be finally settled under the Rules of Arbitration of the International Chamber of Commerce (Rules) by one or more arbitrators appointed in accordance with the Rules, (y) judgment on the award rendered by such arbitration may be entered in any court having jurisdiction, and (z) this arbitration clause shall not preclude parties from seeking provisional remedies in aid of arbitration from a court of appropriate jurisdiction.

Customer is Domiciled in:	Governing Law is laws of:	Court or arbitration body with exclusive jurisdiction:
The United States of America, Canada, Mexico, Central America, South America, the Caribbean, or any other country not otherwise included in the rest of the table below	Utah state law and United States federal law	State and Federal courts located in Salt Lake County, Utah

Customer is Domiciled in:	Governing Law is laws of:	Court or arbitration body with exclusive jurisdiction:
Europe, Switzerland, the United Kingdom, Russia, the Middle East or Africa	England	International Chamber of Commerce, International Court of Arbitration, with seat of arbitration in the below city corresponding to the QuoVadis contracting entity listed in the Order Form. For QV CH: Zurich For QV NL: Amsterdam For QV DE: Munich For QV/BE/DigiCert Europe: Brussels For QV UK: London

limitation of liability, disclaimer of a warranty, or an exclusion of damages is severable and independent of any other provision.

9.16.4. Enforcement (Waiver Of Rights)

QuoVadis may seek indemnification and attorneys' fees from a party for damages, losses, and expenses related to that party's conduct. QuoVadis' failure to enforce a provision of this CP/CPS does not waive QuoVadis' right to enforce the same provision later or right to enforce any other provision of this CP/CPS. To be effective, waivers must be in writing and signed by QuoVadis.

9.16.5. Force Majeure

QuoVadis is not liable for any delay or failure to perform an obligation under this CP/CPS to the extent that the delay or failure is caused by an occurrence beyond QuoVadis' reasonable control. The operation of the Internet is beyond QuoVadis' reasonable control.

To the extent permitted by applicable law, Subscriber Agreements and Relying Party Agreements shall include a force majeure clause protecting QuoVadis.

9.17 Other Provisions

No stipulation.

10. APPENDIX A – ROOT CA PROFILES

QuoVadis Root CA2

Field	Value

QuoVadis Root CA 2 G3

Field	Value
Version	V3
Serial Number	Unique number445734245b81899b35f2ceb82b3b5ba726f07528

11. APPENDIXB

1 [illegible]

Field	Value
Version	V3
Serial Number	Unique number
Issuer Signature Algorithm	sha256RSA (1.2.840.113549.1.1.11)
Issuer Distinguished Name	Unique X.500 CA DN. CN = Variable O = QuoVadis Limited C = BM
Validity Period	397 days
Subject Distinguished Name	
Organization Name	subject:organisationName (2.5.4.10)

Authority Information Access	c=no; Access Method= Id-ad-ocsp (Online Certificate Status Protocol - 1.3.6.1.5.5.7.48.1); URL=http://ocsp.quovadisglobal.com
CRL Distribution Points	c = no; CRL HTTP URL=http://crl.quovadisglobal.com/<CA Name>.crl

Purposes of Business SSL

2 [redacted]

Field	Value	Comments
Version		

ceName (1.3.6.1.4.1.311.60.2.1.2)	Full name of Jurisdiction of Incorporation for an Incorporating or Registration Agency at the state or province level, including country information as

Certificate Policies; {2.23.140.1.1}

•

Step 5: All signatures by Certificate Requesters, Certificate Approvers and Contract Signers are verified through follow-up procedures or telephone calls.

Step 6: QuoVadis obtains and documents further explanation or clarification from the Applicant, Certificate Approver, Certificate Requester, and/or other sources of information as necessary to resolve discrepancies or details requiring further explanation. QuoVadis procedures ensure that a second Validation Specialist who is not responsible for the collection and review of information reviews all of the information and documentation assembled in support of the EV Certificate and looks for discrepancies or other details requiring further explanation. Two QuoVadis Validation Specialists must approve issuance of the Certificate.

Step 7: QuoVadis creates the EV Certificate.

Step 8: The EV Certificate is delivered to the Certificate Requester.

QuoVadis may not issue an EV Certificate until the entire corpus of information and documentation assembled in support of the EV Certificate is such that issuance of the EV Certificate will not communicate inaccurate factual information that QuoVadis knows, or by the exercise of due diligence should discover, from the assembled information and documentation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the EV Certificate Request and notify the Applicant accordingly.

Renewal

Under the EV Guidelines, renewal requirements and procedures are generally the same as those employed for the validation and issuance for new Applicants. The maximum validity period for validated data that can be used to support issuance of an EV Certificate (before revalidation is required) is thirteen months, except for the identity and authority of individuals identified in the EV Authority Letter.

In the case of outdated information, QuoVadis repeats the verification processes required by the EV Guidelines. If a company is no longer in good standing, or if any of the other required information cannot be verified, the Certificate is not renewed.

3.x [illegible]

QuoVadis Qualified Website Authentication Certificates (QCP-w) (QWAC) are issued under the requirements of ETSI EN 319 411-2 aim to support website authentication based on a Qualified Certificate defined in articles 3 (38) and 45 of the eIDAS Regulation.

QCP-w Certificates issued under these requirements endorse the requirement of EV Certificates whose purpose is specified in clause 5.5 of ETSI EN 319 411-2 [2]. QWACs issued under this policy provide a means by which a visitor to a website can be assured that there is a genuine and legitimate entity standing behind the website as specified in the eIDAS Regulation.

The QuoVadis QWAC is designed to comply with:

- CA/Browser Forum EV Guidelines;
- ETSI EN 319 411-2 Electronic Signatures and Infrastructures (ESI); Requirements for Trust Service Providers issuing EU Qualified Certificates;
- ETSI EN 319 412-4 Electronic Signatures and Infrastructures (ESI); Certificate profile for web site certificates; and
- ETSI EN 319 412-5 Electronic Signatures and Infrastructures (ESI); QC Statements

Field	Value	Comments
Version	V3 (2)	
Serial Number	Unique system generated random number	

		have a Registration Number or verifiable date of creation, the field will contain the label “Government Entity”.
Business Category	Subject:businessCategory (2.5.4.15)	This field MUST contain one of the following strings: "Private Organization", "Government Entity", "Business Entity", or "Non-Commercial Entity", depending on which Sectionof the EV Guidelines applies to the Subject.
City or town		

QuoVadis policy is that QuoVadis Qualified Website Authentication (QWAC) certificates are only issued to legal persons and not natural persons. The identity of the legal person and, if applicable, any specific attributes of the legal person, shall be verified:

I. by the physical presence of an authorised representative of the legal person; or

II. using methods which provide equivalent assurance in terms of reliability to the physical presence of an authorised representative of the legal person and for which QuoVadis can prove the equivalence.

1 [illegible] Q -W 2

ETSI TS 119 495 defines QWAC profiles and TSP policy requirements under the Payment Services Directive (EU) 2015/2366, which are supplemented by Ballot SC17 of the CA/Browser Forum.

QuoVadis QCP-w-psd2 follow the same profile as QuoVadis QCP-w Certificates with the following variations:

Field	Value	Comments	
Subject Distinguished Name			
Organization Identifier	subject:organisationIdentifier (2.5.497)	PSD2 Authorisation Number Refer to: ETSI TS 119 495 5.1 CA/Browser Forum Ballot SC17	

Extension

	certificate is an EU Qualified Certificate in accordance with Regulation EU No 910/2014	
id-etsi-qcs-QcType	id-etsi-qcs-6 (0.4.0.1862.1.6) esi4-	

Note: PSP identifiers MAY contain hyphens, but Registration Schemes, ISO 3166 country codes, and NCA identifiers do not. Therefore if more than one hyphen appears in the final PSP identifier, the leftmost hyphen is a separator and the remaining hyphens are part of the PSP identifier.

PSD2 Roles

The NCA can assign one or more roles (RolesOfPSP) to payment service providers. QuoVadis also confirms the PSD2 role of the Certificate Applicant (RolesOfPSP):

i) account servicing (PSP_AS)
   - OID: id-psd2-role-psp-as { 0.4.0.19495.1.1 }
     Role: PSP_AS

ii) payment initiation (PSP_PI)

- A hardware cryptographic module with a unit design form factor certified as conforming to at least FIPS 140 Level 2, Common Criteria EAL 4+, or equivalent.
- Another type of hardware storage token with a unit design form factor of SD Card or USB token (not necessarily certified as conformant with FIPS 140 Level 2 or Common Criteria EAL 4+). The SubscriberMUST also warrant that it will keep the token physically separate from the device that hosts the code signing function until a signing session is begun.

Verification Requirements

Before issuing a Code Signing Certificate, QuoVadis performs limited procedures to verify that all Subject information in the Certificate is correct, and that the Applicant is authorised to sign code in the name to be included in the Certificate.

Prior to issuing a Code Signing Cere mon ht(me)-7d (if)0.monÍ rec8 (io -07 (u)-3.271(f)-11.</MCID 11 >J 0 -1./MCI(e9M