Version Control

Approved by	Date	Version	Comment
QuoVadis PMA	28 February 2002	2.05	ETA Revisions
QuoVadis PMA	01 August 2003	2.06	WebTrust Revisions
QuoVadis PMA	01 April 2004	2.07	WebTrust Revisions
QuoVadis PMA	11 November 2005	2.08	WebTrust Revisions
QuoVadis PMA	17 April 2006	4.00	Cumulative ZertES Revisions
QuoVadis PMA	14 September 2006	4.1	EIDI-V Certificate Requirements
QuoVadis PMA	26 February 2007 03dded	4.2	QuoVadis Root CA 3 Added
QuoVadis PMA	03 April 2007	4.3	Clarifications to Appendix A

QuoVadis PMA	2 August 2016	4.19	Updates for Regulation (EU) No 910/2014 (the eIDAS Regulation)
QuoVadis PMA	8 May 2017	4.20	Updates for the eIDAS Regulation; includes Legal Person Certificates. Updates for Code Signing Minimum Requirements
QuoVadis PMA	6 September 2017	4.21	Updates for CAA. Updates for submission of complaints
QuoVadis PMA	31 January 2018	4.22	Updates for the Baseline Requirements and Mozilla Root Store Policy
QuoVadis PMA	25 July 2018	4.23	Updates for Certificate Renewal. Additions in Appendix A relating to Qualified Certificate QSCD, where the device is managed by QuoVadis on behalf of the subject (1.3.6.1.4.1.8024.1.410).
QuoVadis PMA	30 July 2018	4.24	Updates for domain vetting (CA/B Forum Ballot 218)
QuoVadis PMA	7 December 2018	4.25	Updates to include changes for EU Qualified certs and itsme Sign Issuing CA G1. More explicit reference to the BR Domain Vetting methods
QuoVadis PMA	6 June 2019	4.26	Updates for where QSCD managed on behalf of Subscriber by QuoVadis . Updates to revocation requests. Updates for Baseline Requirements domain and IP address validation methods. Change to CRL update frequency
QuoVadis PMA	20 June 2019	4.27	Included PSD2 Qualified eSeal (QSealC) according to ETSI TS 119 495
QuoVadis PMA	23 August 2019	4.28	Adding QuoVadis responsibilities managing keys on behalf of the Subscriber. Clarifying revocation procedures
QuoVadis PMA	27 March 2020	4.29	Changes to comply with Mozilla Root Store Policy v2.7, CA/B Forum Ballot SC25, and clarification to trusted roles. Updates for Subscriber Agreement and Terms of Use. New profiles for Swiss Qualified and Regulated Certificates. Changes to reflect policies and practices adopted from, and editorial conformity with , DigiCert where applicable
QuoVadis PMA	25 August, 2020	4.30	Updates to domain validation and CAA methods. Reduction in TLS validity period. Update to revocation services information.
[redacted]oVadis PMA	30 September, 2020	4.31	Updates to comply with CA/B Forum Ballots SC30, SC31, SC33. Edits to Relying Party obli << (ma)-7 (t)-12.4 (ion)2.718 7

QuoVadis PMA	3 August, 2021	4.34	Minor editorial changes, update to OCSP Response.
QuoVadis PMA	24 September, 2021	4.35	Minor clarification of revocation service times, TLS validity.
QuoVadis PMA	6 December, 2021	4.36	Update for ETSI TS 119 461, Remote Identity Verification, CA/B Forum Ballot SC42.
QuoVadis PMA	20 December, 2021	4.37	Clarification of RIV methods, deprecation of eID method, minor editorial changes.

3.3. Identification And Authentication For Re

4.9.9. On-

1. INTRODUCTION

1.1. OVERVIEW

This Certificate Policy/Certification Practice Statement (CP/CPS) sets out the certification processes that the QuoVadis PKI uses in the generation, issue, use, and management of Certificates and serves to notify Subscribers and Relying Parties of their roles and responsibilities concerning Certificates. This CP/CPS applies to the following Root CAs:

-

and undertakes procedures to ensure that the security and functionality of the trust service meet the appropriate requirements.

1.2. DOCUMENT NAME, IDENTIFICATION AND APPLICABILITY

The Object Identifier (OID) assigned to QuoVadis is 1.3.6.1.4.1.8024. This CP/CPS applies to all CAs and Subscriber Certificates that are signed by the following Root CAs

Root CA	OID
QuoVadis Root CA 1 G3	1.3.6.1.4.1.8024.0.1
QuoVadis Root CA 3 QuoVadis Root CA 3 G3	1.3.6.1.4.1.8024.0.3

The inclusion of the TLS OIDs (1.3.6.1.4.1.8024.0.1.100.1.1 and 1.3.6.1.4.1.8024.0.3.100.1.1) in the certificatePolicies extension of an end entity Subscriber Certificate asserts adherence to and compliance with the Baseline Requirements.

Separate policy documents in the QuoVadis Repository apply to QuoVadis Certificates signed by the following Root CAs:

- Root CA 2 and QuoVadis Root CA 2 G3 (OID 1.3.6.1.4.1.8024.0.2)
- Netherlands PKIoverheid
- QuoVadis Private PKI Trust Anchor Root CA (OID 1.3.6.1.4.1.8024.0.4)

QuoVadis also operates Time-stamping Authority (TSA) services under a separate QuoVadis Time-Stamp Policy/Practice Statement (OID 1.3.6.1.4.1.8024.0.2000). Additional OIDs assigned by QuoVadis include:

- HydrantID / Avalanche Cloud Corporation (1.3.6.1.4.1.8024.0.3.900.0 and 1.3.6.1.4.1.8024.A.Hv)

between QuoVadis and Belgian Mobile ID. QuoVadis retains overall responsibility toward relying parties for all Certificates issued from the of the itsme Sign Issuing CA.

In the case of Qualified Certificates, where QuoVadis manages Key Pairs on behalf of the Subscriber, QuoVadis shall ensure:

- where the policy requires the use of a Qualified Electronic Signature/Seal Creation Device (QSCD), then the signatures are only created by the QSCD;
- in the case of natural persons, the Subscriber's Private Key is maintained and used under their sole control and used only for Electronic Signatures; and
- in the case of legal persons, the Subscriber's Private Key is maintained and used under their control and used only for Electronic Seals.

An Issuing CA may, but shall not be obliged to, detail its specific practices and other requirements in a policy or practices statement adopted by it following approval by the QuoVadis PMA. Issuing CAs are required to conduct regular compliance audits of their RAs to ensure that they are complying their respective RA Agreements and this CP/CPS.

Issuing CAs must not be used for Man in the Middle (MITM) purposes for the interception of encrypted communications or for traffic management of domain names /IP addresses that the entity does not own or control. External Issuing CAs publicly-trusted must either be technically constrained, or undergo an independent audit and be publicly disclosed in the QuoVadis Repository.

See also Section 9.6.1.

1.3.2. Registration Authorities and Other Delegated Third Parties

A Registration Authority (RA) is an entity that performs Identification and Authentication of Certificate Applicants, and initiates, passes along revocation requests for end-user Subscriber Certificates, and approves applications for renewal or re-keying Certificates on behalf of an Issuing CA. QuoVadis and Issuing CAs may act as RAs for Certificates they issue.

RAs may be authorised by QuoVadis to delegate the performance of certain functions to third party validators if it meets the requirements of the QuoVadis CP/CPS. QuoVadis contractually obligates each RA and delegated third party to abide by the policies and industry standards that are applicable to their responsibilities. Where required by a Certificate Class, QuoVadis only allows the use of identity validation methods that have been approved by the relevant Supervisory Authority . Validation of Domains and IP Addresses for TLS and of email addresses included in Certificate Subject fields cannot be delegated.

Third parties, who enter into a contractual relationship with QuoVadis, may act as Enterprise RAs (ERAs) and authorise the issuance of Certificates by QuoVadis for Organisations and Domains that have been pre-authenticated by QuoVadis. ERAs must abide by all the requirements of this CP/CPS and the terms of their services agreement with QuoVadis.

See also Section 9.6.2.

1.3.3. Subscribers

Subscribers use QuoVadis' services and PKI to support transactions and communications. Subscribers under this CP/CPS include all end users (including entities) of Certificates issued by an Issuer CA. A Subscriber is the entity named as the end-user Subscriber of a Certificate. End-user Subscribers may be individuals, organisations or, infrastructure components such as firewalls, routers, trusted servers or other devices used to secure communications within an organisation.

Subscribers are not always the party identified in a Certificate. The *Subject* of a Certificate is the party named in the Certificate. A Subscriber, as used herein, may refer to the Subject of the Certificate and the entity that contracted with QuoVadis for the Certificate's issuance, or the individual responsible for requesting and a

Certificate on a trusted system. Prior to verification of identity and issuance of a Certificate, a Subscriber is an *Applicant*. Within the QuoVadis Portal a Subscriber may also be referred to as *Certificateholder*.

Subscribers are required to act in accordance with this CP/CPS and Subscriber Agreements. *See* also Section 9.6.3.

1.3.4. Relying Parties

Relying Parties are entities that act in Reasonable Reliance on a Certificate and/or Digital Signature issued by QuoVadis. A Relying Party may, or may not, also be a Subscriber of the QuoVadis PKI. Relying parties must check the appropriate CRL or OCSP response prior to relying on information featured in a Certificate. The location of the Certificate Status service is detailed within the Certificate.

Relying Parties are required to act in accordance with this CP/CPS and the Relying Party Agreement. *See* also Section 9.6.4.

1.3.5. Other Participants

Other Participants in the QuoVadis PKI are required to act in accordance with this CP/CPS and/or applicable agreements. Other participants include Accreditation Authorities such as the Policy Management Authority

1.5. POLICY ADMINISTRATION

1.5.1. Organisation Administering The CP/CPS

This CP/CPS and related agreements and security policy documents referenced within this document are administered by the QuoVadis Policy Management Authority (PMA).

1.5.2. Contact Person

Per471 (V (V)0.6 ru)-3.3 (o)-12.1 ((V)0.1 (Va)-7 J -0mmung)](i)-12.2 (r)]TaM1 Tca9.967 (d)6ica-12.1 (h)-3.3 o(r)3.4 (ith)-3.

CA	Certification Authority or Certificate Authority
CAA	Certificate Authority Authorisation
CP/CPS	Certificate Policy & Certification Practice Statement
CRL	Certificate Revocation List
CSR	Certificate Signing Request
CT	Certificate Transparency
eIDAS	Regulation (EU) 910/2014
ERA	Enterprise Registration Authority
ETSI	European Telecommunications Standards Initiative
EUTL	EU Trusted List
EV	Extended Validation
FIPS	Federal Information Processing Standard
FQDN	Fully Qualified Domain Name
ICANN	Internet Corporation for Assigned Names and Numbers
IETF	Internet Engineering Task Force
IGTF	International Grid Trust Federation
ITU	International Telecommunication Union
OID	Object Identifier
OCSP	Online Certificate Status Protocol
PKCS	Public Key Cryptography Standard
PKI	Public Key Infrastructure
PKIX	IETF Working Group on Public Key Infrastructure
PMA	QuoVadis Policy Management Authority
Portal	Certificate Management System
PSP	Payment Service Provider
RA	Registration Authority
SSL	Secure Sockets Layer
TLS	Transaction Layer Security
UTC	Coordinated Universal Time
X.509	The ITU-T standard for Certificates and their corresponding authentication framework

1.6.3. References

This CP/CPS describes the practices used to comply with the current versions of the following policies, standards, and requirements as relevant

Standards / Law	
WebTrust	WebTrust Principles and Criteria for Certification Authorities WebTrust Principles and Criteria for Certification Authorities – SSL Baseline with Network Security

Standards / Law	
	WebTrust for Certification Authorities – Extended Validation SSL WebTrust for Certification Authorities – Publicly Trusted Code Signing Certificates
SR 943.03 [ZertES]	Bundesgesetz über Zertifizierungsdienste im Bereich der elektronischen Signatur und anderer Anwendungen digitaler Zertifikate (Bundesgesetz über die elektronische Signatur, ZertES) vom 18. März 2016
SR 943.032 [VZertES]	Verordnung über Zertifizierungsdienste im Bereich der elektronischen Signatur und anderer Anwendungen digitaler Zertifikate (Verordnung über die elektronische Signatur, VZertES) vom 23. November 2016
SR 943.032.1 [TAV]	R 943.032.1 / Anhang: Technische und administrative Vorschriften über Zertifizierungsdienste im Bereich der elektronischen Signatur und anderer Anwendungen digitaler Zertifikate Ausgabe 1 23.11.2016 Inkrafttreten: 1.1.2017
ETSI EN 319 401	General Policy Requirements for Trust Service Providers
ETSI EN 319 411-1	Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General Requirements
ETSI EN 319 411-2	Policy and security requirements for Trust Service Providers issuing certificates; Part 2: Requirements for trust service providers issuing EU qualified certificates
ETSI EN 319 421	Policy and Security Requirements for Trust Service Providers issuing Electronic Time-Stamps
ETSI EN 319 412-1	Certificate Profiles; Part 1: Overview and common data structures
ETSI EN 319 412-2	Certificate Profiles; Part 2: Certificate profile for certificates issued to natural persons
ETSI EN 319 412-3	Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons
ETSI EN 319 412-4	Certificate Profiles; Part 4: Certificate profile for web site certificates
ETSI EN 319 412-5	Certificate Profiles; Part 5: QCStatements
ETSI EN 319 422	Time stamping protocol and electronic timestamp profiles
ETSI TS 119 431-1	Policy and security requirements for Trust Service Providers; Part 1: TSP service components os (rArtifac2(omp)0.8 (o (rArtifac2(omp)0.8 (o (rArtifaci3rAr7 (c)-5.7 (c

Standards / Law	
Application Software Vendor	Adobe Approved Trust List Technical Requirements, v.2.0 Apple Root Store Program Microsoft Trusted RootStore (Program Requirements) Mozilla Root Store Policy v.2.7.1 Chromium Project Root Store Certificate Policy

2. PUBLICATIONAND REPOSITORY RESPONSIBILITIES

2.1. REPOSITORIES

QuoVadis provides public repositories for its CA Certificates, revocation data for issued Certificates, CP/CPS, Terms and Conditions, and other important policy documents. The QuoVadis Repository is located at https://www.quovadisglobal.com/repository .

3. IDENTIFICATION AND AUTHENTICATION

The Identification and Authentication procedures used by QuoVadis depend on the Class of Certificate being issued (*See* Appendix A and Appendix B for Class 1 and Class 2 Certificates).

that does not appear in the request used to retrieve the file and receipt of a successful HTTP 2xx status code response from the request) Performed in accordance with BR Section 3.2.2.4.18;

xix) Confirming the Applicant's control over a FQDN by validating domain control of the FQDN using the ACME HTTP Challenge method Performed in accordance with BR Section 3.2.2.4.19 and section 8.3 of RFC 8555 as prescribed; or

xx) Confirming the Applicant's control over a FQDN by validating domain control of the FQDN by negotiating a new application layer protocol 8 (t)-12.4 (r)3.3(r)-8.8 (b)3.9 (y)- (th)-3. (t)6.7 ())]TJ -0[FNECnr perform with R Section 3.2.2.2.2

-049rerf2r7ngmeme3nt•.9 (8n)7 (a)-wVea5

-aM8pe(n f4.4 (3)]TJ -0.001 Tc -0.002 Tw 1.0 (t7 Td [(a)-8.7 (oc)-7 (n

vi) Confirming the Applicant's control over the IP Address by performing the procedure documented for an "http-01" challenge in draft 04 of "ACME IP Identifier Validation Extension," available at https://tools.ietf.org/html/draft- ietf-acme-ip-04#

i) Full name and legal status of the associated organisational entity;

ii)

QuoVadis supports four levels of Remote Identity Verification

Level	Description
RIV1	Base RIV plus manual review in defined cases (e.g, fraud risk, changes made by RA)
RIV2	Base RIV plus manual review in T EMC /P8 re f 72 654.6 0.48 16.8 re (3ID a)-7 -P <</MCID 9

3.2.5. Validation Of Authority

4.2.1.1. Certificate Authority Authorisation (CAA)

Prior to issuing TLS Certificates, QuoVadis checks for CAA records for each dNSName in the subjectAltName extension of the Certificate to be issued. If the QuoVadis Certificate is issued, it will be issued within the TTL of the CAA record, or 8 hours, whichever is greater.

When processing CAA records, QuoVadis processes the issue, issuewild, and iodef property tags as specified in RFC 8659. QuoVadis may not act on the contents of the iodef property tag. QuoVadis will not issue a Certificate if an unrecognised property is found with the critical flag.eatyatya if i.1 (t is)-(s)-4d th(d)-12.3 ithk(NS)8 (Nam)4.7 (

protected from unauthorised modification. After issuance is complete, the Certificate is stored in a database and sent to the Subscriber.

4.3.2. Notification To Applicant Subscriber By The CA Of Issuance Of Certificate

QuoVadis may deliver Certificates in any secure manner within a reasonable time after issuance. Generally, QuoVadis delivers instructions via email to the email address designated by the Subscriber during the application process

4.3.3. Notification to NCA for PSD2 Certificates

QuoVadis maintains a register of NCA contact information. When a PSD2 Certificate is issued, QuoVadis will send a notification email to the NCA identified in the Certificate using the pre-registered contact information.

4.4. CERTIFICATE ACCEPTANCE

4.4.1. Conduct Constituting Certificate Acceptance

The Certificate Requester is responsible for installing the issued Certificate on the Subscriber's computer or cryptographic module according to the Subscriber's system specifications. A Subscriber is deemed to have accepted a Certificate when:

- The Subscriber downloads, installs, or otherwise takes delivery of the Certificate; or
- 30 days pass since issuance of the Certificate.

A Relying Party should use discretion when relying on a Certificate and should consider the totality of the circumstances and risk of loss prior to relying on a Certificate. If the circumstances indicate that additional assurances are required, the Relying Party must obtain such assurances before using the Certificate. Any warranties provided by QuoVadis are only valid if a Relying Party's reliance was reasonable and if the Relying Party adhered to the Relying Party Agreement set forth in the QuoVadis Repository.

A Relying Party should rely on a Digital Signature or TLS handshake only if:

i) the Digital Signature or TLS session was created during the operational period of a valid Certificate and can be verified by referencing a valid Certificate,

ii) the Certificate is not revoked and the Relying Party checked the revocation status of the Certificate prior to the Certificate's use by referring to the relevant CRLs or OCSP responses, and

iii)

4.6.7. Notification of Certificate Issuance By The CA To Other Entities

RAs may receive notification of a Certificate's renewal if the RA was involved in the issuance process.

4.7. CERTIFICATE RE-KEY

Re-keying means creating a new Certificate with a new Public Key and serial number while keeping the Subject information the same.

4.7.1. Circumstance For Certificate Re-Key

Certificates may be re-keyed upon request. After re-keying a Certificate 953 4.434 3.301 cV1.27 (.8 (erype /Pa)-4.8 (s)-5T0

4.8.2. Who May Request Certificate Modification

QuoVadis modifies Certificates at the request of certain Certificate Subjects or in its own discretion. QuoVadis does not make certificate modification services available to all Subscribers.

4.8.3. Processing Certificate Modification Requests

After receiving a request for modification, QuoVadis verifies any information that will change in the modified Certificate. QuoVadis will only issue the modified Certificate after completing the verification process on all modified information. RAs are required to perform Identification and Authentication of all modified Subscriber information in accordance with the requirements of the applicable Certificate Profile.

4.8.4. Notification of Certificate Modification To Subscriber

QuoVadis may deliver the Certificate in any secure fashion, such as using a QuoVadis Portal.

4.8.5. Conduct Constituting Acceptance Of A Modified Certificate

Conduct constituting acceptance of a modified Certificate is in accordance with Section 4.4.1. Modified Certificates are considered accepted 30 days after the Certificate is modified, or earlier upon use of the Certificate when evidence exists that the Subscriber used the Certificate.

4.8.6. Publication of the Modified Certificate By The CA

QuoVadis publishes modified Certificates by delivering them to Subscribers.

4.8.7. Notification of Certificate Modification By The CA To Other Entities

RAs may receive notification of a Certificate's modification if the RA was involved in the issuance process.

4.9. CERTIFICATE REVOCATION AND SUSPENSION

Revocation of a Certificate permanently ends the operational period of the Certificate prior to the Certificate reaching the end of its stated validity period. Prior to revoking a Certificate, QuoVadis and Issuing CAs verify that a revocation request was initiated by Subscribers, an RA, an Issuing CA, and other entities listed in Section if -9.2(.3h) -

In the absence of exceptional circumstances confirmed with the relevant Supervisory Authority, QuoVadis will revoke a Certificate within 24 hours when QuoVadis becomes aware that a QSCD used for QCP-l-qscd or QCP-l-qscd loses its certification status

QuoVadis may revoke a Certificate within 24 hours and will revoke a Certificate within 5 days after receipt and confirming that one or more of the following occurred:

i) QuoVadis obtains evidence that the Certificate was misused and/or used outside the intended purpose as indicated by the relevant agreement;

ii) The Subscriber breached a material obligation under the CP/CPS or the relevant agreement

iii) QuoVadis confirms any circumstance indicating that use of a FQDN, IP address, or email address in the Certificate is no longer legally permitted (e.g. a court or arbitrator has revoked a Domain Name registrant's right to use the Domain Name, a relevant licensing or services agreement between the Domain Name registrant and the Applicant has terminated, or the Domain Name registrant has failed

vi) The Subscriber was added as a denied party or prohibited person to a blocklist or is operating from a destination prohibited under the laws of the United States;

vii) For Adobe Signing Certificates, Adobe has requested revocation; or

viii) For code-signing Certificates, the Certificate was used to sign, publish, or distribute malware, code that is downloaded without user consent, or other harmful content.

ix) QuoVadis receives notice or otherwise becomes aware that there has been some other modification of the information pertaining to the Subscriber that is contained within the Certificate;

x) The Subscriber fails or refuses to comply, or to promptly correct inaccurate, false or misleading information after being made aware of such inaccuracy, misrepresentation or falsity;

QuoVadis always revokes a Certificate if the binding between the subject and the subject's Public Key in the Certificate is no longer valid or if an associated Private Key is compromised.

QuoVadis will revoke an Issuing CA Certificate within seven (7) days after receipt and confirming one or more of the following occurred:

i) The Issuing CA requests revocation in writing;

ii) The Issuing CA notifies QuoVadis that the original Certificate Request was not authorised and does not retroactively grant authorisation;

iii) QuoVadis obtains evidence that the Issuing CA's Private Key corresponding to the Public Key in the Certificate suffered a key compromise or no longer complies with the requirements of Sections 6.1.5 and 6.1.6 of the CA/Browser Forum baseline requirements or any Section of the Mozilla Root Store policy;

iv) QuoVadis obtains evidence that the CA Certificate was misused and/or used outside the intended purpose as indicated by the relevant agreement;

v) QuoVadis confirms that the CA Certificate was not issued in accordance with or that Issuing CA has not complied with the CP/CPS;

vi) QuoVadis determines that any of the information appearing in the CA Certificate is inaccurate or misleading;

vii) QuoVadis or the Issuing CA ceases operations for any reason and has not made arrangements f(ou)-3.2c -0.004

QuoVadis provides Anti-Malware Organisations, Subscribers, Relying Parties, Application Software Vendors, and other third parties (such as a National Competent Authority that issued the Authorisation Number in a PSD2 Certificate) with clear instructions on how they can report suspected Private Key compromise, Certificate misuse, Certificates used to sign Suspect Code, Takeover Attacks, or other types of possible fraud, compromise, misuse, inappropriate conduct, or any other matter related to Certificates at https:// problemreport.digicert.com/ and other resources listed in Section 1.5.2.1.

4.9.3. Procedure For Revocation Request

QuoVadis processes a revocation request as follows:

i) QuoVadis logs the request or problem report and the reason for requesting revocation based on the list in Section 4.9.1, including contact information for the requestor. QuoVadis may also include its own reasons for revocation in the log.Q1.7 (u)-3.2iu riC /LBody <</MC5

ln srm]TJ 0 f

Upon expiry of the Issuing CA, the associated OCSP Responder service is discontinued

4.10. CERTIFICATE STATUS SERVICES

4.10.1. Operational Characteristics

Certificate status information is available via CRL and OCSP responder. For publicly-trusted TLS certificates, revocation entries on a CRL or OCSP Response are not removed until after the expiration of the revoked Certificate. The serial number of a revoked Certificate remains on the CRL until one additional CRL is published after the end of the Certificate's validity period, except for revoked Code Signing Certificates, which remain on the CRL for at least 10 years following the Certificate's validity period.

4.10.2. Service Availability

Certificate status services are available 24x7. QuoVadis operates and maintains its CRL and OCSP capability with resources sufficient to provide a response time of ten seconds or less under normal operati.n.(al o)6.9 (a)-6.9 0.4 (l9 (

5.1.3. Power And Air -Conditioning

Datacentres have primary and secondary power supplies that ensure continuous and uninterrupted access to electric power. Uninterrupted power supplies (UPS) and generators provide redundant backup power.

5.1.4. Water Exposures

The cabinets housing QuoVadis' CA and TSA systems are designed to prevent and protect against water exposure.

5.1.5. Fire Prevention And Protection

QuoVadis datacentres are equipped with fire suppression mechanisms.

5.1.6. Media Storage

QuoVadis protects its media from accidental damage, environmental hazards, unauthorised physical access, and from obsolescence/deterioration during the period that records are required to be retained. Backup files are created on a daily basis. QuoVadis backup files are maintained at either within the QuoVadis service operations area or in a secure off-site storage area.

5.1.7. Waste Disposal

All unnecessary copies of printed sensitive information are shredded on-site before disposal. All electronic media are physically destroyed or are overwritten multiple times to prevent the recovery of the data.

5.1.8. Off-Site Backup

An off-site location is used for the storage and retention of backup software and data. The off-site storage:

i) is available to authorised personnel 24x7 for the purpose of retrieving software and data; and

ii) has appropriate levels of physical security in place (i.e. software and data are stored in fire-rated safes and containers which are located behind access-controlled doors in areas accessible only by authorised r8 (ite)-. tro alic x7

5.2.1.3. System Administrators/ System Engineers (Operator)

The System Administrator/System Engineer installs and configures system hardware, including servers, routers, firewalls, and network configurations. The System Administrator/System Engineer also keeps critical systems updated with software patches and other maintenance needed for system stability and recoverability.

5.2.1.4. Internal Auditors

Internal Auditors are responsible for reviewing, maintaining, and archiving audit logs and performing or overseeing internal compliance audits to determine if QuoVadis, an Issuing CA, or RA is operating in accordance with this CP/CPS or approved registration procedures.

5.2.1.5. RA Administrators

RA Administrators manage the RA certificate management systems.

5.2.1.6. Security Officers

The Security Officer is responsible for administering and implementing security practices.

5.2.2. Number of Persons Required Per Task

QuoVadis requires that at least two people acting in a trusted role take action for the most sensitive tasks, such as activating QuoVadis Private Keys, generating a CA Key Pair, or backing up a QuoVadis Private Key. The Internal Auditor may serve to fulfill the requirement of multiparty control for physical access to the CA system but ta leas 11.2er Tasica 5.2.2. n(th)6 (ki)7 (n)9 (l)-7( )2 (si)6.9 in(tl)-(tr)le acR thkinsi i i tosR (ir7(e)64.9qt)6.6 (q)

5.3.1. Qualifications, Experienc e And Clearance Requirements

The PMA is responsible and accountable fo QuoVadis PKI operations and ensures compliance with this CP/CPS Prior to the engagement of any person in the Certificate m

5.3.6.

- Entries to and exits from the CA facility.

QuoVadis event logs include:

- Date and time of the record;
- Identity of the entity making the journal record; and
- Details of the ofrecord.

5.4.2.

QuoVadis' audit log monitoring tools alert the appropriate personnel of any events, such as repeated failed actions, requests for privileged information, attempted access of system files, and unauthenticated responses.

QuoVadis performs annual risk assessments that identify and assess reasonably foreseeable internal and external threats that could result in unauthorized access, disclosure, misuse, alteration, or destruction of any certificate data or certificate issuance process. QuoVadis also routinely assesses the sufficiency of the polienc

If QuoVadis needs to transfer any media to a different archive site or equipment, QuoVadis will maintain both archived locations and/or pieces of equipment until the transfer are complete. All transfers to new archives will occur in a secure manner.

5.5.4. Archive Backup Procedures

QuoVadis maintains and implements backup procedures so that in the event of the loss or destruction of the primary archives a complete set of backup copies is readily available.

5.5.5. Requirements For Time-Stamping Of Records

QuoVadis supports time stamping of its records. All events that are recorded within the QuoVadis service include the date and time of when the event took place. This date and time are based on the system time on which the CA system is operating. QuoVadis uses procedures to review and ensure that all system time

to a regulatory body and the continuation of revocation status in the event of termination. QuoVadis also has formally documented complaint and dispute resolution procedures.

QuoVadis has made arrangements to cover the costs associated with fulfilling these requirements in case QuoVadis becomes bankrupt or is unable to cover the costs. Any requirements of this Section that are varied by contract apply only the contracting parties.

6. TECHNICAL SECURITY CONTROLS

6.1. KEY PAIR GENERATION AND INSTALLATION

6.1.1. Key Pair Generation

QuoVadis CA Key Pairs are generated by multiple trusted individuals acting in trusted roles and using a cryptographic hardware device as part of scripted key generation ceremony in the environments described in Section 5.1 and logged in accordance with Section 5.4.

access. Reactivation of a backed-up CA Private Key (unwrapping) requires the same security and multi-person control as when performing other sensitive CA Private Key operations.

6.2.3. Private Key Escrow

QuoVadis does not escrow its CA signature keys. QuoVadis may provide escrow services for end entity Subscriber Certificates in order to provide key recovery as described in Section 4.12.1.

6.2.4. Private Key Backup

QuoVadis CA Private Keys are generated and operated inside cryptographic modules which have been evaluated to at least FIPS 140-2 Level 3. When keys are transferred to other media for backup and disaster recovery purposes, the keys are transferred and stored in an encrypted form. QuoVadis' CA Key Pairs are backed up by multiple trusted individuals using a cryptographic hardware device as part of scripted key backup process.

6.2.5. Private Key Archive

See Section 4.12. QuoVadis does not archive CA Certificate Private Keys.

6.2.6. Private Key Transfer Into Or From A Cryptographic Module

All CA keys must be generated by and in a cryptographic module. Private Keys are exported from the cryptographic module into backup tokens only for HSM transfer, offline storage, and backup purposes. The Private Keys are encrypted when transferred out of the module and never exist in plaintext form. When transported between cryptographic modules, QuoVadis encrypts the Private Key and protects the keys used for encryption from disclosure. Private Keys used to encrypt backups are securely stored and require two-person access. If QuoVadis becomes aware that an Issuing CA's Private Key has been communicated to an unauthorised person or an organization not affiliated with the Issuing CA, then QuoVadis will revoke all certificates that include the Public Key corresponding to the communicated Private Key.

If QuoVadis pregenerates Private Keys and transfers them into a hardware token, for example transferring generated end-entity Subscriber Private Keys into a smart card, it will securely transfer such Private Keys into the token to the extent necessary to prevent loss, theft, modification, unauthorized disclosure, or

ii) manage privileges to limit users to their assigned roles;
iii) enforce domain integrity boundaries for security critical processes; and
iv)

allow access only by the addresses, ports, protocols and commands required for the trustworthy provision of PKI services by such systems.

QuoVadis performs vulnerability scans of its networks at least once a quarter, and penetration tests at least annually.

The QuoVadis security policy is to block all ports and protocols and open only ports necessary to enable CA functions. All CA equipment is configured with a minimum number of services and all unused network ports and services are disabled.

6.8. TIME-STAMPING

The QuoVadis Time-stamping Authority (TSA) uses PKI and trusted time sources to provide reliable standards-based time-stamps. The QuoVadis Time-stamp Policy defines the operational and management practices of the QuoVadis TSA such that Participants and Relying Parties may evaluate their confidence in the operation of the time-stamping services.

The QuoVadis TimeStamp Policy/Practice Statement is structured in accordance with ETSI EN 319 421 and should be read in conjunction with this CP/CPS. The QuoVadis Time-stamp Policy aims to deliver time stamping services used in support of either Swiss or eIDAS Qualified Electronic Signatures, as well as any application requiring proof that a datum existed before a particular time

7. CERTIFICATE, CRL, AND OCSP PROFILES

QuoVadis uses the ITU X.509, version 3 standard to construct Certificates. QuoVadis adds certain certificate extensions to the basic certificate structure for the purposes intended by X.509 v3 as per Amendment 1 to ISO/IEC 9594-8, 1995. *See* Appendix A and Appendix B.

For publicly-trusted TLS Certificates, QuoVadis meets the technical requirements set forth in Sections 2.2, 6.1.5, and 6.1.6 of the CA/Browser Forum Baseline Requirements and this CP/CPS.

QuoVadis generates non-sequential Certificate serial numbers (positive numbers greater than zero) that contain at least 64 bits of output from a CSPRNG.

7.1. CERTIFICATE PROFIILE

The table below describes the basic fields that may be included in QuoVadis Certificates. Refer to APPENDIX A for additional Certificate contents that are specific to the individual Certificate Profiles.

7.1.1. Version Number(s)

All Certificates are X.509 version 3 Certificates.

7.1.2. Certificate Extensions

The extensions defined for X.509 v3 Certificates provide methods for associating additional attributes with users or Public Keys and for managing relationships between CAs. *See* Appendix A and Appendix B.

For Root CA, Subordinate CA, and Subscriber Certificates used for publicly-trusted TLS, QuoVadis abide by Section 7.1.2 of the Baseline Requirements and configure the Certificate extensions to those requirements.

For TLS Certificates, the subjectAltName extension is populated in accordance with RFC 5280 with the authenticated value in the Common Name field of the subject DN (domain name or public iPAddress). The SubjectAltName extension may contain additional authenticated domain names or public iPAddresses.

For internationalized domain names, the Common Name is represented as a punycode value and that Common Name will be represented in the Subject Alternative Name exten(o)-9 Tw 0.33.7 (ai)6.s orhe Commoaitifred as (r)

QuoVadis Technically Constrained Subordinate CA Certificates include an Extended Key Usage (EKU) extension specifying all extended key usages for which the Subordinate CA Certificate is authorized to issue certificates. The anyExtendedKeyUsage KeyPurposeId does not appear in the EKU extension of publicly trusted certificates.

7.1.3. Algorithm Object Identifiers

QuoVadis Certificates are signed using one of the following algorithms or others as approved in accordance with Section 1.1:

sha384WithRSAEncryption	[iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 12]
sha512WithRSAEncryption	[iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) sha512WithRSAEncryption(13]
sha256WithRSAEncryption	[iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11]
ecdsa-with-sha256	[iso(1) member-body(2) us(840) ansi-X9-62 (10045) signatures(4) ecdsawith-SHA2 (3) 2]
ecdsa-with-Sha384	[iso(1) member-body(2) us(840) ansi-X9-62 (10045) signatures(4) ecdsa-with-SHA2(3) 3]
id-RSASSA-PSS	[iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) rsassa-pss(10)]

Issuing CAs shall not issue Certificates with SHA-1 as an algorithm.

RSASSA-PSS is not used for TLS Certificates and specifies the SHA-256 hash algorithm (2.16.840.1.101.3.4.2.1) as a parameter. For all other RSA algorithms the parameters field is NULL

QuoVadis and Subscribers may generate Key Pairs using the following:

id-dsa	[iso(1) member-body(2) us(840) x9-57(10040) x9cm(4) 1]
RsaEncryption	[iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 1]

7.2. CRL PROFILE

If present, this extension cannot be marked critical. This extension must be present for a Root CA or Issuing CA Certificate, including Cross Certificates. This extension may be present for Certificates not technically capable of causing issuance, subject to the requirement that the CRLReason cannot be unspecified (0) or certificateHold (6).

If a reasonCode CRL entry extension is present, the CRLReason must indicate the most appropriate reason for revocation of the certificate. QuoVadis uses the following reasonCode values from RFC 5280

- keyCompromise (1)
- cACompromise (2)
- affiliationChanged (3)
- superseded (4)
- cessationOfOperation (5)

QuoVadis will not issue Certificates with a reasonCode value of unspecified (0) or certificateHold (6).

7.3. OCSP PROFILE

7.3.1. OCSP Version Numbers

The QuoVadis OCSP Responders conform to version 1, as defined by RFC 6960. If an OCSP response is for a

7.5. CERTIFICATE FIELDS AND ROOT CA CERTIFICATE HASHES

7.5.1. Certificate Fields



8.2. IDENTITY AND QUALIFICATIONS OF ASSESSOR

WebTrust auditors must meet the requirements of Section 8.2 of the CA/Browser Forum Baseline Requirements. ETSI Conformance Assessment Bodies must meet the requirements of the relevant national accrediting authority. Auditors shall be experienced in performing information security audits, specifically having significant experience with PKI and cryptographic technologies.

8.3. ASSESSOR anen

9. OTHER BUSINESS AND LEGAL MATTERS

9.1. FEES

9.1.1. Certificate Issuance Or Renewal Fees

QuoVadis charges fees for verification, certificate issuance and renewal. QuoVadis may change its fees at any time in accordance with the applicable customer agreement.

9.1.2. Certificate Access Fees

QuoVadis may charge a reasonable fee for access to its certificate databases.

9.1.3. Revocation Or Status Information Access Fees

QuoVadis does not charge a certificate revocation fee or a fee for checking the validity status of an issued Certificate using a CRL. QuoVadis may charge a fee for providing customized CRLs, OCSP services, or other value-added revocation and status information services. QuoVadis does not permit access to revocation information, Certificate status information, or time stamping in their Repositories by third parties that provide products or services that utilize such Certificate status information without QuoVadis' prior express written consent.

9.1.4. Fees For Other Services

QuoVadis does not charge a fee for access to this CP/CPS. Any use made for purposes other than simply viewing the document, such as reproduction, redistribution, modification, or creation of derivative works, shall be subject to a license agreement with the entity holding the copyright to the document.

9.1.5. Refund Policy

QuoVadis or Issuing CAs under the QuoVadis hierarchy may establish a refund policy, details of which may be contained in relevant contractual agreements.

9.2. FINANCIAL RESPONSIBILITIES

9.2.1. Insurance Coverage

QuoVadis maintains in full force and effect a liability insurance policy. Within the QuoVadis PKI the Root CA and all Issuing CAs and RAs are required to demonstrate that they have the fi(t)6.70 Tdithary(l w [r)10.4 (eq)1ata03 Two0d

9.2.4. Fiduciary Relationships

QuoVadis is not the agent, fiduciary or other representative of any

9.4. PRIVACY OF PERSONAL INFORMATION

9.4.1. Privacy Plan

QuoVadis follows the Privacy Notices

9.5.1. Property Rights In Certificates A nd Revocation Information

QuoVadis retains all intellectual property rights in and to the Certificates and revocation information that it issues. QuoVadis and customers shall grant permission to reproduce and distribute Certificates on a nonexclusive royalty-free basis, provided that they are reproduced in full and that use of Certificates is subject to the Relying Party Agreement referenced in the Certificate. QuoVadis, and customers shall grant permission to use revocation information to perform Relying Party functions subject to the applicable CRL usage agreement, Relying Party Agreement, or any other applicable agreements.

9.5.2. Property Rights In T he CP/CPS

Issuing CAs acknowledge that QuoVadis retains all intellectual property rights in and to this CP/CPS.

9.5.3. Property Rights In Names

A Subscriber and/or Applicant retains all rights it has (if any) in any trademark, service mark, or trade name contained in any Certificate and Distinguished Name within any Certificate issued to such Subscriber or Applicant.

9.5.4. Property Rights In Keys A nd Key Material

I

QuoVadis hereby warrants (i) it has taken reasonable steps to verify that the information contained in any Certificate is accurate at the time of issue (ii) Certificates shall be revoked if QuoVadis believes or is notified that the contents of the Certificate are no longer accurate, or that the Private Key associated with a Certificate has been compromised in any way.

QuoVadis makes no other warranties, and all warranties, express or implied, statutory or otherwise, are excluded to the greatest extent permissible by applicable law, including without limitation all warranties as to merchantability or fitness for a particular purpose.

QuoVadis provides test certificates for all types of Certificates.

9.6.2. RA Representations And Warranties

RAs represent and warrant that:

i) The RA's certificate issuance and management services conform to the QuoVadis CP/CPS and applicable CA or RA Agreements,

ii) Information provided by the RA does not contain any false or misleading information,

iii) Reasonable steps are taken to verify that the information contained in any Certificate is accurate at the time of issue,

iv) Translations performed by the RA are an accurate translation of the original information,

v) All Certificates requested by the RA meet the requirements of this CP/CPS and RA Agreement, and

vi) The RA will request that Certificates be revoked by QuoVadis if they believe or are notified that the contents of the Certificate are no longer accurate, or that the key associated with a Certificate has been compromised in any way.

QuoVadis' RA Agreement may contain additional representations. Subscriber Agreements may include additional representations and warranties.

9.6.3. Subscriber Representations And Warranties

Prior to being issued and receiving a Certificate, Subscribers are solely responsible for any misrepresentations they make to third parties and for all transactions that use Subscriber's Private Key, regardless of whether such use was authorised. Subscribers are required to notify QuoVadis and any applicable RA if a change occurs that could affect the status of the Certificate.

QuoVadis requires, as part of the Subscriber Agreement or Terms of Use, that the Applicant make the commitments and warranties in this Section for the benefit of QuoVadis and all Relying Parties and Application Software Vendors. This make take the form of either:

i) The Applicant's agreement to the Subscriber Agreement with QuoVadis, or

ii) The Applicant's acknowledgement of the Terms of Use.

Subscribers represent to QuoVadis, Application Software Vendors, and Relying Parties that, for each Certificate, the Subscriber will:

i) Securely generate its Private Keys and protect its Private Keys from compromise, and exercise sole and complete control and use of its Private Keys;

ii) Provide accurate and complete information when communicating with QuoVadis, and to respond to QuoVadis' instructions concerning Key Compromise or Certificate misuse;

iii) Confirm the accuracy of the certificate data prior to installing or using the Certificate;

iv) For Qualified Certificates (a) if the policy requires the use of a QSCD, Electronic Signatures must only be created by a QSCD, (b) in the case of natural persons, the Private Keys should only be used for Electronic Signatures, and (c) in the case of legal persons, the Private Key must be maintained and used under the control of the Subscriber and it should only be used for Electronic Seals.

v) Promptly (a) request revocation of a Certificate, cease using it and its associated Private Key, and notify QuoVadis if there is any actual or suspected misuse or compromise of the Private Key associated with the Public Key included in the Certificate, and (b) request revocation of the Certificate, and cease using it, if any information in the Certificate is or becomes incorrect or inaccurate;

vi) For Remote Identity Verification, use the identity proofing software distributed by QuoVadis. The Subscriber is obliged to agree with the processing of biometric data for identity verification purposes during Remote Identity Verification;

vii) Ensure that individuals using Certificates on behalf of an organisation have received security training appropriate to the Certificate;

viii) Use the Certificate only for authorised and legal purposes, consistent with the Certificate purpose, this CP/CPS, and the relevant Subscriber

- the Relying Party has, at the time of that reliance, acted in good faith and in a manner appropriate to all the circumstances known, or circumstances that ought reasonably to have been known, to the Relying Party;
- the Relying Party has, at the time of that reliance, verified the Digital Signature, if any;
- the Relying Party has, at the time of that reliance, verified that the Digital Signature, if any, was created during the Operational Term of the Certificate being relied upon;
- the Relying Party ensures that the data signed has not been altered following signature by utilising trusted application software,
- the signature is trusted and the results of the signature are displayed correctly by utilising trusted application software;
- the identity of the Subscriber is displayed correctly by utilising trusted application software; and
- any alterations arising from security changes are identified by utilising trusted application software.

If the circumstances indicate a need for additional assurances, it is Relying Parties' responsibility to obtain such assurances. A Relying Party shall make no assumptions about information that does not appear in a Certificate. All obligations within this Section relate to Reasonable Reliance on the validity of a Digital Signature, not the accuracy of the underlying electronic record. Relying Party Agreements may include additional representations and warranties.

9.6.5. Representations And Warranties Of Other Participants

Participants within the QuoVadis PKI represent and warrant that they accept and will perform any and all duties and obligations as specified by this CP/CPS.

9.7. DISCLAIMERS OF WARRANTIES

OTHER THAN AS PROVIDED IN SECTION 9.6.1, THE CERTIFICATES ARE PROVIDED "AS IS" AND "AS AVAILABLE" AND TO THE MAXIMUM EXTENT PERMITTED BY LAW, QUOVADIS DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. QUOVADIS DOES NOT WARRANT THAT ANY CERTIFICATE WILL MEET SUBSCRIBER'S AND/OR ANY OTHER PARTY'S EXPECTATIONS OR THAT ACCESS TO THE CERTIFICATES WILL BE TIMELY OR ERROR-FREE. QuoVadis does not guarantee the accessibility of any Certificates and may modify or discontinue offering any Certificates at any time. Subscriber's sole remedy for a defect in the Certificates is for QuoVadis to use commercially reasonable efforts, upon notice of such defect from Subscriber, to correct the defect, except that QuoVadis has no obligation to correct defects that arise from (i) misuse, damage, modification or damage of the Certificates or combination of the Certificates with other products and services by parties other than QuoVadis, or (ii) Subscriber's breach of any provision of the Subscriber Agreement.

9.8. LIABILITY AND LIMITATIONS OF LIABILITY

This Section 9.8 does not limit a party's liability for: (i) death or personal injury resulting from the negligence of a party; (ii) gross negligence, willful misconduct or violations of applicable law, or (iii) fraud or fraudulent statements made by a party to the other party in connection with this CP/CPS. TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW AND NOTWITHSTANDING ANY FAILURE OF ESSENTIAL PURPOSE OF ANY LIMITED REMEDY OR LIMITATION OF LIABILITY: (A) QUOVADIS AND ITS AFFILIATES, SUBSIDIARIES, OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, PARTNERS AND LICENSORS (THE "QUOVADIS ENTITIES") WILL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, OR PUNITIVE DAMAGES (INCLUDING ANY DAMAGES ARISING FROM LOSS OF USE, LOSS OF DATA, LOST PROFITS, BUSINESS INTERRUPTION, OR COSTS OF PROCURING SUBSTITUTE SOFTWARE OR SERVICES) ARISING OUT OF OR RELATING TO THIS CP/CPS OR THE SUBJECT MATTER HEREOF; AND (B) THE QUOVADIS ENTITIES' TOTAL CUMULATIVE LIABILITY ARISING OUT OF OR RELATING TO THIS CP/CPS OR THE SUBJECT MATTER

HEREOF WILL NOT EXCEED THE AMOUNTS PAID BY OR ON BEHALF OF SUBSCRIBER TO QUOVADIS IN THE TWELVE MONTHS PRIOR TO THE EVENT GIVING RISE TO SUCH LIABILITY, REGARDLESS OF WHETHER SUCH LIABILITY ARISES FROM CONTRACT, INDEMNIFICATION, WARRANTY, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE, AND REGARDLESS OF WHETHER QUOVADIS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE. NO CLAIM, REGARDLESS OF FORM, WHICH IN ANY WAY ARISES OUT OF THIS CP /

Customer is Domiciled in:	Governing Law is laws of:	Court or arbitration body with exclusive jurisdiction:

10. APPENDIX A

10.1. CERTIFICATE PROFILES

Within the QuoVadis PKI an Issuing CA can only issue

Certificate Class	Description	Policy OID	Assurance Level	Requires token?
	Relevant to the Policy in ETSI EN 319 411-2 for: EU Qualified Ce001 Td0tifact <<luall ual0 9.96al p0 93g 140 Td oE99 04MCI1W n0D00((6 08 (Q)6 16.C6 0			

10.1.2. Key Usage And Escrow

Different QuoVadis Certificate Profiles may be issued with different key usages, and be eligible for optional Key Escrow, according to the following table:

Certificate Type	Key Usage/ Extended Key Usage Options	Applicability to QuoVadis Certificate Classes			
		QV Standard	QV Advanced	QV Advanced +	QV Qualified
Signing and Encryption	Key Usage digitalSignature nonRepudiation keyEncipherment Extended Key Usage smartcardlogon clientAuth emailProtection documentSigning enrolmentAgent	Allowed (Escrow only permitted for certain Issuing CAs. Not permitted for any CAs on EUTL)	Allowed (Escrow only permitted for certain Issuing CAs. Not permitted for any CAs on EUTL)	Allowed (Escrow not permitted)	Not Allowed
Signing	Key Usage digitalSignature nonrepudiation Extended Key Usage smartcardlogon clientAuth emailProtection documentSigning enrolmentAgent	Allowed (Escrow not permitted)	Allowed (Escrow not permitted)	Allowed (Escrow not permitted)	Allowed (Escrow not permitted)
Encryption	Key Usage keyEncipherment Extended Key Usage emailProtection	Allowed (Escrow permitted)	Allowed (Escrow permitted)	Allowed (Escrow not permitted)	Not Allowed
Authentication	Key Usage digitalSignature Extended Key Usage smartcardlogon clientAuth enrolmentAgent	Allowed (Escrow not permitted)	Allowed (Escrow not permitted)	Allowed (Escrow not permitted)	Not Allowed

The Certificate Profiles that follow indicate the fields which are VARIABLE on initial registration by the Subscriber ("Holder Variable") and those which are FIXED by the Issuing CA either based on policy or by IETF Standard, applicable law, or regulation.

10.2. QV STANDARD

Purpose
Standard Certificates provide flexibility for a range of uses appropriate to their reliance value including S/MIME electronic signatures, authentication, and encryption.
Registration Process
Validation procedures for QuoVadis Standard Certificates collect either direct evidence or an attes6.(e)-7 (c)-5

	1.2.840.113583.1.1.9.2 Adobe Archive RevInfo (long term validation)	
Key Usage (Critical)	digitalSignature (optional) nonRepudiation keyEncipherment (optional)	Variable
Extended Key Usage	clientAuth emailProtection documentSigning smartcardLogon	Variable (at least one is present)

10.4.1. Swiss Regulated Certificate issued to a Natural Person

Purpose
Swiss Regulated Certificates (non qualified) issued under the Swiss Federal signature law (ZertES) are included in the QuoVadis Advanced-€

	/E (optional) /L (optional) /ST (optional) /C (mandatory)	
SAN	/E 1.3.6.1.4.1.311.20.2.3 UPN	Variable
Certificate Policies	1.3.6.1.4.1.8024.1.300 QV Advanced+ Certificat 0.4.0.2042.1.2 ETSI NCP+ OID URL: https://www.quovadisglobal.com/repository User Notice: Regulated certificate	Fixed
Adobe Acrobat Trust List	1.2.840.113583.1.1.9.1 Adobe Timestamp (link to TSA) 1.2.840.113583.1.1.9.2 Adobe Archive RevInfo (long term validation)	Optional
Key Usage (Critical)	digtalSignature	Fixed
Extended Key Usage	clientAuth emailProtection smartcardlogon	Fixed

10.4.2. Swiss Regulated Certificate issued to a Legal Person (Company Seal)

Purpose

Attribute	Values	Comment
Subject	/CN (mandatory) = /O /O (mandatory) /OU (optional) organizationalIdentifier (optional) /E (optional) /L /ST /C (mandatory)	See definitions in Section7.1.1 Variable
SAN	/E	Variable
Certificate Policies	1.3.6.1.4.1.8024.1.300 QV Advanced+ Certificat 0.4.0.2042.1.2 ETSID0.9 (1)0.8 (.)1.2 (1)]TJ 0 T]4.4 580.56 Tm ( )Tj E.56 Tm ( )TV	

Subjects may include an Individual (natural person) or a natural person identified in association with an Organisation.Only methods approved for eIDAS Qualified Certificates may be used.

	keyEncipherment (optional)	
Extended KeyUsage	clientAuth (optional) emailProtection documentSigning	Variable (at least one is present)
qcStatements		
id-etsi-qcs-QcCompliance (0.4.0.1862.1.1) id-etsi-qcs-1		

Attribute	Values	Comment
Subject	/CN (mandatory) = Natural Person (/GN+/SN or Pseudonym) /GN (mandatory if CNwithout Pseudonym) /SN (mandatory if CNwithout Pseudonym) Pseudonym (optional	

id-etsi-qcs-QcPDS (0.4.0.1862.1.5) id-etsi-qcs-5	URL= https://www.quovadisglobal.com/repository Language = EN	Fixed
id-qcs-pkixQCSyntax-v2 (1.3.6.1.5.5.7.11.2)	0.4.0.194121.1.1 (id-etsi-qcs-semanticsId-NaturNcT76.9 (tu)-3.2 (r)3.3.52 Tm [(NcT76.9 (tu)-3.2 (r)0.8 (.)1.2 (58a q 77.88 (c)-5	

- iii) account information (PSP_AI)
  OID: id-psd2-role-psp-ai { 0.4.0.19495.1.3 }
- iv) issuing of card-based payment instruments (PSP_IC)
  OID: id-psd2-role-psp-ic { 0.4.0.19495.1.4 }

	• 2 character ISO 3166 [7] country code representing the NCA country; • hyphen-minus "-" (0x2D (ASCII), U+002D (UTF-8)); and • 2-8 character NCA identifier (AZ uppercase only, no separator) • hyphen-minus "-" (0x2D (ASCII), U+002D (UTF-8)); and • PSP identifier (authorisation number as specified by the NCA).	
SAN	/E	Variable

Certificate Policies	1.3.6.1.4.1.8024.1.400 QV Qualified – QSCD or 1.3.6.1.4.1.8024.1.410 QV Qualified QSCD on behalf of 0.4.0.194112.1.2 (QCP-n-qcsd) URL: https://www.quovadisglobal.com/repository User Notice : qualified certificate	Fixed
Adobe Acrobat Trust List	1.2.840.113583.1.1.9.1 Adobe Time-stamp (link to TSA) 1.2.840.113583.1.1.9.2 Adobe Archive RevInfo (long term validation)	Optional
Key Usage (Critical)	nonRepudiation	Fixed
Extended Key Usage	emailProtection documentSigning	Fixed
qcStatements		
id-etsi-qcs-QcCompliance (0.4.0.1862.1.1) id-etsi-qcs-1 id-etsi-qcs-QcCClegislation (0.4.0.1862.1.7) id-etsi-qcs-7	esi4-qcStatement-1: Claim that the certificate is an EU Qualified Certificate in accordance with	

	/ST (optional) /C (mandatory)	
Domain Components (DC)	DC=com, DC=quovadisglobal, DC=grid, DC=<organisation identifier>, DC=hosts	Holder Variable
SAN	SAN dNSName with the Fully Qualified Domain Name or an iPAddress	Variable
Certificate Policies	1.3.6.1.4.1.8024.0.1.10.0.0 QV Grid 1.2.840.113612.5.2.2.1 IGTF Classic Authentication Profile 2.23.140.1.2.2 CABF OV	Fixed
Key Usage (Critical)	digitalSignature keyEncipherment dataEncipherment	Fixed
Extended Key Usage	clientAuth serverAuth	Fixed

10.8. QUOVADIS DEVICE

Purpose
QuoVadis Device Certificates are intended for a variety of uses including for Time-stamp Authority (TSA) applications. QuoVadis Device Certificates that have the serverAuth EKU comply with the CA/Browser

	If the codeSigning EKU is present: = 2.23.140.1.2.3 If the timeStamping EKU is present, operated by QuoVadis: 1.3.6.1.4.1.8024.0.2000.6	
Certificate Transparency	(1.3.6.1.4.1.11129.2.4.4) If the serverAuth EKU is present, this field MAY include two or more Certificate Transparency proofs from approved CT Logs.	Optional

11. APPENDIXB

11.1. BUSINESS SSL

Field	Value
Validity Period	1 or 2 years expressed in UTC format Effective September 1, 2020: maximum 397 days.
Subject Distinguished Name	
Organisation Name	subject:organisationName (2.5.4.10)
Organisation Unit	subject:organisationUnit (2.5.6.5) Discontinued effective August 31, 2020
Common Name	subject:commonName (2.5.4.3) cn = Common name
State or province (if any)	subject:stateOrProvinceName (2.5.4.8)

	This field MAY include two or more Certificate Transparency proofs from approved CT Logs.

Purposes of Business SSL

QuoVadis Business SSL Certificates are intended for use in establishing web-based data communication conduits via TLS protocols. The primary purposes of a Business SSL Certificate are to:

- Identify the individual or entity that controls a website; and
- Facilitate the exchange of encryption keys in order to enable the encrypted communication of information over the Internet between the user of an Internet browser and a website.

QuoVadis Certificates focus only on the identity of the Subject named in the Certificate, and not on the behaviour of the Subject. As such, Certificates are not intended to provide any assurances, or otherwise represent or warrant:

- That the Subject named in the Certificate is actively engaged in doing business;
- That the Subject named in the Certificate complies with applicable laws;
- That the Subject named in the Certificate is trustworthy, honest, or reputable in its business dealings; or
- That it is “safe” to do business with the Subject named in the Certificate.

Eligible Applicants

Individuals (natural persons), incorporated entities, government entities, general partnerships, unincorporated associations, and sole proprietorships may apply for QuoVadis Business SSL Certificates.

Verification Requirements

Identity: QuoVadis verifies the identity and address of the organisation and that the address is the Applicant’s

iii) the ccTLD of the requested Domain Name;

iv)

		absent. Optional if the subject:localityName fields is present.
Locality	subject:locality (2.5.4.6)	Required if the subject:stateOrProvinceName field is absent. Optional if the subject:stateOrProvinceName field is present.
Country	subject:countryName (2.5.4.6)	Required field.
Subject Public Key Information	2048-bit RSA key modulus, rsaEncryption (1.2.840.113549.1.1.1)	

The primary purpose of QuoVadis Code Signing Certificates is to establish that executable code originates from a source identified by QuoVadis. QuoVadis Certificates focus only on the identity of the Subject named in the Certificate, and not on the behaviour of the Subject. As such, Certificates are not intended to provide any assurances, or otherwise represent or warrant:

- That the Subject named in the Certificate is actively engaged in doing business;
- That the Subject named in the Certificate complies with applicable laws;
- That the Subject named in the Certificate is trustworthy, honest, or reputable in its business dealings; or
- That it is "safe" to do business with the Subject named in the Certificate

Eligible Applicants

Eligible Applicants include Individual Applicants and Organisational Applicants.

An Individual Applicant is an Applicant that is an individual and requests a Certificate that will list the Applicant's legal name as the Certificate subject.

An Organisational Applicant is an Applicant that requests a Certificate subject other than the name of an individual. Organisational Applicants include private and public corporations, LLCs, partnerships, government entities, non-profit organisations, trade associations, and other entities.

Private Key Protection

Subscriber Key Pairs must be generated and protected in one of the following options:

- A Trusted Platform Module (TPM) that generates and secures a Key Pair and that can document the Certificate
- Holder's Private Key protection through a TPM key attestation
- A hardware cryptographic module with a unit design form factor certified as conforming to at least FIPS 140 Level 2, Common Criteria EAL 4+, or equivalent.
- Another type of hardware storage token with a unit design form factor of SD Card or USB token (not necessarily certified as conformant with FIPS 140 Level 2 or Common Criteria EAL 4+). The Subscriber MUST also warrant that it will keep the token physically separate from the device that hosts the code signing function until a signing session is begun.

Verification Requirements

Before issuing a Code Signing Certificate, QuoVadis performs limited procedures to v cehd aVeo-7.1 916R-3.2 (e)-74min a

P (c)- R-3.2 (e)-74eso-g a Code SignTng Certificate to an O (c)- ganisaal Appican QuoVadis:

i) Vm1e cies th Apican c1 (s)-4.7 (p)-11.3tiossession o-30.8 ( )-11.9 (th)-3.2 (e)-7 (P)0.7 ((c)- v)-3.1 (a)-6.9 (te)-7 ( )-1
mn)9.8 (t)6.6 (s)2.3 (,)]TJ 0 Tc 0 Tw 133843 0 Td ( )Tj EMC /LBody <</MCID 54 >>BDC -0.001 Tc 0.001 Tw -17.651 -1.687 Td (iii))Tj /TT
4 (y)-3 (u)-3.2 (s)-4.8 (in)2.8 (g)-1 (a)-225govm1e cmen phoao ID,