QuoVadis PMA	27 March, 2020	2.8	Changes to comply with Mozilla Root Store Policy v2.7, CA/B Forum Ballot SC25, revised Subscriber Agreement and Terms of Use, and change 5.92 80.88 63.6 re W n BT b1

TABLE OF CONTENTS

1. INTRODUCTION 1
   1.1. Overview 1
   1.2. Document Name And Identification 2
   1.3. PKI Participants 2
      1.3.1. Certification Authorities 2
      1.3.2. Registration Authorities 3
      1.3.3. Subscribers 3
      1.3.4. Relying Parties 3
      1.3.5. Other Participants 3
   1.4. Certificate Usage 4
      1.4.1. Appropriate Certificate Uses 4
      1.4.2. Prohibited Certificate Usage 4
   1.5. Policy Administration 4
      1.5.1. Organisation Administering The CP/CPS 4
      1.5.2. Contact Person 4
      1.5.3. Person Determining The CP/CPS Suitability 5
      1.5.4. CP/CPS Approval Procedures 5
   1.6. Definitions and Acronyms 5
      1.6.1. Definitions 5
      1.6.2. Acronyms 6
      1.6.3. References 7
2. PUBLICATION AND REPOSITORY RESPONSIBILITIES 8
   2.1. Repositories 8
   2.2. Publication of Certificate Information 9
   2.3. Time or Frequency of Publication 9
   2.4. Access Controls on Repositories 9
3. IDENTIFICATION AND AUTHENTICATION 9
   3.1. Naming 9
      3.1.1. Types Of Names 9
      3.1.2. Need For Names To Be Meaningful 10
      3.1.3. Pseudonymous Subscribers 10
      3.1.4. Rules For Interpreting Various Name Forms 10
      3.1.5. Uniqueness Of Names 10
      3.1.6. Recognition, Authentication, And Role Of Trademarks 10
   3.2. Initial Identity Validation 1

4.3.1. CA Actions During Certificate Issuance 18
4.3.2. Notification To Subscriber By The CA Of Issuance Of Certificate 18
4.4. Certificate Acceptance 19
4.4.1. Conduct Constituting Certificate Acceptance 19
4.4.2. Publication Of The Certificate By The CA 19
4.4.3. Notification Of Certificate Issuance By The CA To Other Entities 19
4.5. Key Pair And Certificate Usage 19
4.5.1. Subscriber Private Key And Certificate Usage 19
4.5.2. Relying Party Public Key And Certificate Usage 19
4.6. Certificate Renewal 20
4.6.1. Circumstance For Certificate Renewal 20
4.6.2. Who May Request Renewal 20
4.6.3. Processing Certificate Renewal Requests 20
4.6.4. Notification of New Certificate Issuance To Subscriber 20
4.6.5. Conduct Constituting Acceptance Of A Renewal Certificate 20
4.6.6. Publication of the Renewal Certificate By The CA 20
4.6.7. Notification Of Certificate Issuance By The CA To Other Entities 20

4.12. Key Escrow And Recovery 28
4.12.1. Key Archival Escrow And Recovery Policy And Practices 28
4.12.2. Session Key Encapsulation And Recovery Policy And Practices 28
5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS 28
5.1. Physical Controls 28
5.1.1. Site Location and Construction 28
5.1.2. PhysicalAccess 28
5.1.3. Power And Air-Conditioning 28
5.1.4. Fire Prevention And Protection 28
5.1.5. Media Storage 29

5K- C-5.7t
5C-mp-49-m5.7tyas6337s- D-497c-r0-633.44(-c-3.(--7TJ 0 Tc 0 T1521.(45 0 Td ([(v)-.3e(0-6354r(-r).7t)1y)TJ 01.9070 Td (.)Tj -0.005 Tc 0.005 Tw 1330

6.1.5. Key Sizes 37
6.1.6. Public Key Parameters Generation And Quality Checking 37
6.1.7. Key Usage Purposes (As Per X.509 V3 Key Usage Field) 37
6.2.

8.7. Self Audits 48

9.16.2. Assignment 58
9.16.3. Severability 58
9.16.4. Enforcement (Waiver Of Rights) 59
9.16.5. Force Majeure 59
9.17. Other Provisions 59
10. APPENDIX A – ROOT CA PROFILES 60
11. APPENDIX B 62
11.1.

1.

maintains overall responsibility and undertakes procedures to ensure that the security and functionality of the trust service meet the appropriate requirements.

In the event of any inconsistency between this CP/CPS and the normative provisions of the foregoing Applicable Requirements, then those Applicable Requirements take precedence over this document.

1.2. DOCUMENT NAME AND IDENTIFICATION

This document is the QuoVadis Root CA2 CP/CPS which was adopted by the QuoVadis Policy Management Authority (PMA). The Object Identifier (OID) assigned to QuoVadis Root CA2 / QuoVadis Root CA 2 G3 is 1.3.6.1.4.1.8024.0.2.

Separate policy documents in the QuoVadis Repository apply to QuoVadis Certificates signed by the following Root CAs:

- QuoVadis Root CA 1 G3 (OID 1.3.6.1.4.1.8024.0.1) and QuoVadis Root CA 3 / QuoVadis Root CA 3 G3 (OID 1.3.6.1.4.1.8024.0.3)
- Netherlands PKIoverheid
- QuoVadis Private PKI Trust Anchor Root CA (OID 1.3.6.1.4.1.8024.0.4)

QuoVadis also operates Time-stamping Authority (TSA) services under a separate QuoVadis Time-Stamp Policy/Practice Statement (OID 1.3.6.1.4.1.8024.0.2000.6).

1.3. PKI PARTICIPANTS

1.3.1. Certification Authorities

The following is a non-comprehensive list of OIDs that are pertinent to this CP/CPS. QuoVadis may include other OIDs as appropriate. OIDs in this list and in QuoVadis certificates belong to their respective owners:

QuoVadis Root CA2 / QuoVadis Root CA 2 G3	1.3.6.1.4.1.8024.0.2	
QuoVadis Business SSL	1.3.6.1.4.1.8024.0.2.100.1.1	Asserts compliance with the Baseline Requirements
QuoVadis EV SSL	1.3.6.1.4.1.8024.0.2.100.1.2	Asserts compliance with the EV Guidelines
QuoVadis Code Signing	1.3.6.1.4.1.8024.0.2.200.1.1	Asserts compliance with the Code Signing Baseline Requirements
QuoVadis QEVCP-w	0.4.0.194112.1.4	Qualified Web Authentication Certificate (QWAC)
QuoVadis PSD2	0.4.0.19495.3.1	QWAC for PSD2

HydrantID (Avalanche Cloud Corporation)

For anyone listed in Section 4.9.2 of this CPS and the CA/Browser Baseline Requirements that requires assistance with revocation or investigative reports, QuoVadis provides this page for reporting and submitting requests with all of the necessary information as outlined in Section 4.9: https://problemreport.digicert.com/

If the problem reporting page is unavailable, there is a system outage, or you believe our findings are incorrect please contact revoke@digicert.com.

Entities submitting Certificate revocation requests must explain the reason for requesting revocation. QuoVadis or an RA will authenticate and log each revocation request according to Section 5.4 of this CP/CPS. QuoVadis will always revoke a Certificate if the request is authenticated as originating from the Subscriber or an authorised representative of the Organisation listed in the Certificate. If revocation is requested by someone other than an authorised representative of the Subscriber or Affiliated Organisation, QuoVadis or an RA will investigate the alleged basis for the revocation request prior to taking action. *See* also Section 4.9.1 and 4.9.3.

1.5.3. Person Determining The CP/CPS Suitability

The QuoVadis PMA determines the suitability and applicability of this CP/CPS based on the results and recommendations received from an independent auditor. The PMA is also responsible for evaluating and acting upon the results of compliance audits.

1.5.4. CP/CPS Approval Procedures

Approval of this CP/CPS and any amendments hereto is by the QuoVadis PMA. Amendments may be made by updating this entire document or by addendum. The QuoVadis PMA, at its sole discretion, determines whether changes to this CP/CPS require notice or any change in the OID of a Certificate issued pursuant to this CP/CPS. *See* also Section 9.10 and Section 9.12.

1.6. DEFINITIONS AND ACRONYMS

1.6.1 [illegible]

Contract Signer: A Contract Signer is a natural person who is employed by the Applicant and who has express authority to sign Subscriber Agreements on behalf of the Applicant.

Internal Server Name: A Server Name (which may or may not include an Unregistered Domain Name) that is not resolvable using the public DNS.

National Competent Authority: A national authority responsible for payment services. The NCA approves or rejects Authorisations for Payment Service Providers in its country.

Participants: A Participant is an individual or entity within the QuoVadis PKI and may include: CAs and their Subsidiaries and Holding Companies; Subscribers including Applicants; and Relying Parties.

Qualified Certificate: A Digital Certificate whose primary purpose is to identify a person with a high level of assurance, where the Digital Certificate meets the qualification requirements defined by the applicable legal framework of Regulation (EU) No. 910/2014 on electronic identification and trust services for electronic transactions in the internal market (the "eIDAS Regulation"). A Qualified Website Authentication Certificate is a TLS Certificate.

Reliable Data Source: An identification document or source of data used to verify Subject Identity Information that is generally recognized among commercial enterprises and governments as reliable, and which was created by a third party for a purpose other than the Applicant obtaining a Certificate.

Relying Party: The Relying Party is an individual or entity that relies upon the information contained within the Certificate.

Relying Party Agreement: The Relying Party Agreement is an agreement which must be read and accepted by a Relying Party prior to validating, relying on or using a Certificate or accessing or using the QuoVadis Repository.

Repository: The Repository refers to the CRL, OCSP, and other directory services provided by QuoVadis containing issued and revoked Certificates.

Required Website Content: Either a Random Value or a Request Token, together with additional information that uniquely identifies the Subscriber, as specified by the CA. A Random Value is specified by QuoVadis and exhibits at least 112 bits of entropy.

Reserved IP Address: An IPv4 or IPv6 address that the IANA has marked as reserved.

Subordinate CA: A Certification Authority whose Certificate is signed by the Root CA, or another Subordinate CA Also known as Issuing CA.

Subscriber: Means either the Individual to whom an end entity Certificate is issued or the Individual

Standards / Law	
	WebTrust for Certification Authorities – Extended Validation SSL WebTrust for Certification Authorities – Publicly Trusted Code Signing Certificates
ETSI EN 319 401	General Policy Requirements for Trust Service Providers
ETSI EN 319 411-1	Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General Requirements
ETSI EN 319 411-2	Policy and security requirements for Trust Service Providers issuing certificates; Part 2: Requirements for trust service providers issuing EU qualified certificates
ETSI EN 319 421	Policy and Security Requirements for Trust Service Providers issuing Electronic Time-Stamps
ETSI EN 319 412-1	Certificate Profiles; Part 1: Overview and common data structures
ETSI EN 319 412-2	Certificate Profiles; Part 2: Certificate profile for certificates issued to natural persons
ETSI EN 319 412-3	Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons
ETSI EN 319 412-5	Certificate Profiles; Part 5: QCStatements
ETSI EN 319 422	Time stamping protocol and electronic time-stamp profiles
ETSI TS 119 461	Policy and security requirements for trust service components providing identity proofing of trust service subjects
ETSI TS 119 495	Sector-Specific Requirements; Qualified Certificate Profiles and TSP Policy Requirements under the payment services Directive (EU) 2015/2366
EUGridPMA	Accredited CA by the EU Policy Management Authority for Grid Authentication in e-Science (EUGridPMA)
PKIoverheid	Accredited Certification Service Provider under PKIoverheid. PKIoverheid is the name for the PKI designed for trustworthy communication within and with the Dutch Government

i) BR Section 3.2.2.4.1 is no longer used as it is deprecated as of August 1, 2018;

ii) Communicating directly with the Domain Name Registrant via email, fax or postal mail provided by the Domain Name Registrar. Performed in accordance with BR Section 3.2.2.4.2 using a Random Value (valid for no more than 30 days from its creation);

iii) BR Section 3.2.2.4.3 is no longer used because it is deprecated as of May 31, 2019;

iv) Communicating with the Domain's administrator using a constructed email address created by pre-pending 'admin', 'administrator', 'webmaster', 'hostmaster', or 'postmaster' to the Authorization Domain Name (ADN). Performed in accordance with BR Section 3.2.2.4.4;

v) BR Section 3.2.2.4.5 is no longer used because it is deprecated as of August 1, 2018;

vi) BR Section 3.2.2.4.6 is no longer used because it is deprecated as of April 24, 2020;

vii) Confirming the Applicant's control over the requested ADN (which may be prefixed with a label that begins with an underscore character) by confirming the presence of an agreed-upon Random Value in a DNS record. Performed in accordance with BR Section 3.2.2.4.7;

viii) Confirming the Applicant's control over the FQDN through control of an IP address returned from a DNS lookup for A or AAAA records for th

xix) Confirming the Applicant's control over a FQDN by validating domain control of the FQDN using the ACME HTTP Challenge method, performed in accordance with BR Section 3.2.2.4.19 and section 83 of RFC 8555 as prescribed; or

xx) Confirming the Applicant's control over a FQDN by validating domain control of the FQDN by negotiating a new application layer protocol using the ALPN Extension, performed in accordance with BR Section 3.2.2.4.20 as defined in RFC 8737

Wildcard Domain Name validation

iii) Evidence that the Subject is affiliated with the organisational entity which may include reference to an attestation or a Trusted Register. Attestations may be made by directors, executives, board members, or a natural person with authorisation duly delegated from another natural person in an authorised role.

The current validity must be established of any attestation or document regarding a natural person's relationship to a legal person. The role and authorisation of the natural person providing such attestation or document shall be recorded.

At least one digital or physical identity document shall be used as authoritative evidence. Identity documents must be valid at the time of proofing. Acceptable identity documents must contain a face photo and/or other information that can be compared with the Applicant's physical attributes. If physical identity documents are used as evidence, the documents shall be presented in their original form by the Subject of the identity proofing. If digital identity documents are used as evidence, only eMRTDs (Electronic Machine Readable Travel Documents) according to ICAO 9303 part 10 and other digital documents that offer comparable reliability of the identity shall be accepted.

The Trusted Registers and identity documents (such as passports and national identity cards) accepted in QuoVadis verification procedures are identified in *Acceptable Sources for QuoVadis Authentication of Identity* in the QuoVadis Repository.

Identity proofing may use additional digital or physical identity documents, Trusted Registers, proof of

3.2.5.

QuoVadis maintains an internal database of previously revoked Certificates and previously rejected Certificate Requests. QuoVadis uses this information to identify subsequent suspicious Certificate Requests.

4.1.2. Enrolment Process And Responsibilities

Certificate Requests must be in a form prescribed by the Issuing CA and typically include i) an application form including all registration information as described by this CP/CPS, ii) secure generation of KeyPair and delivery of the Public Key to QuoVadis (a CSR may not be required), iii) acceptance of the relevant Subscriber Agreement or other terms of use upon which the Certificate is to be issued, iv) and payment of fees. All applications are subject to review, approval, and acceptance by the Issuing CA in its discretion.

A Certificate Request may be used for multiple Certificates to be issued to the same Applicant, (subject to the updating requirement in Section 4.2.1 of the TLS Baseline Requirements). The Certificate Request contains a request from, or on behalf of, the Applicant for the issuance of a Certificate, and a certification by, or on behalf of, the Applicant that all of the information contained therein is correct.

All agreements concerning the use of, or reliance upon, Certificates issued within the QuoVadis PKI must incorporate by reference the requirements of this QuoVadis CP/CPS as it may be amended from time to time.

4.2. CERTIFICATE APPLICATION PROCESSING

4.2.1. Performing Identification And Authentication Functions

After receiving a certificate application, QuoVadis or an RA follows a documented procedure to verify the application and other information in accordance with the Identification and Authentication requirements for each Certificate Profile. *See* also Appendix B.

In cases where the Certificate Request does not contain all the necessary information about the Applicant, QuoVadis or the RA obtains the remaining information from the Applicant or, having obtained it from a reliable, independent third-party data source, confirm it with the Applicant.

For publicly-trusted TLS Certificates, Applicant information is required to include at least one FQDN or IP address to be included in the Certificate's SubjectAltName extension. For validation of Domain Names and IP Addresses according to Section 3.2.2.1 and 3.2.2.2 any reused data, document, or completed validation must be obtained no more than 398 days prior to issuing the Certificate. QuoVadis implements documented procedures that require additional verifications as reasonably necessary for High Risk Certificate Requests prior to the Certificate's approval.

QuoVadis considers a source's availability, purpose, and reputation when determining whether a third-party data source is reasonably reliable. For TLS, QuoVadis does not consider a database, source, or form of identification reasonably reliable if QuoVadis or the RA is the sole source of the information.

4.2.1.1. Certificate Authority Authorisation (CAA)

Prior to issuing TLS Certificates, QuoVadis checks for CAA records for each dNSName in the subjectAltName extension of the Certificate to be issued. If the QuoVadis Certificate is issued, it will be issued within the TTL of the CAA record, or 8 hours, whichever is greater.

When processing CAA records, QuoVadis processes the issue, issuewild, and iodef property tags as specified in RFC 8659. QuoVadis may not act on the contents of the iodef property tag. QuoVadis will not issue a Certificate if an unrecognised property is found with the critical flag.

CAA checking is optional for Certificates issued by a Technically Constrained Issuing CA as set out in Baseline Requirements Section 7.1.5, or where CAA was checked prior to the creation of a corresponding CT pre-certificate that was logged in at least 2 public CT log servers.

DNS access failure can be treated as permission to issue when the failure is proven to be outside QuoVadis infrastructure, was retried at least once, and the domain zone does not have a DNSSEC validation chain to the ICANN root.

QuoVadis documents potential issuances that were prevented by a CAA record, and may not dispatch reports of such issuance requests to the contact stipulated in the CAA iodef record(s), if present. QuoVadis supports mailto: and https: URL schemes in the iodef record.

The identifying CAA domains recognised by QuoVadis: are “digicert.com”, “digicert.ne.jp”, "cybertrust.ne.jp", “symantec.com”, “thawte.com”, “geotrust.com”, “quovadisglobal.com”, “rapidssl.com”, “digitalcertvalidation.com” and any domain containing those identifying domains as suffixes (e.g. example.digicert.com) or registered country jurisdictions (e.g., digicert.de).

4.2.2. Approval Or Rejection Of Certificate Applications

After receiving a Certificate Application, QuoVadis or an RA verifies the application information and other information in accordance with this CP/CPS.

If an RA (including an Enterprise RA) assists in the verification, the RA must create and maintain records sufficient to establish that it has performed it J 0 Tc 0 Td 9 (h4((c)-5.8 (a)-7h)-3.2 (Tju)-(e)-7626 0 36on)2.8 . (s)-4.itjthorma

4.4. CERTIFICATE ACCEPTANCE

4.4.1. Conduct Constituting Certificate Acceptance

The Certificate Requester is responsible for installing the issued Certificate on the Subscriber's computer or cryptographic module according to the Subscriber's system specifications. A Subscriber is deemed to have accepted a Certificate when:

- The Subscriber downloads, installs, or otherwise takes delivery of the Certificate; or
- 30 days pass since issuance of the Certificate.

BY ACCEPTING A CERTIFICATE, THE SUBSCRIBER ACKNOWLEDGES THAT THEY AGREE TO THE TERMS AND CONDITIONS CONTAINED IN THIS CP/CPS AND THE APPLICABLE SUBSCRIBER AGREEMENT. BY ACCEPTING A CERTIFICATE, THE SUBSCRIBER ASSUMES A DUTY TO RETAIN CONTROL OF THE CERTIFICATE'S PRIVATE KEY, TO USE A TRUSTWORTHY SYSTEM AND TO TAKE REASONABLE PRECAUTIONS TO PREVENT ITS LOSS, EXCLUSION, MODIFICATION OR UNAUTHORISED USE.

4.4.2. Publication Of The Certificate By The CA

QuoVadis publishes all CA Certificates in its Repository. QuoVadis publishes end-entity Certificates by delivering them to the Subscriber.

4.4.3. Notification Of Certificate Issuance By The CA To Other Entities

Issuing CAs and RAs within the QuoVadis PKI may choose to notify other entities of Certificate issuance.

4.5. KEY PAIR AND CERTIFICATE USAGE

4.5.1. Subscriber Private Key A nd Certificate Usage

The Certificate shall be used lawfully in accordance with the QuoVadis CP/CPS and Subscriber Agreement.

Subscribers are obligated to protect their Private Keys from unauthorised use or disclosure, discontinue using a Private Key after expiration or revocation of the associated Certificate, and use Certificates in accordance with their intended purpose.

4.5.2. Relying Party Public Key And Certificate Usage

A Party seeking to rely on a Certificate issued within the QuoVadis PKI agrees to and accepts the Relying Party Agreement. Relying Parties may only use software that is compliant with X.509, IETF RFCs, and other applicable standards. QuoVadis does not warrant that any third party software will support or enforce the controls and requirements found herein.

A Relying Party should use discretion when relying on a Certificate and should consider the totality of the circumstances and risk of loss prior to relying on a Certificate. If the circumstances indicate that additional assurances are required, the Relying Party must obtain such assurances before using the Certificate. Any warranties provided by QuoVadis are only valid if a Relying Party's reliance was reasonable and if the Relying Party adhered to the Relying Party Agreement set forth in the QuoVadis Repository.

A Relying Party should rely on a Digital Signature or TLS handshake only if:

i)

4.6. CERTIFICATE RENEWAL

4.6.1. Circumstance For Certificate Renewal

Renewal means the issuance of a new certificate to the Subscriber without changing the Subscriber or other participant's Public Feifi75.8 ((c)-9.8 (- -0.003 T(r)6Tc 0 Tw . 325 0 Td (L42 14d [(u)-1[(Q)c 0..566 -8.8 oV.186.7 (i75.di.2 (I

iv) For requests from third parties, QuoVadis personnel begin investigating the request within 24 hours after receipt and decide whether revocation is appropriate based on the following criteria:

- the nature of the alleged problem;
- the number of reports received about a particular Certificate or website;
- the identity of the complainants (for example, complaints from a law enforcement official that a web site is engaged in illegal activities have more weight than a complaint from a consumer alleging they never received the goods they ordered); and
- relevant legislation.

v) If QuoVadis determines that revocation is appropriate, QuoVadis personnel revoke the Certificate and update the Certificate Status. If QuoVadis deems appropriate, QuoVadis may forward the revocation reports to law enforcement.

In the case of a PSD2 Certificate, the NCA identified in the Certificate may request revocation by contacting psd2@quovadisglobal.nl. NCA revocation requests are authenticated using either a previously communicated shared secret, or use of a Digital Signature supported by Qualified Certificate issued to the NCA.

QuoVadis maintains a continuous 24x7 ability to internally respond to high priority revocation requests and certificate problem reports at https://www.quovadisglobal.com/certificate -revocation and other resources listed in Section 1.5.2.1 Subscribers may also revoke their Certificates via the QuoVadis Portal.

4.9.4. Revocation Request Grace Period

Subscribers are required to request revocation within one day after detecting the loss or compromise of the Private Key. No grace period is permitted once a revocation request has been verified. QuoVadis will revoke Certificates as soon as reasonably practical following verification of a revocation request.

4.9.5. Time Within Which The CA Must Process The Revocation Request

QuoVadis will revoke a CA Certificate within one hour after receiving clear instructions from the PMA.

4.9.6. QuoVadis follows the revocation timeframes specified for malware in the Code Signing Baseline Requirements . Revocation Checking Requirement For Relying Parties

Prior to relying on information listed in a Certificate, a Relying Party must confirm the validity of each Certificate in the Certificate path in accordance with IETF PKIX standards, including checking for Certificate validity, issuer-to-subject name chaining, policy and key use constraints, and revocation status through CRLs or OCSP responders identified in each Certificate in the chain.

4.9.7. CRL Issuance Frequency

QuoVadis uses its offline Root CAs to publish CRLs for its Issuing CAs at least every 6 months and within 18 hours after revoking an Issuing CA Certificate. QuoVadis updates the CRL for end-user Certificates at least every 12.5 hours and the date of the nextUpdate field will not be more than 72.5 hours after the date in the thisUpdate field.

Before revoking an Issuing CA Certificate a last CRL is generated with a "nextUpdate" field value of "99991231235959Z". The last CRL is available in accordance with Section 5.5.2. QuoVadis does not issue a last CRL until all Certificates in the scope of the CRL are either expired or revoked.

After the expiry date of an Issuing CA the most recent CRL will be published for at least 1 month. QuoVadis does not use the ExpiredCertsOnCRL extension.

4.9.8. Maximum Latency For CRL

CRLs for Certificates issued to end entities

- Proof of keycompromise in either of the following formats:

  A CSR signed by the compromised private key with the Common Name “Proof of Key Compromise for DigiCert”; or

  The private key itself

- A valid email address so that you can receive confirmation of your problem report and associated certificate revocations

QuoVadiswill selectthe CRLReason code “keyCompromise” (value 1) upon discovery of such reason or as required by an applicable CP/CPS.Should a CAPrivate Key become compromised, the CA and all Certificates issued by that CA shall be revoked.QuoVadisprovides additional instructions and support for keyCompromise at https://www.quovadisglobal.com/certificate-revocation/ and other resources as indicated in Section1.5.2.1 of this CP/CPS.

4.9.13. Circumstances For Suspension

The QuoVadis PKI does not support suspension of Certificates.

4.9.14. Who Can Request Suspension

The QuoVadis PKI does not support suspension of Certificates.

4.9.15. Procedure For Suspension Request

The QuoVadis PKI does not support suspension of Certificates.

4.9.16. Limits On Suspension Period

The QuoVadis PKI does not support suspension of Certificates.

4.10. [illegible]

5.1.5. Media Storage

QuoVadis

in local law, QuoVadis utilises a substitute investigative technique permitted by law that provides substantially similar information, including but not limited to obtaining a background check performed by the applicable governmental agency.

5.3.3. Training Requirements

QuoVadis provides relevant skills training in QuoVadis' PKI and TSA operations for the personnel performing information verification duties including:

- basic PKI knowledge;
- software versions used by QuoVadis;
- authentication and verification policies and procedures;
- QuoVadis security principles and mechanisms;
- disaster recovery and business continuity procedures;
- common threats to the validation process, including phishing and other social engineering tactics; and
- CA/Browser Forum Guidelines and other applicable industry and government guidelines.

QuoVadis maintains records of who received training. Registration Officers must have the minimum skills necessar5.8m22 (il)-

5.4. AUDIT LOGGING PROCEDURES

5.4.1. Types Of Events Recorded

QuoVadis records details of the actions taken to process a Certificate Request and to issue a Certificate, including all information generated and PROCEDURES LOGGING

- Compliance auditor reports
- CP/CPS versions
- Contractual obligations and other agreements concerning the operation of the CA
- System and equipment configurations, modifications, and updates
- Certificate request and verification
- Rejection or acceptance of a Certificate Request
- Certificate issuance, rekey, renewal, and revocation requests (and related actions)
- Certificate acceptance including Subscriber Agreements
- Escrow and retrieval requests
- Audit logs
- CA Key generation and destruction
- Appointment of an individual to a trusted role
- Destruction of a cryptographic module

5.5.2. Retention Period For Archive

Audit logs relating to the certificate lifecycle are retained as archive records for a period of for seven (7) years. Detailed system generated logs are retained for 18 months based on a risk assessment.

5.5.3. Protection Of Archive

Archive records are stored at a secure location and are maintained in a manner that prevents unauthorized modification, substitution, or destruction. Archives are not released except as allowed by the PMA or as required by law. QuoVadis maintains any software application required to process the archive data until the data is either destroyed or transferred to a newer medium.

If QuoVadis needs to transfer any media to a different archive site or equipment, DigiCert will maintain both archived locations and/or pieces of equipment until the transfer are complete. All transfers to new archives will occur in a secure manner.

5.5.4. Archive Backup Procedures

QuoVadis maintains and implements backup procedures so that in the event of the loss or destruction of the primary archives a complete set of backup copies will be readily available.

5.5.5. Requirements For Time-Stamping Of Records

QuoVadis supports time stamping of all of its records. All events that are recorded within the QuoVadis service include the date and time of when the event took place. This date and time are based on the system time on which the CA program is operating. QuoVadis uses procedures to review and ensure that all systems operating within the QuoVadis PKI rely on a trusted time source.

5.5.6. Archive Collection System

The QuoVadis Archive Collection System is internal.

5.5.7. Procedures To Obtain And Verify Archive Information

Access to archives is granted only to persons in Trusted Roles and based on least privilege. The contents of the archives will not be released as a whole, except as required by law. QuoVadis may decide to release records of individual transactions upon request of any of the entities involved in the transaction or their authorised representatives. A reasonable handling fee per record (subject to a minimum fee) will be assessed to cover the cost of record retrieval.

5.6. KEY CHANGEOVER

Key changeover is not automatic but procedures enable the smooth transition from expiring CA Certificates to new CA Certificates. Towards the end of the CA Private Key's lifetime, QuoVadis ceases using its expiring CA Private Keyto sign Certificates (well in advance of expiration) and uses the old Private Keyonly to sign Cey2d 7p(ey4]30 o3)6

i) notify relevant Government and Certification bodies under applicable laws and related regulations;

ii) provide notice and information about the termination by sending notice by email to its customers, Application Software Suppliers and by posting such information on QuoVadis' web site; and

iii) transfer all responsibilities to a qualified successor entity.

Unless otherwise addressed in an applicable agreement between QuoVadis and a counterparty, if a qualified successor entity does not exist, QuoVadis may

i) transfer those functions capable of being transferred to a reliable third party and arrange to preserve all relevant records with a reliable third party or a government, regulatory, or legal body with appropriate authority;

ii) revoke all Certificates that are still un-revoked or un-expired on a date as specified in the notice and publish final CRLs;

iii) destroy all Private Keys; and

iv) make other necessary arrangements that are in accordance with this CP/CPS.

For EU Qualified Certificates, QuoVadis procedures provide for the transfer of relevant records to a regulatory body and the continuation of revocation status in the event of termination.

6. TECHNICAL SECURITY CONTROLS

6.1. KEY PAIR GENERATION AND INSTALLATION

6.1.1. Key Pair Generation

QuoVadis CA Key Pairs are generated by multiple trusted individuals acting in trusted roles and using a cryptographic hardware device as part of scripted key generation ceremony in the environments described in Section 5.1 and logged in accordance with Section 5.4. The cryptographic hardware is evaluated to FIPS 140-2 Level 3

6.2. PRIVATE KEY PROTECTION AND CRYPTOGRAPHIC MODULE ENGINEERING CONTROLS

6.2.1. Cryptographic Module Standards And Controls

The cryptographic modules used by the QuoVadis PKI are validated to provide FIPS 140-2 Level 3 and/or Common Criteria EAL 4 security standards in both the generation and the maintenance in all Root and Issuing CA Private Keys.

Effective November 15, 2022 for Code Signing Certificates, Subscribers must generate and protect Private Keys:

- using a cryptographic module certified to FIPS 140-2 Level 2 or Common Criteria EAL 4+, or
- using cloud-based generation and protection solution as defined in Section 6.3.1 of the Code Signing Baseline Requirements; or
- using signing service as defined in Section 16.2 of the Code Signing Baseline Requirements.

6.2.2. Private Key (N of M) Multi-Person Control

QuoVadis' authentication mechanisms are protected securely when not in use and may only be accessed by actions of multiple trusted persons. Backups of CA Private Keys are securely stored and require two-person access. Re-activation of a backed-up CA Private Key (unwrapping) requires the same security and multi person control as when performing other sensitive CA Private Key operations.

6.2.3. Private Key Escrow

Private keys shall not be escrowed.

6.2.4. Private Key Backup aorivate Keys Private key ar Td ape key d mle tape key n -22.3 (o)6.9 (v)4 (a( )-

6.2.8. Method Of Activating Private Key

QuoVadis' Private Keys are activated according to the specifications of the HSM manufacturer. Activation data entry is protected from disclosure.

Subscribers are solely responsible for protection of their Private Keys. QuoVadis maintains no involvement in the generation, protection, or distribution of such keys. QuoVadis suggests that Subscribers use a strong password or equivalent authentication method to prevent unauthorised access and usage of the Subscriber Private Key.

6.2.9. Method Of Deactivating Private Key

QuoVadis' Private Keys are deactivated via manual and passive logout procedures on the applicable HSM device when not in use. QuoVadis never leaves its HSM devices in an active unlocked or unattended state.

Subscribers should deactivate their Private Keys via logout and removal procedures when not in use.

6.2.10. Method Of Destroying Private Key

QuoVadis personnel, acting in trusted roles, destroy CA, RA, and status server Private Keys when no longer needed. Subscribers shall destroy their Private Keys when the corresponding Certificate is revoked or expired or if the Private Key is no longer needed.

QuoVadis may destroy treedf u Tc -07 (r)3.4 (ti)-121ee r okh4 (ti)-121ee u Tc(e t)6.6 (h)3.8 (ei)6.921ee 8 >>BDC2 (t)6.7

QuoVadis may voluntarily retire its CA Private Keys before the periods listed above to accommodate key changeover processes. QuoVadis does not issue Subscriber Certificates with an expiration date that exceeds the Issuing CA's Public Key term or that exceeds the routine re-key identification requirements specified in Section 3.1.1.

6.4. ACTIVATION DATA

6.4.1. Activation Data Generation And Installation

QuoVadis activates the cryptographic module containing its CA Private Keys according to the specifications of the hardware manufacturer meeting the requirements of FIPS 140-2 Level 3 and/or Common Criteria EAL 4+. The cryptographic hardware is held under two-person control as explained in Section 5.2.2 and elsewhere in this CP/CPS. QuoVadis will only transmit activation data via an appropriately protected channel and at a time and place that is distinct from the delivery of the associated cryptographic module.

QuoVadis personnel and Subscribers are instructed to use strong passwords and to protect PINs and passwords that meet the requirements specified by the CA/Browser Forum's Network Security Requirements and other relevant standards.

6.4.2. Activation Data Protection

If activation data must be transmitted, it shall be via a channel of appropriate protection, and distinct in time and place from the associated Cryptographic Module. PINs may be supplied to Users in two portions using different delivery methods, for example by e-mail and by standard post, to provide increased security against third- party interception of the PIN. Activation Data should be memorised, not written down. Activation Data must never be shared. Activation data must not consist solely of information that could be easily guessed, e.g., a Subscriber's personal information.

6.4.3. Other Aspects Of Activation Data

Where a PIN is used, the User is required to enter the PIN and identification details such as their Distinguished Name before they are able to access and install their Keys and Certificate.

6.5. COMPUTER SECURITY CONTROLS

QuoVadis has a formal Information Security Policy that documents the QuoVadis policies, standards and guidelines relating to information security. This Information Security Policy has been approved by management and is communicated to all employees.

6.5.1. Specific Computer Security Technical Requirements

QuoVadis secures its CA systems and authenticates and protects communications between its systems and trusted roles. QuoVadis' CA servers and support- and vetting workstations run on trustworthy systems that are configured and hardened using industry best practices. All CA systems are scanned for malicious code and protected against spyware and viruses. Inactivity log out timeframes are set and enforced through internal information security policies and procedures to ensure security.

RAs must ensure that the systems maintaining RA software and data files are trustworthy systems secure from unauthorized access, which can be demonstrated by compliance with audit criteria applicable under Section 5.4.1.

QuoVadis' CA systems are configured to:

i) authenticate the identity of users before permitting access to the system or applications;
ii) manage the privileges of users and limit users to their assigned roles;
iii) generate and archive audit records for all transactions;
iv) enforce domain integrity boundaries for security critical processes; and
v) support recovery from key or system failure.

All Certificate Status Servers:

allow access only by the addresses, ports, protocols and commands required for the trustworthy provision of PKI services by such systems.

QuoVadis performs vulnerability scans of its networks at least once a quarter, and penetration tests at least annually.

The QuoVadis security policy is to block all ports and protocols and open only ports necessary to enable CA functions. All CA equipment is configured with a minimum number of services and all unused network ports and services are disabled.

6.8. TIME-STAMPING

See Section 5.5.5. In addition, QuoVadis provides a Time-Stamp Authority (TSA) service for use with specific QuoVadis products such as Code Signing Certificates. The QuoVadis Time-Stamp Policy/Practice Statement is structured in accordance with ETSI EN 319 421 and should be read in conjunction with this CP/CPS.

7. CERTIFICATE, CRL, AND OCSP PROFILES

QuoVadis uses the ITU X.509, version 3 standard to construct Certificates. QuoVadis adds certain certificate extensions to the basic certificate structure for the purposes intended by X.509v3 as per Amendment 1 to ISO/IEC 9594-8, 1995. *See* Appendix A and Appendix B.

For publicly-trusted TLS Certificates, QuoVadis meets the technical requirements set forth in Sections 2.2, 6.1.5, and 6.1.6 of the CA/Browser Baseline Requirements and this CP/CPS.

QuoVadis generates non-sequential Certificate serial numbers (positive numbers greater than zero) that contain at least 64 bits of output from a CSPRNG.

7.1. CERTIFICATE PROFILE

7.1.1. Version Number(s)

All Certificates are X.509 version 3 Certificates.

7.1.2. Certificate Extensions

The extensions defined for X.509 v3 Certificates provide methods for a7 (e)-6.9 (xte6)-7 (f)aitene a7 (e)ddtsonsl rtetutes.n

sha512WithRSAEncryption	[iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) sha512WithRSAEncryption(13]
ecdsa-with-SHA256	[iso(1) member-body(2) us(840) ansi-X9-62 (10045) signatures(4) ecdsa-with-SHA2 (3) 2]
ecdsa-with-SHA384	[iso(1) member-body(2) us(840) ansi-X9-62 (10045) signatures(4) ecdsa-with-SHA2(3) 3]
id-RSASSA-PSS	[iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) rsassa-pss(10)]

Issuing CAs shall not issue Certificates with SHA-1 as an algorithm.

RSASSA-PSS is not used for TLS Certificates and specifies the SHA-256 hash algorithm (2.16.840.1.101.3.4.2.1) as a parameter. For all other RSA algorithms the parameters field is NULL

QuoVadis and Subscribers may generate Key Pairs using the following:

id-dsa	[iso(1) member-body(2) us(840) x9-57(10040) x9cm(4) 1]
RsaEncryption	[iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 1]
Dhpublicnumber	[iso(1) member-body(2) us(840) ansi-x942(10046) number-type(2) 1]
id-keyExchangeAlgorithm	[joint-iso-ccitt(2) country(16) us(840) organization(1) gov(101) dod(2) infosec(1) algorithms(1) 22]
id-ecPublicKey	[iso(1) member-body(2) us(840) ansi-X9-62(10045) id-publicKeyType(2) 1]

Elliptic curve Public Keys submitted to QuoVadis for inclusion in end entity Certificates should be based on NIST “Suite B” curves.

As described in Section 1.2, QuoVadis uses the key and hash algorithms specified in the CA/Browser Forum Baseline Requirements. *See* also Appendix A and Appendix B.

7.1.4. Name Forms

Each Certificate includes a serial number that is unique to the Issuing CA. Optional subfields in the subject of an TLS Certificate must either contain information verified by QuoVadis or be left empty. TLS Server Certificates cannot contain metadata such as ‘-‘, and ‘ ‘ characters or and/or any other indication that the value/field is absent, incomplete, or not applicable.

QuoVadis does not issue publicly-trusted TLS Certificates to a Reserved IP address or Internal Name.

For CA Certificates, the commonName attribute is present and contains an identifier that uniquely identifies the CA and distinguishes it from other CAs. Certificates are populated with the Issuer Name and Subject Distinguished Name required under Section 3.1.1. Issuer DNs meet the requirements in the CA/Browser Forum Baseline Requirements. *See* also Appendix A and Appendix B.

7.1.5. Name Constraints

QuoVadis may use nameConstraints when appropriate. For publicly-trusted TLS certificates, QuoVadis follows the requirements of Section 7.1.5 of the Baseline Requirements. If the technically constrained Issuing CA Certificates includes the id

- QuoVadis is made aware of any circumstance indicating that use of a fully-qualified domain name or IP address in the Certificate is no longer legally permitted (e.g. a court or arbitrator has revoked a domain name registrant's right to use the domain name, a relevant licensing or services agreement between the domain name registrant and the Applicant has terminated, or the domain name registrant has failed to renew the domain name).

Unless keyCompromise is being used, cessationOfOperation must be used when:

- the Subscriber has requested that their Certificate be revoked for this reason; or
- QuoVadis received verifiable evidence that the Subscriber no longer controls, or is no longer authorized to use, all of the domain names in the Certificate

Otherwise, cessationOfOperation must not be used.

affiliationChanged

The CRLReason affiliationChanged is intended to be used to indicate that the Subject's name or other subs

accrediting authority. Auditors shall be experienced in performing information security audits, specifically having significant experience with PKI and cryptographic technologies.

Any personal or corporate information held by Issuing CAs related to a Subscriber's application and the issuance of Certificates is considered confidential and will not be released without the prior consent of the relevant Holder, unless required otherwise by law or to fulfil the requirements of this QuoVadis CP/CPS.

There is no requirement to place a copy of any Private Key with any backup/recovery or escrow service. Under contract between an Issuing CA and a Subscriber or the Subscriber's Nominating RA, a copy of an entity's encryption Keys may be escrowed by QuoVadis for possible retrieval of encrypted information upon the loss or corruption of the original encryption Keys.

9.3.2. Information Not Within The Scope Of Confidential Information

Information appearing in Certificates or stored in the Repository is considered public and not within the scope of confidential information, unless statutes or special agreements so dictate.

9.3.3. Responsibility To Protect Confidential Information

9.4.6. Disclosure Pursuant To Judicial Or Administrative Process

If required by a legitimate and lawful judicial order

- All Relying Parties who reasonably rely on a Valid Certificate; and
- All Application Software Vendors with whom QuoVadis has entered into a contract for inclusion of its Root Certificate in software distributed by such Application Software Vendor

QuoVadis discharges its obligations by:

- QuoVadis complies, in all material aspects, with this CP/CPS, and all applicable laws and regulations;
- QuoVadis publishes and updates CRLs and OCSP responses on a regular basis;
- All Certificates issued under this CP/CPS will be verified in accordance with this CP/CPS and meet the minimum requirements found herein and in the Baseline Requirements; and
- QuoVadis will maintain a Repository of public information on its website.

QuoVadis hereby warrants (i) it has taken reasonable steps to verify that the information contained in any Certificate is accurate at the time of issue (ii) Certificates shall be revoked if QuoVadis believes or is notified that the contents of the Certificate are no longer accurate, or that the Private Key associated with a Certificate has been compromised in any way.

QuoVadis makes no other warranties, and all warranties, express or implied, statutory or otherwise, are excluded to the greatest extent permissible by applicable law, including without limitation all warranties as to merchantability or fitness for a particular purpose.

QuoVadis provides test certificates for all types of Certificates.

9.6.2. RA Representations and Warranties

RAs represent and warrant that:

i) The RA's certificate issuance and management services conform to the QuoVadis CP/CPS and applicable CA or RA Agreements;

ii) Information provided by the RA does not contain any false or misleading information;

iii) Reasonable steps are taken to verify that the information contained in any Certificate is accurate at the time of issue;

iv) Translations performed by the RA are an accurate translation of the original information;

v) All Certificates requested by the RA meet the requirements of this CP/CPS and RA Agreement; and

vi) The RA will request that Certificate

iii) Relying Parties' reliance on the authentication product or service is reasonable based on the circumstances. Relying Parties reliance will be deemed reasonable if:

- the attributes of the Certificate relied upon and the level of assurance in the Identification and Authentication provided by the Certificate are appropriate in all respects to the level of risk and the reliance placed upon that Certificate by the Relying Party;
- the Relying Party has, at the time of that reliance, used the Certificate for purposes appropriate and permitted by the CP/CPS and under the laws and regulations of the jurisdiction in which the Relying Party is located;
- the Relying Party has, at the time of that reliance, acted in good faith and in a manner appropriate to all the circumstances known, or circumstances that ought reasonably to have been known, to the Relying Party;
- the Relying Party has, at the time of that reliance, verified the Digital Signature, if any;
- the Relying Party has, at the time of that reliance, verified that the Digital Signature, if any, was created during the Operational Term of the Certificate being relied upon;
- the Relying Party ensures that the data signed has not been altered following signature by utilising trusted application software,
- the signature is trusted and the results of the signature are displayed correctly by utilising trusted application software;
- the identity of the Subscriber is displayed correctly by utilising trusted application software; and
- any alterations 2002 Tw 0 -7 (ti (c)-5.8 (r)3.3 (ib)3.8 (e)-19 (2yTc -0.8 (tw0 -7 (t-12.2 (f)m-11.9 (s)-4.8 7e)-7 (c)-

PERMITTED BY APPLICABLE LAW AND NOTWITHSTANDING ANY FAILURE OF ESSENTIAL PURPOSE OF ANY LIMITED REMEDY OR LIMITATION OF LIABILITY: (A) QUOVADIS AND ITS AFFILIATES, SUBSIDIARIES, OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, PARTNERS AND LICENSORS (THE “QUOVADIS ENTITIES”) WILL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, OR PUNITIVE DAMAGES (INCLUDING ANY DAMAGES ARISING FROM LOSS OF USE, LOSS OF DATA, LOST PROFITS, BUSINESS INTERRUPTION, OR COSTS OF PROCURING SUBSTITUTE SOFTWARE OR SERVICES) ARISING OUT OF OR RELATING TO THIS CP/CPS OR THE SUBJECT MATTER HEREOF; AND (B) THE QUOVADIS ENTITIES’ TOTAL CUMULATIVE LIABILITY ARISING OUT OF OR RELATING TO THIS CP/CPS OR THE SUBJECT MATTER HEREOF WILL NOT EXCEED THE AMOUNTS PAID BY OR ON BEHALF OF SUBSCRIBER TO QUOVADIS IN THE TWELVE MONTHS PRIOR TO THE EVENT GIVING RISE TO SUCH LIABILITY, REGARDLESS OF WHETHER SUCH LIABILITY ARISES FROM CONTRACT, INDEMNIFICATION, WARRANTY, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE, AND REGARDLESS OF WHETHER QUOVADIS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE. NO CLAIM, REGARDLESS OF FORM, WHICH IN ANY WAY ARISES OUT OF THIS CP/CPS, MAY BE MADE OR BROUGHT BY SUBSCRIBER OR SUBSCRIBER’ REPRESENTATIVES MORE THAN ONE (1) YEAR AFTER THE BASIS FOR THE CLAIM BECOMES KNOWN TO SUBSCRIBER.

For EU Qualified Certificates, QuoVadis liability is in accordance with Extract 37 and Article 13 of the eIDAS Regulation.

9.10. TERM AND TERMINATION

9.10.1. Term

This CP/CPS and any amendments to this CP/CPS are effective when published in the QuoVadis Repository and remain in effect until replaced with a newer version.

9.10.2. Termination

This CP/CPS as amended from time to time shall remain in force until it is replaced by a new version.

9.10.3. Effect Of Termination And Survival

The conditions and effect resulting from termination of this CP/CPS will be communicated via the QuoVadis website upon termination. That communication will outline the provisions that may survive termination of this CP/CPS and remain in force. The responsibilities for protecting business confidential and private personal information shall survive termination, and the terms and conditions for all existing Certificates shall remain valid for the remainder of the validity periods of such Certificates.

9.11. INDIVIDUAL NOTICES AND COMMUNICATIONS WITH PARTICIPANTS

QuoVadis accepts notices related to this CP/CPS at the locations specified in Section 2.2. Notices are deemed effective after the sender receives a valid and digitally signed acknowledgment of receipt from QuoVadis. If an

efforts to resolve such dispute via business discussions. If the dispute is not resolved within sixty (60) days after the initial notice, then a party may proceed as permitted under applicable law and as specified under this CP/CPS and other relevant agreements.

i) Arbitration: In the event a dispute is allowed or required to be resolved through arbitration, the parties will maintain the confidential nature of the existence, content, or results of any arbitration hereunder, except as may be necessary to prepare for or conduct the arbitration hearing on the merits, or except as may be necessary in connection with a court application for a preliminary remedy, a judicial confirmation or challenge to an arbitration award or its enforcement, or unless otherwise required by law or judicial decision.

ii) Class Action and Jury Trial Waiver: THE PARTIES EXPRESSLY WAIVE THEIR RESPECTIVE RIGHTS TO A JURY TRIAL FOR THE PURPOSES OF LITIGATING DISPUTES HEREUNDER. Each party agrees that any dispute must be brought in the respective party's individual capacity, and not as a plaintiff or class member in any purported class, collective, representative, multiple plaintiff, or similar proceeding ("Class Action"). The parties expressly waive any ability to maintain any Class Action in any forum in connection with any dispute. If the (n)2.7 (e)-6.9 n 64(n)2.7Tf -0.0R.8 (64 (e)4tj-12.2 (n)2.8 (n)2 t7 (e

Customer is Domiciled in:	Governing Law is laws of:	Court or arbitration body with exclusive jurisdiction:
Europe, Switzerland, the United Kingdom, Russia, the Middle East or Africa		

limitation of liability, disclaimer of a warranty, or an exclusion of damages is severable and independent of any other provision.

9.16.4. Enforcement (Waiver Of Rights)

QuoVadis may seek indemnification and attorneys' fees from a party for damages, losses, and expenses related to that party's conduct. QuoVadis' failure to enforce a provision of this CP/CPS does not waive QuoVadis' right to enforce the same provision later or right to enforce any other provision of this CP/CPS. To be effective, waivers must be in writing and signed by QuoVadis.

9.16.5. Force Majeure

QuoVadis is not liable for any delay or failure to perform an obligation under this CP/CPS to the extent that the delay or failure is caused by an occurrence beyond QuoVadis' reasonable control. The operation of the Internet is beyond QuoVadis' reasonable control.

To the extent permitted by applicable law, Subscriber Agreements and Relying Party Agreements shall include a force majeure clause protecting QuoVadis.

9.17. OTHER PROVISIONS

No stipulation.

10. APPENDIX A – ROOT CA PROFILES

QuoVadis Root CA2

Field	Value
Version	V3
Serial Number	Unique number 0509
Issuer Signature Algorithm	sha-1WithRSAEncryption {1 2 840 113549 1 1 5}
Issuer Distinguished Name	Unique X.500 CA DN. CN = QuoVadis Root CA 2 O =QuoVadis Limited C = BM
Validity Period	25 years expressed in UTC format NotBefore: 11/24/2006 18:27:00 NotAfter: 11/24/2031 18:23:33
Subject Distinguished Name	CN = QuoVadis Root CA 2 O =QuoVadis Limited C = BM
Subject Public Key Information	Public Key Algorithm: Algorithm ObjectId: 1.2.840.113549.1.1.1 RSA Algorithm Parameters 05 00 Public Key Length: 4096 bit
Issuer's Signature	sha-1WithRSAEncryption {1 2 840 113549 1 1 5}
Extension	Value
Authority Key Identifier	c=no; KeyID=1a 84 62 bc 48 4c 33 25 04 d4 ee d0 f6 03 c4 19 46 d1 94 6b Certificate Issuer: Directory Address: CN=QuoVadis Root CA 2 O=QuoVadis Limited C=BM Certificate SerialNumber=05 09
Subject Key Identifier	c=no; 1a 84 62 bc 48 4c 33 25 04 d4 ee d0 f6 03 c4 19 46 d1 94 6
Key Usage	c=no; Certificate Signing, Offline CRL Signing, CRL Signing (06)
Basic Constraints	c=yes; Subject Type=CA Path Length Constraint=None

Key Id Hash(sha1):

QuoVadis Root CA 2 G3

Field	Value
Version	V3
Serial Number	Unique number 445734245b81899b35f2ceb82b3b5ba726f07528
Issuer Signature Algorithm	sha256RSA {1.2.840.113549.1.1.11 }
Issuer Distinguished Name	Unique X.500 CA DN. CN = QuoVadis Root CA 2 G3 O

11. APPENDIXB

11.1. BUSINESS SSL

Field	Value
Version	V3
Serial Number	Unique number
Validity Period	397 days
Subject Distinguished Name	
Organization Name	subject:organisationName (2.5.4.10)
Organisation Unit	Not permitted in QuoVadis BusinessSSL
Common Name	subject:commonName (2.5.4.3) cn = Common name

State or province (if any)

QuoVadis Business SSL Certificates are intended for use in establishing web-based data communication conduits via TLS protocols. The primary purposes of a Business SSL Certificate are to:

- Identify the individual or entity that controls a website; and
- Facilitate the exchange of encryption keys in order to enable the encrypted communication of information over the Internet between the user of an Internet browser and a website.

QuoVadis Certificates focus only on the identity of the Subject named in the Certificate, and not on the behaviour of the Subject. As such, Certificates are not intended to provide any assurances, or otherwise represent or warrant:

- That the Subject named in the Certificate is actively engaged in doing business;
- That the Subject named in the Certificate complies with applicable laws;
- That the Subject named in the Certificate is trustworthy, honest, or reputable in its business dealings; or
- That it is "safe" to do business with the Subject named in the Certificate.

Eligible Applicants

Individuals (natural persons), incorporated entities, government entities, general partnerships, unincorporated associations, and sole proprietorships may apply for QuoVadis Business SSL Certificates.

Verification Requirements

Before issuing a Business SSL Certificate, QuoVadis performs limited procedures to verify that all Subject information in the Certificate is correct, and that the Applicant is authorised to use the domain name and has accepted a Subscriber Agreement for the requested Certificate.

Identity : QuoVadis verifies the identity and address of the organization and that the address is the Applicant's address of existence or operation. QuoVadis verifies the identity and address of the Applicant using documentation provided by, or through communication with, at least one of the following:

i) A government agency in the jurisdiction of the Applicant's legal creation, existence, or recognition;

ii) A third party database that is periodically updated and considered a Reliable Data Source;

iii) A site visit by the CA or a third party who is acting as an agent for the CA; or

iv) An Attestation Letter.

DBA/Tradename: If the Subject Identity Information is to include a DBA or tradename, QuoVadis verifies the Applicant's right to use the DBA/tradename using at least one of the following:

i) Documentation provided by, or communication with, a government agency in the jurisdiction of the Applicant's legal creation, existence, or recognition;

ii) A Reliable Data Source;

iii) Communication with a government agency responsible for the management of such DBAs or tradenames;

iv) An Attestation Letter accompanied by documentary support; or

v) A utility bill, bank statement, credit card statement, government-issued tax document, or other form of identification that the CA determines to be reliable.

Verification of Country: QuoVadis verifies the country associated with the Subject using one of the following:

i) the IP Address range assignment by country for either (i) the web site's IP address, as indicated by the DNS record for the web site or (ii) the Applicant's IP address;

ii) the ccTLD of the requested Domain Name;

iii) information provided by the Domain Name Registrar; or

iv) a method identified in “Identity” above.

Application Proc ess

During the Certificate approval process, QuoVadis Validation Specialists employ controls to validate the identity of the Applicant and other information featured in the Certificate Application to ensure compliance with this CP/CPS.

Step 1: The Applicant provides a signed Certificate Application to QuoVadis, which includes identifying information to assist QuoVadis in processing the request and issuing the Business SSL Certificate, along with a PKCS#10 CSR and billing details.

Step 2: QuoVadis independently verifies information using a variety of sources.

Step 3: The Applicant accepts the Subscriber Agreement and approves Certificate issuance.

Step 4: All signatures are verified through follow-up procedures or telephone calls.

Step 5: QuoVadis obtains and documents further explanation or clarification as necessary to resolve discrepancies or details requiring further explanation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the Certificate Request and notify the Applicant accordingly. Two QuoVadis Validation Specialists must approve issuance of the Certificate.

Step 6: QuoVadis creates the Business SSL Certificate.

Step 7: The Business SSL Certificate is delivered to the Applicant.

Renewal

Renewal requirements and procedures include verification that the Applicant continues to have authority to use the domain name, and that the Certificate Application is approved by an authorised representative of the Applicant.

11.2. EXTENDED VALIDATION SSL

Field	Value	Comments
Version	V3 (2)	
Serial Number	Unique system generated random number assigned to each certificate, containing at least 64 bits of output.	

	Qualifier: http://www.quovadisglobal.com/repository [1,2] Policy Qualifier Info: Policy Qualifier Id=User Notice Qualifier: Notice Text= Any use of this Certificate constitutes acceptance of the QuoVadis Root CA 2 Certification Policies and Certificate Practice Statement.	
Certificate Transparency (optional)	(1.3.6.1.4.1.11129.2.4.4) This field MAY include two or more Certificate Transparency proofs from approved CT Logs.	
Subject Alternative Name	c=no; DNS = FQDN of Device (e.g., domain.com)	
Authority Information Access	c=no; Access Method= Id-ad-ocsp (On-line Certificate Status Protocol 1.3.6.1.5.5.7.48.1); URL =http://ocsp.quovadisglobal.com	
CRL Distribution Points	c = no; CRL HTTP URL =http://crl.quovadisglobal.com/QVSSLICA.crl or http://crl.quovadisglobal.com/qvsslg2.crl or http://crl.quovadisglobal.com/qvsslg3.crl	
cabfOrganizationIdentifier	cabfOrganizationIdentifier 2.23.140.3.1	Optional Refer to: CA/Browser Forum Ballot SC17

Purpose of EV SSL

EV SSL Certificates are intended for use in establishing web-based data communication conduits via TLS protocols. The primary purposes of a EV SSL Certificate are to:

- Identify the legal entity that controls a website;
- Provide a reasonable assurance to the user of an Internet browser that the website the user is accessing is controlled by a specific legal entity identified in the EV Certificate by name, address of Place of Business, Jurisdiction of Incorporation, and Registration Number; and
- Facilitate the exchange of encryption keys in order to enable the encrypted communication of information over the Internet between the user of an Internet browser and a website.

EV SSL also help establish the legitimacy of a business claiming to operate a website by confirming its legal and physical existence; provide a vehicle that can be used to assist in addressing problems related to phishing and other forms of online identity fraud; and assist law enforcement in investigations including where appropriate, contacting, investigating, or taking legal action against the Subject.

QuoVadis Certificates focus only on the identity of the Subject named in the Certificate, and not on the behaviour of the Subject. As such, QuoVadis Certificates are not intended to provide any assurances, or otherwise represent or warrant:

- That the Subject named in the Certificate is actively engaged in doing business;
- That the Subject named in the Certificate complies with applicable laws;
- That the Subject named in the Certificate is trustworthy, honest, or reputable in its business dealings; or
- That it is “safe” to do business with the Subject named in the Certificate.

- The Business Entity and the identified Principal Individual associated with the Business Entity MUST NOT be listed on any government denial list or prohibited list (such as a trade embargo) under the laws of Bermuda or the United States.

iv) Non-Commercial Entity Subjects

Non-Commercial Entities are entities who do not qualify under subsections (a), (b) or (c) above, but that do satisfy the following requirements:

- The Applicant is an International Organization Entity, created under a charter, treaty, convention or equival-7 (f)0.8 (ol4 (r)10.4 (eat)6./P <</MCID57 (d)-5n(n)9.8 (17 0 Td [01 Tw 0 Tw 14.964 0 To)-dw 0.217

- Revocation: QuoVadis will follow the requirements of the EV Guidelines and revoke the EV Certificate upon the occurrence of any revocation event as specified in the EV Guidelines.

Verification Requirements

Each Applicant must enter into a Subscriber Agreement with QuoVadis which specifically names both the Applicant and the individual Contract Signer signing the Agreement on the Applicant's behalf, and contains provisions imposing on the Applicant the following obligations and warranties:

- Accuracy of Information: An obligation and warranty to provide accurate and complete information at all times to the QuoVadis, both in the EV Certificate Request and as otherwise requested by the QuoVadis in connection with the issuance of the EV Certificate(s) to be supplied by the QuoVadis;
- Protection of Private Key: An obligation and warranty by the

Step 7: QuoVadis creates the EV Certificate.

Step 8: The EV Certificate is delivered to the Certificate Requester.

QuoVadis may not issue an EV Certificate until the entire corpus of information and documentation assembled in support of the EV Certificate is such that issuance of the EV Certificate will not communicate inaccurate factual information that QuoVadis knows, or by the exercise of due diligence should discover, from the assembled information and documentation. If satisfactory explanation and/or additional documentation

1512)-.d5.8 (om)-1.7 (e(i(d d)-12a)-19.1 (n)2.8 (d d)-12.3 (oc)-mor)3.4 (y2 (me)-(e)1(m(or)Q)1047 e)-7 2)- (d d)-12-6.9 (.8 (u)-3-0.0[(f)0.8 8 t

11.3. QUOVADIS QUALIFIED WEBSITE AUTHENTICATION CERTIFICATE (QEVCP-W)

QuoVadis Qualified Website Authentication Certificates (QEVCP-w) (QWAC) are issued under the requirements of ETSI EN 319 411-2 aim to support website authentication based on a Qualified Certificate defined in articles 3 (38) and 45 of the eIDAS Regulation.

QEVCP-w Certificates issued under these requirements endorse the requirement of EV Certificates whose purpose is specified in clause 5.5 of ETSI EN 319 411-2 [2]. QWACs issued under this policy provide a means by which a visitor to a website can be assured that there is a genuine and legitimate entity standing behind the website as specified in the eIDAS Regulation.

The QuoVadis QWAC is designed to comply with:

- CA/Browser Forum EV Guidelines;
- ETSI EN 319 411-2 Electronic Signatures and Infrastructures (ESI); Requirements for Trust Service Providers issuing EU Qualified Certificates;
- ETSI EN 319 412-4 Electronic Signatures and Infrastructures (ESI); Certificate profile for web site certificates; and
- ETSI EN 319 412-5 Electronic Signatures and Infrastructures (ESI); QCStatements

Field	Value	Comments
Version	V3 (2)	
Serial Number	Unique system generated random number assigned to each certificate, containing at least 64 bits of output.	
Validity Period	397 days.	
Subject Distinguished Name		
Organization Name	subject:organisationName (2.5.4.10)	This field MUST contain the Subject's full legal organisation name as listed in the official records of the Incorporating or Registration Agency in the Subject's Jurisdiction of Incorporation. In addition, an assumed name or d/b/a name used by the Subject MAY be included at the beginning of this field, provided that it is followed by the full legal organisation name in parenthesis. If the combination of the full legal organisation name and the assumed or d/b/a name exceeds 64 characters as defined by RFC 5280, only the full legal organisation name will be used.
Organization Identifier	subject:organisationIdentifier (2.5.4.97)	Refer to: CA/Browser Forum Ballot SC17
Organisation Unit	subject:organisationUnit (2.5.6.5)	Not permitted

which Sectionof the EV Guidelines
applies to the Sub.68 re(c)-5.7 (ti8 rt.ET Q 0.001 .96

1.3.6.1.5.5.7.48.1); URL =http://ocsp.quovadisglobal.com

Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2); URL = http://trust.quovadisglobal.com/qvq_webg1.crt

QuoVadis QCP-w-psd2 follow the same profile as QuoVadis QEVCP-w Certificates with the following variations:

Field	Value

id-etsi-qcs-QcPDS	id-etsi-qcs-5 (0.4.0.1862.1.5) URL= https://www.quovadisglobal.com/repository Language = EN	Refer to: ETSI EN 319 412-5
Etsi-psd2-qcstatement	id-etsi-psd2-qcStatement (0.4.0.19495.2) PSD2QcType ::= SEQUENCE{ rolesOfPSP RolesOfPSP, nCAName NCAName,	

OID: id-psd2-role-psp-pi { 0.4.0.19495.1.2 }
Role: PSP_PI

iii) account information (PSP_AI)

OID: id-psd2-role-psp-ai { 0.4.0.19495.1.3 }
Role: PSP_AI

iv) issuing of card-based payment instruments (PSP_IC)

OID: id-psd2-role-psp-ic { 0.4.0.19495.1.4 }
Role: PSP_IC

Revocation Requests

Based on an authenticated request from an NCA, in accordance with ETSI TS 119 495 Section 6.2.6, QuoVadis shall revoke a PSD2 certificate within 24 hours if:

- the Authorisation of the PSP has been revoked;
- any PSP role included in the certificate has been revoked.

QuoVadis will investigate unauthenticated requests from an NCA and shall revoke the affected certificate(s) if necessary. Unauthenticated NCA notifications need not be processed within 24 hours.

	[1,1] Policy Qualifier Info: Policy Identifier Id=CPS Qualifier: http://www.quovadisglobal.com/repository	
Authority Information Access	c=no; Access Method=Id-ad-ocsp (On-line Certificate Status Protocol - 1.3.6.1.5.5.7.48.1); URL =http://ocsp.quovadisglobal.com	

11.6. IGTF GRID CERTIFICATES

All Grid Certificates will be issued to Applicants based on cryptographic data generated by the Applicant, or based on cryptographic data that can be held only by the Applicant on a secure hardware token. Any single subject Distinguished Name must be linked to one and only one entity and must not be linked to any other entity over the life of the CA. Pseudonyms will not be allowed for Grid Certificates. Private Key archival or

Domain Components (DC)	DC=com, DC=quovadisglobal, DC=grid, DC=<organisation identifier>, DC=hosts