Certification Policy / Certification Practice Statement



Effective Date: 22 November, 2023

Version: 5.0

This document is the Certificate Policy/Certification Practice Statement (CP/CPS) of DigiCert Europe (also known as QuoVadis), a company of DigiCert, Inc.

This version of the CP/CPS has been approved for use by the QuoVadis Policy Management Authority (PMA) and is subject to amendment and change in accordance with the policies and guidelines adopted, from time to time, by the PMA and as otherwise set out herein. The date on which this version of the CP/CPS becomes effective is indicated on this CP/CPS. The most recent effective copy of this CP/CPS supersedes all previous versions. No provision is made for different versions of this CP/CPS to remain in effect at the same time.

This document covers aspects of the QuoVadis PKI. Services for PKIoverheid operate under a separate CP/CPS document.

There are a number of instances where the legal and regulatory frameworks for Qualified Certificates under the Swiss or EU Digital Signature regimes impose additional requirements. In these instances, this Document shows these differences either by indicating in the body of the text “For Qualified Certificates” or with the inclusion of a Text Box as shown below.

	Provision relating to Qualified or Regulated Certificates issued in accordance with Swiss regulations.
	Provision relating to Qualified Certificates issued in accordance with Regulation (EU) No. 910/2014 on electronic identification and trust services for electronic transactions in the internal market (the eIDAS Regulation). 735EMC<0078>P <1TT2 02 f T.45 ovB]TJ4 (n)9.8 (sm-17 (lat)4.8(h)d)4

6.1.4. CA Public Key To Relying Parties 42
6.1.5. Key Sizes 42

9.13.

1.1. OVERVIEW

This Certificate Policy/Certification Practice Statement (CP/CPS) sets out the certification processes that DigiCert Europe (also known as QuoVadis) uses in the generation, issue, use, and management of Certificates and serves to notify Subscribers and Relying Parties of their roles and responsibilities concerning Certificates.

QuoVadis ensures the integrity of its Public Key Infrastructure (PKI) operational hierarchy by binding Participants to contractual agreements. This CP/CPS is not intended to create a contractual relationship between QuoVadis and any Participant in the QuoVadis PKI. Any person seeking to rely on Certificates or participate within the QuoVadis PKI must do so pursuant to definitive contractual documentation.

QuoVadis Trustlink BV is a Qualified Trust Service Provider (TSP) listed on the Trusted List for the Netherlands, DigiCert Europe Belgium BV (previously QuoVadis Trustlink BVBA) for Belgium and QuoVadis Schweiz AG for Switzerland.

QuoVadis Certificates comply with Internet standards (x509 v.3) as set out in RFC 5280. This CP/CPS follows the IETF PKIX RFC 3647 framework with 9 Sections that cover practices and procedures for identifying Certificate applicants; issuing and revoking Certificates; and the security controls related to managing the physical, personnel, technical, and operational components of the CA infrastructure. To preserve the outline specified by RFC 3647, some Sections will have the statement "Not applicable" or "No Stipulation."

In addition a QuoVadis PKI Disclosure Statement, which summarises informationanddditPnter.1 (i)-2.nw [(S)1 (ti-4.8 (e)-7 (s)-4

1.3. PUBLIC KEY INFRASTRUCTURE PARTICIPANTS

authenticated by QuoVadis. ERAs must abide by all the requirements of this CP/CPS, Section 1.3.2.1 of the S/MIME BR, and the terms of their services agreement with QuoVadis.

See also Section 9.6.2.

Subscribers use QuoVadis' services and PKI to support transactions and communications. Subscribers under this CP/CPS include all end users (including entities) of Certificates issued by an Issuer CA. A Subscriber is the entity named as the end-user Subscriber of a Certificate. End-user Subscribers may be individuals, organisations or, infrastructure components such as firewalls, routers, trusted servers or other devices used to secure communications within an organisation.

Subscribers are not always the party identified in a Certificate. The Subject of a Certificate is the party named in the Certificate. A Subscriber, as used herein, may refer to the Subject of the Certificate and the entity that contracted with QuoVadis for the Certificate's issuance, or the individual responsible for requesting and a Certificate on a trusted system. Prior to verification of identity and issuance of a Certificate, a Subscriber is an Applicant.

Subscribers are required to act in accordance with this CP/CPS and Subscriber Agreement. See also Section 9.6.3.

Relying Parties are entities that act in Reasonable Reliance on a Certificate and/or Digital Signature issued by QuoVadis. A Relying Party may, or may not, also be a Subscriber of the QuoVadis PKI. Relying parties must check the appropriate CRL or OCSP response prior to relying on information featured in a Certificate. The location of the Certificate Status service is detailed within the Certificate.

Relying P(cD.8 c .)Tsr5n P1.3,n ,23 (d (3M3 (1 7 (,1 0 Tc .9 6D(o)1)64 478(tee)-713.4 6.012)-3.1)-i)]TJ(6 (h)-3..9 e) -31w 1.41 (

The QuoVadis PMA determines the suitability and applicability of this CP/CPS based on the results and recommendations received from an independent auditor. The PMA is also responsible for evaluating and acting upon the results of compliance audits.

Approval of this CP/CPS and any amendments hereto is by the QuoVadis PMA. Amendments may be made by updating this entire document or by addendum. The QuoVadis PMA, at its sole discretion, determines whether changes to this CP/CPS require notice or any change in the OID of a Certificate issued pursuant to this CP/CPS. See also Section 9.10 and Section 9.12. Any changes to this CP/CPS that relate to Grid topics (refer to Section 10.6.1 below) should be approved by the relevant Grid PMA.

1.6. DEFINITIONS AND ACRONYMS

Factor that governs its issuance and use whether expressly included or incorporated by reference to this CP/CPS.

: An ordered list of one or more Domain Labels assigned to a node in the Domain Name System.

or eIDAS: Regulation (EU) No. 910/2014 on electronic identification and trust services for electronic transactions in the internal market.

: A Server Name (which may or may not include an Unregistered Domain Name) that is not resolvable using the public DNS.

: A

: An Individual or Organisation that has entered into a Relying Party Agreement authorising that person or Organisation to exercise Reasonable Reliance on Certificates, subject to the terms and conditions set forth in the applicable Relying Party Agreement.

: The Relying Party Agreement is an agreement which must be read and accepted

OID	Object Identifier
OCSP	Online Certificate Status Protocol
PKCS	Public Key Cryptography Standard
PKI	Public Key Infrastructure
PKIX	IETF Working Group on Public Key Infrastructure
PMA	QuoVadis Policy Management Authority
Portal	Certificate Management System
PSD2	Payment Services Directive - Directive (EU) 2015/2366
PSP	Payment Service Provider
QSCD	Qualified Electronic Signature/Seal Creation Device

Bermuda Authorised Certificate Service Provider	As defined in Bermuda's Electronic Transactions Act 1999
Application Software Vendor	Adobe Approved Trust List Technical Requirements, v.2.0 Apple Root Store Program

2.4. ACCESS CONTROLS ON REPOSITORIES

Read-only access to the Repository is unrestricted and is available 24 x 7. Logical and physical controls prevent unauthorised write access to Repositories. In the event that the Repository is unavailable then QuoVadis aims to restore availability within 24 hours.

The Identification and Authentication procedures used by QuoVadis depend on the Class of Certificate being issued. See Appendices for Certificate Profiles and the relevant verification requirements.

3.1. NAMING

All Subscribers require a distinguished name that complies with the ITU X.500 standard for Distinguished Names (DN). The QuoVadis PMA approves naming conventions for the creation of distinguished names for Issuing CA applicants. Different naming conventions may be used by different Issuing CAs.

Names consisting of multiple words are permitted. Subjects MAY chose name order in accordance with national preference.

Each User must have a unique and readily identifiable Subject DN. Alternatively, DNs may be based on domain name components, e.g. CN=John Smith, DC=QuoVadis, DC=BM. The Common Name may contain the applicant's first and last name (surname).

For Certificates issued under the TLS BR, the use of Internal Server Names and Reserved IP Addresses is prohibited, and the FQDN or authenticated domain name is placed in the Common Name (CN) attribute of the Subject field and/or the Subject Alternative Name extension. Wildcard TLS Certificates have a wildcard asterisk character for the server name in the Subject field. Wildcard EV Certificates may not be issued under the EV Guidelines.

The Distinguished Names of a Code Signing Certificate must identify the legal entity that intends to have control over the use of the Private Key when signing code.

QuoVadis uses Distinguished Names that identify both the entity (i.e. person, organisation, device, or object) that is the Subject of the Certificate and the entity that is the issuer of the Certificate. QuoVadis only allows directory information trees that accurately reflect organisation structures. Personal Names included in Certificates issued to Individuals shall be a meaningful representation of the authenticated common name of the Subscriber.

QuoVadis may issue pseudonymous end entity Certificates if they are not prohibited by policy and if applicable name space uniqueness requirements are met. QuoVadis requires identification of the real identity of the Applicant in accordance with Section 3.2.3. The pseudonym shall be either a unique identifier selected by QuoVadis for the Subject of the Certificate, or an identifier selected by an Enterprise RA which uniquely identifies the Subject of the Certificate within the organisation.

Distinguished Names in Certificates are interpreted using X.500 standards and ASN.1 syntax. QuoVadis may allow the conversion of Identity information usually rendered in non-ASCII characters (for example é and à may be represented by e or a, and umlauts such as ö or ü may be represented by oe or ue, o or u respectively). QuoVadis may use language variants (such as Munich or München) for geographic names. For Personal Names, QuoVadis include an ASCII character name that is not a direct Conversion of the Applicant's registered name provided that it is verified in a Reliable Data Source or suitable Attestation.

The Subject Name of each Certificate issued by an Issuing CA shall be unique within each class of Certificate issued by that Issuing CA over the lifetime of that Issuing CA and shall conform to applicable X.500 standards for the uniqueness of names.

The Issuing CA may, if necessary, insert additional numbers or letters to the Subscriber's Subject Common Name, or other attribute such as Subject serialNumber, in order to distinguish between two Certificates that would otherwise have the same Subject Name. Name uniqueness is not violated when multiple Certificates are issued to the same entity.

Unless otherwise specifically stated in this CP/CPS, QuoVadis does not verify an Applicant's right to use a trademark and does not resolve trademark disputes. QuoVadis may reject any application or require revocation of any Certificate that is part of a trademark dispute.

3.2. INITIAL IDENTITYVALIDATION

QuoVadis may use any legal means of communication or investigation to ascertain the identity of an organisational or individual Applicant in compliance with this CP/CPS. QuoVadis may refuse to issue a Certificate in its sole discretion.

Issuing CAs shall establish that each Applicant for a Certificate is in possession and control of the Private Key

3.2.2.3. Verification of IP Address

For each IP Address listed in a publicly-trusted TLS Certificate, QuoVadis confirms that, as of the date the Certificate was issued, the Applicant controlled the IP Address by:

i) Having the Applicant demonstrate practical control over the IP Address by confirming the presence of a Request Token or Random Value contained in the content of a file or webpage in the form of a meta tag under the "/.well-known/pki-validation" directory on the IP Address, performed in accordance with TLS BR Section 3.2.2.5.1;

ii) Confirming the Applicant's control over the IP Address by sending a Random Value via email, fax, SMS, or postal mail and then receiving a confirming response utilising the Random Value, performed in accordance with TLS BR Section 3.2.2.5.2;

iii) Performing a reverse-IP address lookup and then verifying control over the resulting Domain Name, as set forth above and in accordance with TLS BR Section 3.2.2.5.3;

iv) TLS BR Section 3.2.2.5.3 is no longer used because it was deprecated as of July 31, 2019.

v) Confirming the Applicant's control over the IP Address by calling the IP Address Contact's phone number, as identified by the IP Address RA, and obtaining a response confirming the Applicant's request for validation of the IP Address, performed in accordance with TLS BR Section 3.2.2.5.5;

vi) Confirming the Applicant's control over the IP Address by performing the procedure documented for an "http-01" challenge in draft 04 of "ACME IP Identifier Validation Extension," available at https://tools.ietf.org/html/draft-ietf-acme-ip-04#Section-4, performed in accordance with TLS BR Section 3.2.2.5.6; or

vii) TLS BR Section 3.2.2.5.7 is not used by QuoVadis

3.2.2.4. Wildcard Domain Validation

Before issuing a TLS Certificate with a wildcard character (*) in a CN or subjectAltName of type DNS-ID, QuoVadis follows a documented procedure that determines if the wildcard character occurs in the first label position to the left of a "registry-controlled" label or "public suffix".

mwTJ 0 2 0i6 (fo (c)1.(trdo3.4 (1 T)]T)-3.0.me
88Tc 0 T4 (a)0T E3C .8

See Appendix A for additional information on the authentication methods that are available for each Certificate Class. QuoVadis only allows the use of identity validation methods that have been approved by the relevant Supervisory Authority.

If the Subject is a natural person, evidence shall be provided to deliver unique identification of the Applicant, including:

i) Full name (including surname and given names consistent with applicable law and national identification practices); and

ii) Date and place of birth, or reference to at least one nationally recognised identity document, or other attributes which may be used to, as far as possible, distinguish the person from others with the same name.

If the Subject is a natural person identified in association with an organisational entity (legal person), additional evidence shall be provided of:

i) Full name and legal status of the associated organisational entity;

ii) Any relevant existing registration information (e.g. company registration) of the organisational entity; and

iii) Evidence that the Subject is affiliated with the organisational entity which may include reference to an attestation or a Trusted Register. Attestations may be made by directors, executives, board members, or a natural person with authorisation duly delegated from another natural person in an authorised role.

Enterprise RA records may be used to verify Individual Identity attributes, including pseudonyms, included in Sponsor-validated Certificates issued within the ERA's Organisation in accordance with the S/MIME BR.

confirm attributes where Certificates may assert the Individual's affiliation with an Organisation or rely upon previously conducted procedures,

QuoVadis does not allow re-key after revocation. To re-key a revoked Certificate, the Subscriber must undergo the initial Identification and Authentication process prior to re-keying the Certificate.

3.4. IDENTIFICATION AND AUTHENTICATION FOR REVOCATION REQUESTS

See Section 4.9 for information about Certificate Revocation procedures. All revocation requests are authenticated by QuoVadis or the RA responsible for issuing the Certificate. QuoVadis authenticate revocation requests by referencing the Certificate's Public Key, regardless of whether the associated Private Key is compromised. A Subscriber may request that their Certificate be revoked by:

- Authenticating to a QuoVadis Portal and requesting revocation via that system;
- Applying in person to the RA, Issuing CA or QuoVadis supplying either original proof of identification in the form of a valid Passport or National ID; or
- Telephonic communication using a pre-existing shared secret, password or other information associated with Subscriber's account with the CA following appropriate Identification.

4.1. CERTIFICATE APPLICATION

Either the Applicant or an individual authorised to request Certificates on behalf of the Applicant may submit Certificate Requests. Applicants are responsible for any data that the Applicant or an agent of the Applicant supplies to QuoVadis

QuoVadis does not issue Certificates to entities on a government denied list maintained by the United States or that are located in a country with which the laws of the United States prohibit doing business.

The Applicant is responsible to provide correct and up-to-date data, as required for the generation and issuance of Certificates as well as the correct usage of the Certificates. By agreeing to the Master Service Agreement, Terms of Use, and the Privacy Notice and signing the contracts, the Applicant also agrees to all underlying documents (the CP/CPS and others). If any of the required information for the issuance of Certificates is missing, incomplete or produces a negative outcome, QuoVadis will reject the application for a Certificate.

QuoVadis maintains an internal database of previously revoked Certificates and previously rejected Certificate Requests. QuoVadis uses this information to identify subsequent suspicious Certificate Requests .

such performance to QuoVadis. After verification is complete, QuoVadis Validation Specialists evaluate the corpus of information and decides whether or not to approve issuance.

QuoVadis does not issue Certificates containing a new gTLD under consideration by ICANN until the gTLD has been approved. QuoVadis may also reject a Certificate Application if QuoVadis believes that issuing the Certificate could damage or diminish QuoVadis' reputation or business. QuoVadis does not issue publicly trusted TLS Certificates containing unregistered TLD's or when domain control cannot be verified.

Approval for EV requires two QuoVadis Validation Specialists. The second validation specialist cannot be the same individual who collected the documentation and originally approved the EV Certificate.

QuoVadis, in its sole discretion, may refuse to issue a Certificate, without incurring any liability for loss or damages arising out of such refusal. QuoVadis reserves the right not to disclose reasons for such a refusal. Rejected Applicants may re-

Only the Certificate Subject or an authorised representative of the Certificate Subject may request renewal of the Subscriber's Certificates.

Renewal application requirements and procedures are generally the same as those used during the Certificate's original issuance

Conduct constituting acceptance of a re-keyed Certificate is in accordance with Section 4.4.1. Issued Certificates are considered accepted 30 days after the Certificate is re-keyed, or earlier upon use of the Certificate when evidence exists that the Subscriber used the Certificate.

QuoVadis publishes a re-keyed Certificate by delivering it to the Subscriber.

RAs may receive notification of a Certificate's renewal if the RA was involved in the issuance process.

4.8. CERTIFICATE MODIFICATION

Modifying a Certificate means creating a new Certificate for the same Subject with authenticated information that differs slightly from the old Certificate (e.g., changes to Mailbox Address or non-essential parts of names or attributes) provided that the modification otherwise complies with this CP/CPS. The new Certificate may have the same or a different subject Public Key. Modified information must undergo the same Identification and Authentication procedures as for a new Certificate.

QuoVadis modifies Certificates at the request of certain Certificate Subjects or in its own discretion. QuoVadis

reasonable cause to revoke the Certificate. Issuing CAs are required to provide evidence of the revocation authorisation to QuoVadis upon request.

QuoVadis will revoke a Certificate within 24 hours after receipt and use the corresponding CRLReason in accordance with Section 7.2, confirming one or more of the following occurred:

i) The Subscriber requests in writing that QuoVadis revoke the Certificate but does not specify a reason (CRLReason "unspecified (0)" which results in no reasonCode extension being provided in the CRL);

ii) The Subscriber notifies QuoVadis that the original Certificate Request was not authorised and does not retroactively grant authorisation (CRLReason #9, privilegeWithdrawn);

iii) QuoVadis obtains evidence that the Subscriber's Private Key corresponding to the Public Key in the Certificate suffered a Key Compromise (CRLReason #1, keyCompromise);

iv) QuoVadis obtains evidence that the validation of domain authorisation or control for any FDQN or IP address or mailbox control for any Mailbox Address in the Certificate should not be relied upon (CRLReason #4, superseded);

v) QuoVadis is made aware of a demonstrated or proven method that can easily compute the Subscriber's Private Key based on the Public Key in the Certificate (such as a Debian weak key, see https://wiki.debian.org/SSLkeys) (CRLReason #1, keyCompromise);

vi) The NCA requests revocation for a PSD2 Certificate where the Subscriber (PSP) has lost its authorisation to act as a PSP or any PSP role in the Certificate has been removed (CRLReason #9, privilegeWithdrawn); or

vii) QuoVadis has reasonable assurance that a certificate was used to sign suspect code.

In the absence of exceptional circumstances confirmed with the relevant Supervisory Authority, QuoVadis will revoke a Certificate within 24 hours when QuoVadis becomes aware that a QSCD used for QCP-n-qscd or QCP-l-qscd loses its certification status.

QuoVadis may revoke a Certificate within 24 hours and will revoke a Certificate within 5 days after receipt and confirming that one or more of the following occurred:

i) QuoVadis obtains evidence that the Certificate was misused and/or used outside the intended purpose as indicated by the relevant agreement (CRLReason #9, privilegeWithdrawn)

x) QuoVadis right to issue Certificates under the CA/Browser Forum requirements expires or is revoked or terminated, unless QuoVadis has made arrangements to continue maintaining the CRL/OCSP Repository for a reason that is not otherwise required to be specified by this Section 4.9.1 (CRLReason "unspecified (0)" which results in no reasonCode extension being provided in the CRL;

xi) Revocation is required by the QuoVadis CP/CPS for a reason that is not otherwise required to be specified by this Section 4.9.1 (CRLReason "unspecified (0)" which results in no reasonCode extension being provided in the CRL;

xii) QuoVadis confirms a demonstrated or proven method that exposes the Subscriber's Private Key to compromise, or if there is clear evidence that the specific method used to generate the Private Key was flawed (CRLReason #1, keyCompromise);

xiii) Where the Subscriber becomes unsuitable or unauthorised to hold a Certificate on behalf of an employer or its respective Subsidiaries, Holding Companies or Counterparties (CRLReason #9, privilegeWithdrawn); or

xiv) The Certificate no longer complies with the requirements of Section 6.1.5 and Section 6.1.6 of the Codesigning Baseline Requirements. 13. For Codesigning Certificates, Application Software Suppliers may request the Issuer CA delays revocation where immediate revocation has a potentially large negative impact to the ecosystem

QuoVadis may revoke any Certificate in its sole discretion, including if QuoVadis believes that:

i) Either the Subscriber or QuoVadis obligations under the CP/CPEitd(of)-6.8 (i)6.9 (e)g(12.1 (n)t >>BDC)-7 (6kT0 1ti-3

the identity of the complainants (for example, complaints from a law enforcement official that a web site is engaged in illegal activities have more weight than a complaint from a consumer alleging they never received the goods they ordered); and

relevant legislation.

v) If QuoVadis determines that revocation is appropriate, QuoVadis personnel revoke the Certificate and update the Certificate Status. If QuoVadis deems appropriate, QuoVadis may forward the revocation reports to law enforcement.

In the case of a PSD2 Certificate, the NCA identified in the Certificate may request revocation by contacting psd2@quovadisglobal.nl. NCA revocation requests are authenticated using either a previously communicated shared secret, or use of a Digital Signature supported by Qualified Certificate issued to the NCA. ( )-02 (r)3.67 (d t) ((s (io)1.9 (

The Section of the CP/CPS provides a high level description of the security policy, physical and logical access

- CA Certificate and key lifecycle management events;
    - Certificate requests, renewal, and re-key requests, and revocation;
    - Approval and rejection of Certificate Requests;
    - Cryptographic device lifecycle management events;
    - Generation of CRLs and OCSP entries; and

The relevant audit data collected is regularly analysed for any attempts to violate the integrity of any element of the QuoVadis PKI. Only certain QuoVadis Trusted Roles and auditors may view audit logs in whole. QuoVadis decides whether particular audit records need to be viewed by others in specific instances and makes those records available. Consolidated logs are protected from modification and destruction. All audit logs are protected in an encrypted format via a Key and Certificate generated especially for the purpose of protecting the logs.

Each Issuing CA performs an onsite backup of the audit log daily. The backup process includes weekly physical removal of the audit log copy from the Issuing CA premises and storage at a secure, off-site location.

Backup procedures apply to the QuoVadis PKI and the Participants therein including the QuoVadis Root CAs, Issuing CAs, and RAs.

The security audit process of each Issuing CA runs independently of the Issuing CA software. Security audit

QuoVadis retains the following information in its archives (as such information pertains to QuoVadis' CA / TSA operations):

i) Accreditations of QuoVadis;

ii) CP/CPS versions;

iii) Contractual obligations and other agreements concerning the operation of the CA/TSA;

iv) System and equipment configurations, modifications, and updates;

v) Rejection or acceptance of a Certificate request;

vi) Certificate issuance, rekey, renewal, and revocation requests;

vii) Sufficient identity authentication data to satisfy the identification requirements of Section 3.2, including information about telephone calls made for verification purposes;

viii) Any documentation related to the receipt or acceptance of a Certificate or token;

ix) Subscriber Agreements;

x) Issued Certificates;

xi) A record of Certificate re-keys;

xii) Data or applications necessary to verify an archive's contents;

xiii) Compliance auditor reports;

xiv) Changes to QuoVadis audit parameters;

xv) Any attempt to delete or modify audit logs;

xvi) CA Key generation and destruction;

xvii) Access to Private Keys for key recovery purposes;

xviii) Changes to trusted Public Keys;

xix) Export of Private Keys;

xx) Approval or rejection of a revocation request;

xxi) Appointment of an individual to a trusted role;

xxii) Destruction of a cryptographic module;

xxiii) Certificate compromise notifications;

xxiv) Remedial action taken as a result of violations of physical security; and

xxv) Violations of the CP/CPS.

Audit logs relating to the Certificate lifecycle are retained as archive records for a period no less than eleven (11) years for Swiss Qualified Certificates and for seven (7) years for all other Certificates. Detailed system generated logs are retained for 24 months based on a risk assessment.

Archive records are stored at a secure location and are maintained in a manner that prevents unauthorised modification, substitution, or destruction. Archives are not released except as allowed by the PMA or as required by law. QuoVadis maintains any software application required to process the archive data until the data is either destroyed or transferred to a newer medium.

If QuoVadis needs to transfer any media to a different archive site or equipment, QuoVadis will maintain both archived locations and/or pieces of equipment until the transfer are complete. All transfers to new archives will occur in a secure manner.

For some EU Qualified and Swiss Qualified/Regulated Certificates, QuoVadis may generate and manage Private Keys on behalf of the Subscriber. Where the policy requires the use of a QSCD then the signatures shall only be created by the QSCD.

QuoVadis and Subscribers may fulfill transmission security requirements using TLS or another protocol that provides similar security, provided the protocol requires at least AES 128 bits or equivalent for the symmetric key and at least 2048-bit RSA or equivalent for the asymmetric keys.

QuoVadis uses cryptographic modules that conform to FIPS 186-2 and provide random value generation and on-board generation of Public Keys and a wide range of ECC curves.

Private Keys corresponding to QuoVadis Root Certificates are not used to sign Certificates except in the following cases:

i) Self

Effective November 15, 2022 for Code Signing Certificates, Subscribers must generate and protect Private Keys:

- using a cryptographic module certified to FIPS 140-2 Level 2 or Common Criteria EAL 4+; or
- using cloud-based generation and protection solution as defined in Section 16.3.1 of the Code Signing Baseline Requirements; or
- using signing service as defined in Section 16.2 of the Code Signing Baseline Requirements.

QuoVadis' authentication mechanisms are protected securely when not in use and may only be accessed by actions of multiple trusted persons. Backups of CA Private Keys are securely stored and require two-person access. Re-activation of a backed-up CA Private Key (unwrapping) requires the same security and multi-person control as when performing other sensitive CA Private Key operations.

QuoVadis does not escrow its CA signature keys. QuoVadis may provide escrow services for end entity Subscriber Certificateovti11. 0 Tw 4.3lF4 (if)0.8 (ic (c)-9.8 (r2 0 Td[(Q)1.4 (u7 (r)0.001 Tc -0.002 T2 Tw 0.217 0 Td[(Q1r)10.32

QuoVadis' Private Keys are activated according to the specifications of the HSM manufacturer. Activation data entry is protected from disclosure.

Subscribers are solely responsible for protecting their Private Keys in a manner commensurate with the Certificate type. Subscribers should use a strong password or equivalent authentication method to prevent unauthorised access or use of the Subscriber Private Key. When deactivated, Tw 7.289 0 Td( )Tj0.217 0(eac)174 Tw [(S)- V-1.1

Qualified Certificates for Electronic Signature and Electronic Seal	12 to 36 months
TLS Certificates including Qualified Web Authentication Certificates (QEVCP-w)	398 days
S/MIME Certificates	1185 days
Code Signing Certificates	39 months

For the purpose of calculations, a day is measured as 86,400 seconds. Any amount of time greater than this, including fractional seconds and/or leap seconds, represents an additional day. For the purposes of calculating time periods in this document, increments are rounded down subject to the imposed maximum requirements listed in Section 1.1 as applicable.

Relying Parties may still validate signatures generated with these keys after expiration of the Certificate.

QuoVadis may voluntarily retire its CA Private Keys before the periods listed above to accommodate key changeover processes. QuoVadis does not issue Subscriber Certificates with an expiration date that exceeds the Issuing CA's Public Key term or that exceeds the routine re-key identification requirements specified in Section 3.1.1.

6.4. ACTIVATION DATA

QuoVadis activates the cryptographic module containing its CA Private Keys according to the specifications of the hardware manufacturer meeting the requirements of FIPS 140-2 Level 3 and/or Common Criteria EAL 4. The cryptographic hardware is held under two-person control as explained in Section 5.2.2 and elsewhere in this CP/CPS. QuoVadis will only transmit activation data via an appropriately protected channel and at a time and place that is distinct from the delivery of the associated cryptographic module.

QuoVadis personnel and Subscribers are instructed to use strong passwords and to protect PINs and passwords that meet the requirements specified by the CA/Browser Forum's Network Security Requirements and other relevant standards.

If activation data must be transmitted, it shall be via a channel of appropriate protection, and distinct in time and place from the associated Cryptographic Module. PINs may be supplied to Users in two portions using different delivery methods, for example by e-mail and by standard post, to provide increased security against third-

QuoVadis secures its CA systems and authenticates and protects communications between its systems and trusted roles. QuoVadis' CA servers and support-and-vetting workstations run on trustworthy systems that are configured and hardened using industry best practices. All CA systems are scanned for malicious code and protected against spyware and viruses. Inactivity log out timeframes are set and enforced through internal information security policies and procedures to ensure security.

RAs must ensure that the systems maintaining RA software and data files are trustworthy systems secure from unauthorised access, which can be demonstrated by compliance with audit criteria applicable under Section 5.4.1.

RAs must logically separate access to these systems and this information from other components. This separation prevents access except through defined processes. RAs must use firewalls to protect the network from internal and external intrusion and limit the nature and source of activities that may access such systems and information. RAs must require the use of passwords with a minimum character length and a combination of alphanumeric and special characters.

QuoVadis' CA systems are configured to:

i) authenticate the identity of users before permitting access to the system or applications;
ii) manage the privileges of users and limit users to their assigned roles;
iii) generate and archive audit records for all transactions;
iv) enforce domain integrity boundaries for security critical processes; and
v) support recovery from key or system failure.

All Certificate Status Servers:

i) authenticate the identity of users before permitting access to the system or applications;
ii) manage privileges to limit users to their assigned roles;
iii) enforce domain integrity boundaries for security critical processes; and
iv) support recovery from key or system failure.

QuoVadis enforces multi-factor authentication on any Portal account capable of directly causing Certificate issuance.

No stipulation.

6.6. LIFE CYCLE TECHNICAL CONTROLS

QuoVadis has mechanisms in place to control and monitor the acquisition and development of its CA systems. Change requests require the approval of at least one administrator who is different from the person submitting the request. QuoVadis only installs software on CA systems if the software is part of the CA's operation. CA hardware and software are dedicated to performing operations of the CA.

Vendors are selected based on their reputation in the market, ability to deliver quality product, and likelihood of remaining viable in the future. Management is involved in the vendor selection and purchase decision process. Non-PKI hardware and software is purchased without identifying the purpose for which the component will be used. All hardware and software are shipped under standard conditions to ensure delivery of the component directly to a trusted employee who ensures that the equipment is installed without opportunity for tampering.

Some of the PKI software components used by QuoVadis are developed in-house or by consultants using standard software development methodologies. All such software is designed and developed in a controlled environment and subjected to quality assurance review. Other software is purchased commercial off-the-shelf (COTS). Quality assurance is maintained throughout the process through testing and documentation or by purchasing from trusted vendors as discussed above.

Updates of equipment and software are purchased or developed in the same manner as the original equipment or software and are installed and tested by trusted and trained personnel. All hardware and software essential to QuoVadis' operations is scanned for malicious code on first use and periodically thereafter.

QuoVadis has mechanisms in place to control and continuously monitor the security-related configurations of its CA systems. When loading software onto a CA system, QuoVadis verifies that the software is the correct version and is supplied by the vendor free of any modifications.

No stipulation.

6.7. NETWORK SECURITY CONTROLS

QuoVadis CA and RA functions are performed using networks secured in accordance with the standards documented in the CP/CPS to prevent unauthorised access, tampering, and denial-of-service attacks. Communications of sensitive information shall be protected using point-to-point encryption for confidentiality and Digital Signatures for non-repudiation and authentication.

QuoVadis documents and controls the configuration of its systems, including any upgrades or modifications made. QuoVadis' CA system is connected to one internal network and is protected by firewalls and Network Address Translation for all internal IP addresses (e.g., 192.168.x.x). QuoVadis' customer support and vetting workstations are also protected by firewall(s) and only use internal IP addresses.

Root Keys are kept offline and brought online only when necessary to sign Certificate-issuing subordinate CAs, OCSP Responder Certificates, or periodic CRLs. Firewalls and boundary control devices are configured to allow access only by the addresses, ports, protocols and commands required for the trustworthy provision of PKI services by such systems.

QuoVadis performs vulnerability scans of its networks at least once a quarter, and penetration tests at least annually.

QuoVadis' security policy is to block all ports and protocols and open only ports necessary to enable CA functions. All CA equipment is configured with a minimum number of services and all unused network ports and services are disabled. QuoVadis' network configuration is available for review on-site by its auditors and consultants under an appropriate non-disclosure agreement.

6.8. TIME-STAMPING

See Section 5.5.5. In addition, QuoVadis provides Time-Stamp Authority (TSA) services for use with specific QuoVadis products such as Qualified Electronic Signatures or8 (r)-1.6 (t)6.6 (s)2.3 (9d)-4.7 (e)-7 (r)3Si91td wignici CArvtfic tis

7.1. CERTIFICATE PROFILE

The table below describes the basic fields that may be included in QuoVadis Certificates. Refer to APPENDIX A for additional Certificate contents that are specific to the individual Certificate Profiles.

RSASSA-PSS is not used for TLS Certificates and specifies the SHA-256 hash algorithm (2.16.840.1.101.3.4.2.1) as a parameter. For all other RSA algorithms the parameters field is NULL.

QuoVadis and Subscribers may generate Key Pairs using the following:

id-dsa	[iso(1) member-body(2) us(840) x9-57(10040) x9cm(4) 1]
RsaEncryption	[iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 1]
Dhpublicnumber	[iso(1) member-body(2) us(840) ansi-x942(10046) number-type(2) 1]

id-

the Subscriber will no longer be using the Certificate because they are discontinuing their website; or

QuoVadis is made aware of any circumstance indicating that use of a fully-qualified domain name or IP address in the Certificate is no longer legally permitted (e.g. a court or arbitrator has revoked a domain name registrant's right to use the domain name, a relevant licensing or services agreement between the domain name registrant and the Applicant has terminated, or the domain name registrant has failed to renew the domain name).

Unless keyCompromise is being used, cessationOfOperation must be used when:

the Subscriber has requested that their Certificate be revoked for this reason; or

QuoVadis received verifiable evidence that the Subscriber no longer controls, or is no longer authorised to use, all of the domain names in the Certificate.

Otherwise, cessationOfOperation must not be used.

The CRLReason affiliationChanged is intended to be used to indicate that the Subject's name or other subject identity information in the Certificate has changed, but there is no cause to suspect that the Certificate's Private Key has been compromised.

Unless CRLReason is being used, affiliationChanged will be used when:

the Subscriber has requested that their Certificate be revoked for this reason; or

QuoVadis replaced the Certificate due to changes in the Certificate's subject information and the CA has not replaced the Certificate for the other reasons: keyCompros

	ecdsa-with-sha256 [1 2 840 10045 4 3 2] OR ecdsa-with-sha384 [1 2 840 10045 4 3 3]
Issuer Distinguished Name	QuoVadis Issuing CA name
thisUpdate	CRL issue date in UTC format
nextUpdate	Date when the next CRL will issue in UTC format.
Revoked Certificates List	List of revoked Certificates, including the serial number and revocation date
Issuer's Signature	[Signature]

QuoVadis CRLs may have the following extensions per RFC 5280 and other requirements as needed:

CRL Number	Never repeated monoton 48 0.49grepeated mt414 0 9.96 -0 0 9.96 203.4 509.

7.4. CERTIFICATE FIELDS AND ROOT CA CERTIFICATE HASHES

7.4.1.



7.4.2.5. QuoVadis Root CA 3 G3

Serial Number	

9.2. FINANCIAL RESPONSIBILITIES

QuoVadis maintains Commercial General Liability insurance with a policy limit of at least $2 million in coverage and Professional Liability/Errors & Omissions insurance with a policy limit of at least $5 million in coverage. Insurance is carried through companies rated no less than A- as to Policy Holder's Rating in the current edition of Best's Insurance Guide (or with an association of companies, each of the members of which are so rated).

	In accordance with ZertES, policy limits concerning Swiss Qualified Certificates are maintained in excess of CHF Two Million per occurrence and CHF Eight Million annual aggregate.

No stipulation.

No stipulation.

QuoVadis is not the agent, fiduciary or other representative of any Subscriber and/or Relying Party and must not be represented by the Subscriber and/or Relying Party to be so. Subscribers and/or Relying Parties have no authority to bind QuoVadis by contract or otherwise, to any obligation.

Participation in the QuoVadis PKI does not make any participant an agent, fiduciary, trustee, or other representative of any entity, legal or otherwise. Nothing contained in this QuoVadis CP/CPS or in any corresponding Subscriber or Relying Party Agreement shall be deemed to constitute QuoVadis, QuoVadis PKI Participants or any of their agents, directors, employees, consultants, suppliers, contractors, partners or Counterparties a fiduciary, endorser, promoter, agent, partner, representative, or Counterparty of any entity, and the use of or reliance upon Certificates or other forms of participation within the QuoVadis PKI is to be construed accordingly.

9.3. CONFIDENTIALITY OF BUSINESS INFORMATION

QuoVadis keeps the following types of information confidential and maintains reasonable controls to prevent the exposure of such records to non-trusted personnel.

i) Private Keys;

ii) Activation data used to access Private Keys or to gain access to the CA system;

iii) Business continuity, incident response, contingency, and disaster recovery plans;

iv) Other security practices used to protect the confidentiality, integrity, or availability of information;

v) Information held by QuoVadis as private information in accordance with Section 9.4;

vi) Audit logs and archive records; and

vii) Transaction records, financial audit records, and external or internal audit trail records and any audit reports (with the exception of an auditor's letter confirming the effectiveness of the controls set forth in this CP/CPS).

Any personal or corporate information held by Issuing CAs related to a Subscriber's application and the issuance of Certificates is considered confidential and will not be released without the prior consent of the relevant Holder, unless required otherwise by law or to fulfil the requirements of this QuoVadis CP/CPS.

No stipulation.

9.5. INTELLECTUAL PROPERTY RIGHTS

QuoVadis owns the intellectual property rights in QuoVadis' services, including the Certificates, trademarks and the Proprietary Marks used in providing the services, and this CP/CPS.

For the avoidance of doubt, external documents or electronic records signed or protected using QuoVadis Certificates are not considered to be QuoVadis documents for the purposes of this Section, nor is QuoVadis responsible for the content of those documents or records.

QuoVadis retains all intellectual property rights in and to the Certificates and revocation information that it issues. QuoVadis and customers shall grant permission to reproduce and distribute Certificates on a nonexclusive royalty-free basis, provided that they are reproduced in full and that use of Certificates is subject to the Relying Party Agreement referenced in the Certificate. QuoVadis, and customers shall grant permission to use revocation information to perform Relying Party functions subject to the applicable CRL
uu 0.337 0 Td3 (e)L9 9ln*7 (n)2.7 (e)-7 (n)2.8 (t r4 (r)3.D (t1.263.3 (3- (*7 (n)2.(h)-3749)3.8 (je)-7)-7 (r)-8.n)-.6 (g)-12-7 (n

ii) Provide accurate and complete information when communicating with QuoVadis, and to respond to QuoVadis' instructions concerning Key Compromise or Certificate misuse;

iii) Confirm the accuracy of the certificate data prior to installing or using the Certificate;

iv) For Qualified Certificates (a) if the policy requires the use of a QSCD, Electronic Signatures must only be created by a QSCD, (b) in the case of natural persons, the Private Key should only be used for Electronic Signatures, and (c) in the case of legal persons, the Private Key must be maintained and used under the control of the Subscriber and it should only be used for Electronic Seals.

v) Promptly (a) request revocation of the Certificate, and cease using it and its associated Private Key, and (b) notify QuoVadis and any Relying Party that may rely on the Certificate, that the Private Key associated with the Certificate has been lost, stolen, potentially compromised or that control over the Private Key has been lost due to compromise of activation data (e.g. PIN code) or other reasons, and cease using the Certificate and its associated Private Key, in all cases and at all times following such loss, theft, potential compromise or loss of control;

the attributes of the Certificate relied upon and the level of assurance in the Identification and

OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, PARTNERS AND LICENSORS (THE "QUOVADIS ENTITIES") WILL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, OR PUNITIVE DAMAGES (INCLUDING ANY DAMAGES ARISING FROM LOSS OF USE, LOSS OF DATA, LOST PROFITS, BUSINESS INTERRUPTION, OR COSTS OF PROCURING SUBSTITUTE SOFTWARE OR SERVICES) ARISING OUT OF OR RELATING TO THIS CP/CPS OR THE SUBJECT MATTER HEREOF; AND (B) THE QUOVADIS ENTITIES' TOTAL CUMULATIVE LIABILITY ARISING OUT OF OR RELATING TO THIS CP/CPS OR THE SUBJECT MATTER HEREOF WILL NOT EXCEED THE AMOUNTS PAID BY OR ON BEHALF OF SUBSCRIBER TO QUOVADIS IN THE TWELVE MONTHS PRIOR TO THE EVENT GIVING RISE TO SUCH LIABILITY, REGARDLESS OF WHETHER SUCH LIABILITY ARISES FROM CONTRACT, INDEMNIFICATION, WARRANTY, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE, AND REGARDLESS OF WHETHER QUOVADIS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE. NO CLAIM, REGARDLESS OF FORM, WHICH IN ANY WAY ARISES OUT OF THIS CP/CPS, MAY BE MADE OR BROUGHT BY SUBSCRIBER OR SUBSCRIBER'S REPRESENTATIVES MORE THAN ONE (1) YEAR AFTER THE BASIS FOR THE CLAIM BECOMES KNOWN TO SUBSCRIBER.

	For Swiss Qualified Certificates, QuoVadis liability is in accordance with Articles 17, 18, 19 of ZertES.
	For EU Qualified Certificates, QuoVadis liability is in accordance with Extract 37 and Article 13 of the eIDAS Regulation.

9.9. INDEMNITIES

.

9.10. TERM AND TERMINATION

This CP/CPS and any amendments to this CP/CPS are effective when published in the QuoVadis Repository and remain in effect until replaced with a newer version.

This CP/CPS as amended from time to time shall remain in force until it is replaced by a newer version.

The conditions and effect resulting from termination of this CP/CPS will be communicated via the QuoVadis website upon termination. That communication will outline the provisions that may survive termination of this CP/CPS and remain in force. The responsibilities for protecting business confidential and private personal information shall survive termination, and the Terms and Conditions for all existing Certificates shall remain valid for the remainder of the validity periods of such Certificates.

9.11.

The United States of America, Canada, Mexico, Central America, South America, the Caribbean, or any other country not otherwise included in the rest of the table below	Utah state law and United States federal law	State and Federal courts located in Salt Lake County, Utah
Europe, Switzerland, the United Kingdom, Russia, the Middle East or Africa	England	International Chamber of Commerce, International Court of Arbitration, with seat of arbitration in the below city corresponding to the QuoVadis contracting entity listed in the Order Form. For QV CH: Zurich For QV NL: Amsterdam For QV DE: Munich For

10.1. CERTIFICATE PROFILES

Within the QuoVadis PKI an Issuing CA can only issue Certificates with approved Certificate Profiles. All Certificate Profiles within the QuoVadis PKI are detailed below.

Procedures for Subscriber registration as well as descriptions of fields are described below for each type of Certificate issued. Additionally, specific Certificate Policies and QuoVadis' liability arrangements that are not described in this CP/CPS may be drawn up under contract for individual Subscribers.

QV Standard	Based on the ETSI Lightweight Certificate Policy (LCP), which has the policy identifier OID 0.4.0.2042.1.3	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.100 (optional, may also use S/MIME BR OIDs) ETSI policy identifier OID: 0.4.0.2042.1.3 (optional)	Low	Optional
QV Advanced	Based on the ETSI Normalised Certificate Policy (NCP), which has the OID 0.4.0.2042.1.1. Features face-to-face (or equivalent) authentication of holder identity and organisational affiliation (if included).	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.200 ETSI policy identifier OID: 0.4.0.2042.1.1 (optional)	Medium	Optional
QV Advanced +	Similar to "QV Advanced" issued on an SSCD. Based on the ETSI Normalised Certificate Policy requiring an SSCD (NCP+), which has the OID 0.4.0.2042.1.2 Includes Swiss Regulated Certificates.	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.300 ETSI policy identifier OID: 0.4.0.2042.1.2 (optional)	High	Yes Adobe AATL Approved
QV Qualified	QuoVadis Qualified Certificate on a QSCD	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.400 ETSI policy identifier OIDs: 0.4.0.194112.1.2 (QCP-n-qscd) 0.4.0.194112.1.3 (QCP-l-qscd)	High	Yes Adobe AATL Approved
	QuoVadis Qualified Certificate on a QSCD, where the device is managed by a QTSP.	QuoVadis Certificate Class OID: 1.3.6.1.4.1.8024.1.410	High	Yes

Different QuoVadis Certificate Profiles may be issued with different key usages, and be eligible for optional Key Escrow, according to the following table:

Signing and Encryption	digitalSignature				

10.2. QV STANDARD

Standard Certificates provide flexibility for a range of uses appropriate to their reliance value including S/MIME, electronic signatures, authentication, and encryption.
Validation procedures for QuoVadis Standard Certificates collect either direct evidence or an Attestation from an appropriate and authorised source of the identity (such as name and organisational affiliation) and other specific attributes of the Subject. Subjects may include an Individual (natural person); an Organisation (legal person); or a natural person, device, or system identified in association with an Organisation. Identity proofing may be conducted via enterprise records, physical presence; Remote Identity Verification (RIV1-4), reliance on electronic signature, or video verification.

Subject		

10.3. QV ADVANCED

QV Advanced Certificates provide reliable verification of the Subject's identity and may be used for a broad range of applications including Digital Signatures, encryption, and authentication.		
Validation procedures for QV Advanced Certificates are based on the Normalised Certificate Policy (NCP) described in ETSI EN 319 411-1. Subjects may include an Individual (natural person); an Organisation (legal person); or a natural person, device, or system identified in association with an Organisation. See Section 3.2.2 and 3.2.3. Identity proofing may be conducted via physical presence, Remote Identity Verification (RIV4 for NFC with RIV2 as a fallback option if NFC is not available), or reliance on electronic signature.		
Subject	/CN (mandatory) = Natural Person (/GN+/SN or Pseudonym) = Legal Person (/O) /GN (mandatory if CN without Pseudonym) /SN (mandatory if CN without Pseudonym) Pseudonym (optional for natural person) /O (optional) /OU (optional) /organizationalIdentifier (optional) /serialNumber (optional) /E (optional) /L (optional) /ST (optional) /C (mandatory)	See definitions in Section 7.1.1 Variable
SAN Certificate	/E 1.3.6.1.4.1.311.20.2.3 UPN	

	3 character identity type reference (e.g. PAS or IDC); 2 character ISO 3166 country code; hyphen-minus "-" (0x2D (ASCII), U+002D (UTF-8)); and identifier.	
SAN	/E	Optional
Certificate Policies	1.3.6.1.4.1.8024.1.400 QV Qualified QSCD, or 1.3.6.1.4.1.8024.1.410 QV Qualified QSCD – on behalf of 0.4.0.194112.1.2 (QCP-n-qscd) 2.23.140.1.5.3.1 S/MIME Sponsor-Legacy (optional) 2.23.140.1.5.4.1 S/MIME Individual-Legacy (optional) URL: https://www.quovadisglobal.com/repository User Notice: Qualified certificate	Fixed Only Swiss Qualified

• ETSI EN 319 412-2: Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons • ETSI EN 319 412-5: Certificate Profiles; Part 5: QCStatements • ETSI TS 119 495: Qualified Certificate Profiles and TSP Policy Requirements under the payment services Directive (EU) 2015/2366

Identity validation procedures for these Certificates meet the relevant requirements of ETSI EN 319 411-2 for "Policy for EU qualified certificate issued to a legal person where the private key and the related certificate reside on a QSCD" (QCP-l-qscd).

Subjects may include an Organisation (legal person). Only methods approved for eIDAS Qualified Certificates may be used to verify the identity, authorisation, and approval of the authorised representative of the legal person. See Section 3.2.2 and 3.2.3. Identity proofing may be conducted via physical presence, Remote Identity Verification (for Netherlands Qualified, RIV4 only; for Belgium Qualified, RIV4 for NFC with RIV2 as a fallback option if NFC is not available), or reliance on Qualified Electronic Signature.

Additional steps to verify PSD2 specific attributes including name of the National Competent Authority (NCA), the PSD2 Authorisation Number or other recognised identifier, and PSD2 roles. These details are provided by the Certificate Applicant and confirmed by QuoVadis using authentic information from the NCA (e.g„ using a national public register, EBA PSD2 Register, EBA Credit Institution Register or authenticated letter). QuoVadis also confirms the PSD2 role(s) of the Certificate Applicant (RolesOfPSP) in accordance with the rules for

identifier.

For PSD2:

“PSD" as 3 character legal person identity type reference;

2 character ISO 3166 [7] country code representing the NCA country;

hyphen-minus "-

id-qcs-pkixQCSyntax-v2 (1.3.6.1.5.5.7.11.2)	0.4.0.194121.1.2 optional semantics identifier OID (id-etsi-qcs- SemanticsId-Legal) that is included in QuoVadis Certificates	Fixed
id-etsi-psd2-qcStatement (0.4.0.19495.2)	PSD2QcType ::= SEQUENCE{rolesOfPSP RolesOfPSP, nCAName NCAName,nCAId NCAId}	Only for PSD2, Variable. Refer to: ETSI TS 119 495 5.1

The Subscriber's obligations (or respectively the obligations on the TSP managing the key on their behalf) require that the Private Key is maintained (or respectively is used) under the Subject's sole control.		
Subject	/CN (mandatory) =/0 /O (optional) /OU (optional) organizationalIdentifier (mandatory) /serialNumber (optional) /E (optional) /L (optional) /ST (optional) /C (mandatory) If serialNumber is present then it must be structured per Section 5.1.3 of ETSI EN 319 412-1: 3 character identity type reference (e.g. PAS or IDC); 2 character ISO 3166 country code; hyphen-minus "-" (0x2D (ASCII), U+002D (UTF-8)); and identifier. For PSD2: “PSD" as 3 character legal person identity type reference; 2 character ISO 3166 [7] country code 00 "r-38 (te)-7 Qq241 T4-246.1"	

id-etsi-qcs-QcCompliance (0.4.0.1862.1.1) id-etsi-qcs-1	esi4-qcStatement-1: Claim that the certificate is an EU Qualified Certificate in accordance with Regulation EU No 910/2014	Fixed
id-etsi-qcs-QcType (0.4.0.1862.1.6) id-etsi-qcs-6	esi4-qcStatement-6: Type of certificate id-etsi-qcs-QcType 2 = Certificate for electronic Seals as defined in Regulation EU No 910/2014	Fixed
id-etsi-qcs-QcPDS (0.4.0.1862.1.5) id-etsi-qcs-5	URL= https://www.quovadisglobal.com/repository Language = EN	Fixed
id-qcs-pkixQCSyntax-v2 (1.3.6.1.5.5.7.11.2)	0.4.0.194121.1.2 optional semantics identifier OID (id-etsi-qcs- SemanticsId-Legal) that is included in QuoVadis Certificates	Fixed
id-etsi-psd2-qcStatement (0.4.0.19495.2)	PSD2QcType ::= SEQUENCE{rolesOfPSP RolesOfPSP, nCAName NCAName,nCAId NCAId}	Only for PSD2

		Incorporation. In addition, an assumed name or d/b/a name used by the Subject MAY be included at the beginning of this field, provided that it is followed by the full legal organisation name in parenthesis. If the combination of the full legal organisation name and the assumed or d/b/a name exceeds 64 characters as defined by RFC 5280, only the full legal organisation name will be used.
Organisation Identifier	subject:organisationIdentifier (2.5.4.97)	Refer to: CA/Browser Forum Ballot SC1.8 (ed48

cabfOrganizationIdentifier	cabfOrganizationIdentifier 2.23.140.3.1	Refer to: CA/Browser Forum Ballot SC17
id-etsi-qcs- QcCompliance	id-etsi-qcs (1 0m Bd	

Swiss Regulated Certificates (non qualified) issued under the Swiss Federal signature law (ZertES) are included in the QuoVadis Advanced+ Certificate Class. They are issued out of Swiss Regulated CAs and have the notice text “regulated certificate” in the CertificatePolicies user notice. Swiss Qualified Certificates are described in a separate Section of this CP/CPS.

Swiss Regulated Certificates are issued in accordance with the ZertES requirements using the QuoVadis Signing Service. The guidelines in TAV-ZERTES apply to the specification of Swiss Regulated Certificates.

For the issuance and life cycle management of Swiss Regulated Certificates, QuoVadis adheres to the same organisational and opernal and d l8 0.6al a9 Tw 9.9492.4.2 (l)-7-8(d)6.8 ().9 (s)2.2ernc adh.96 20s ne2 ic5 oeraen l8 0.da.dc

Adobe Acrobat Trust List

10.7. QV CLOSED COMMUNITY

Closed Community Issuing CAs can, under contract, create Certificate Profiles for the issuance of Certificates to members of that community.

Certificates issued by Closed Community Issuing CAs are for reliance by members of that community only, and as such a Closed Community Issuing CA can, by publication of a stand-alone CP/CPS to its community issue various Certificates in accordance with the CP/CPS.

QuoVadis must approve all closed community Certificate policies to ensure that they do not conflict with the terms of the relevant CP/CPS and also industry standards. Under no circumstances can Closed Community Issuing CAs issue Qualified Certificates under the Swiss Digital Signature law.

This Section provides an overview of the requirements and Certificate contents for Grid Certificates issued in accordance with the requirements of the International Grid Trust Federation (IGTF) or one of its member bodies.

All successful Grid End User Certificate Requests will be processed by the QuoVadis Grid Issuing CA. QuoVadis will not generate the Private Keys for Grid End User Certificates. If software tokens are used, the Private Key must be protected with a strong pass phrase that follows current best practices for choosing high-quality passwords.		
Issuer	/CN = Variable /O = QuoVadis Limited /C = BM	Fixed
Validity	Maximum Certificate lifetime of 1 year	Fixed
Subject	/CN (mandatory) = Natural Person (/GN+/SN)	See definitions in Section 7.1.1
	/O (mandatory) /OU (optional) /L (optional) /ST (optional) /C (mandatory)	Variable

Issuer	/CN = Variable /O = QuoVadis Limited /C = BM	Fixed
Validity	Maximum Certificate lifetime of 1 year	Fixed
Subject	/CN /O (mandatory) /L (optional) /ST (optional) /C (mandatory)	See definitions in Section 7.1.1 Variable
Domain Components (DC)	DC=com, DC=quovadisglobal, DC=grid, DC=<organisation identifier>, DC=hosts	Holder Variable
SAN	SAN dNSName with the Fully Qualified Domain Name or an iPAddress	Variable
Certificate Policies	1.3.6.1.4.1.8024.0.1.10.0.0 QV Grid 1.2.840.113612.5.2.2.1 IGTF Classic Authentication Profile 2.23.140.1.2.2 CABF OV	Fixed
Key Usage (Critical)	digitalSignature keyEncipherment	Fixed
Extended Key Usage	clientAuth serverAuth	Fixed

10.8. QUOVADIS DEVICE

10.9. TLS CERTIFICATES

[redacted]	397 days

- Where the Business Entity represents itself under an assumed name, QuoVadis MUST verify the Business Entity's use of the assumed name;
- The Business Entity and the identified Principal Individual associated with the Business Entity MUST NOT be located or residing in any country where QuoVadis is prohibited from doing business or issuing a Certificate under the laws of Bermuda or the United States; and
- The Business Entity and the identified Principal Individual associated with the Business Entity MUST NOT be listed on any government denial list or prohibited list (such as a trade embargo) under the laws of Bermuda or the United States.

iv) Non-Commercial Entity Subjects

Non-Commercial Entities are entities who do not qualify under subSections (a), (b) or (c) above, but that do satisfy the following requirements:

- The Applicant is an International Organisation Entity, created under a charter, treaty, convention or equivalent instrument that was signed by, or on behalf of, more than one country's government. The CA/Browser Forum may publish a listing of International Organizations that have been approved for EV eligibility; and
- The International Organisation Entity MUST NOT be headquartered in any country where the CA is prohibited from doing business or issuing a certificate by the laws of Bermuda or the United States; and
- The International Organisation Entity MUST NOT be listed on any government denial list or prohibited list (e.g., trade embargo) under the laws of Bermuda or the United States.
- Subsidiary organisations or agencies of qualified International Organisations may also qualify for EV Certificates issued in accordance with the EV Guidelines.

QuoVadis makes the following EV Certificate Warranties solely to Subscribers, Certificate Subjects, Application Software Vendors with whom QuoVadis has ente(te)-19 (d o (b)3.8 (e)-6.9 (l)-7.1 (is)-4.8 (te)-19.8 (a)-7 (te)-6.9 (S

- Subscriber Agreement: The Subject named in the EV Certificate has entered into a legally valid and enforceable Subscriber Agreement with QuoVadis that satisfies the requirements of the EV Guidelines or the Applicant Representative has acknowledged and accepted the Terms of Use;
- Status: QuoVadis will follow the requirements of the EV Guidelines and maintains a 24/7 online-accessible Repository with current information regarding the status of the EV Certificate as Valid or Revoked; and
- Revocation: QuoVadis will follow the requirements of the EV Guidelines and revoke the EV Certificate upon the occurrence of any revocation event as specified in the EV Guidelines.

Before issuing an EV Certificate, QuoVadis ensures that all Subject organisation information in the EV
63T1 9 Tf0.441.7 0 T

Step 5: All signatures by Certificate Requesters, Certificate Approvers and Contract Signers are verified through follow- up procedures or telephone calls.

Step 6: QuoVadis obtains and documents further explanation or clarification from the Applicant, Certificate Approver, Certificate Requester, and/or other sources of information as necessary to resolve discrepancies or details requiring further explanation. QuoVadis procedures ensure that a second Validation Specialist who is not responsible for the collection and review of information reviews all of the information and documentation assembled in support of the EV Certificate and looks for discrepancies or other details requiring further explanation. Two QuoVadis Validation Specialists must approve issuance of the Certificate.

Step 7: QuoVadis creates the EV Certificate.

Step 8: The EV Certificate is delivered to the Certificate Requester.

QuoVadis may not issue an EV Certificate until the entire corpus of information and documentation assembled in support of the EV Certificate is such that issuance of the EV Certificate will not communicate inaccurate factual information that QuoVadis knows, or by the exercise of due diligence should discover, from the assembled information and documentation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the EV Certificate Request and notify the Applicant accordingly.

Under the EV Guidelines, renewal requirements and procedures are generally the same as those employed for the validation and issuance for new Applicants. The maximum validity period for validated data that can be used to support issuance of an EV Certificate (before revalidation is required) is thirteen months, except for the identity and authority of individuals identified in the EV Authority Letter.

In the case of outdated information, QuoVadis repeats the verification processes required by the EV Guidelines. If a company is no longer in good standing, or i c thn,ngmaorten-5.1 (th)-o3-12.2 (n (d b)3.8 7-7 (42.7 9 (s)-4.8 (r).

		field is absent. Optional if the subject:stateOrProvinceName field is present.
Country	subject:countryName (2.5.4.6)	Required field.
Subject Public Key Information	2048-bit RSA key modulus, rsaEncryption (1.2.840.113EMC ET0ched [0ched (0)0.89(o)1.9 (n)4 86Tve (,(10 >>BD	

- That the Subject named in the Certificate is trustworthy, honest, or reputable in its business dealings; or
- That it is “safe” to do business with the Subject named in the Certificate.

Eligible Applicants include Individual Applicants and Organisational Applicants.

iv) a unique identifying number from an identification document of the Applicant,

v) the date and time of the verification, and

vi) a declaration of identity by the Applicant that is signed in handwriting in the presence of the person performing the verification.