QuoVadis Root CA 2/ QuoVadis Root CA 2 G3

Certification Policy/ Certification Practice Statement



OIDs: 1.3.6.1.4.1.8024.0[2]

Effective Date: 23 September 2022

Version: 2.19

Important Note About this Document

This document is the Certificate Policy/Certification Practice Statement (CP/CPS) of QuoVadis Limited (QuoVadis), a company of DigiCert, Inc. It contains an overview of the practices and procedures that QuoVadis employs for its operation as a Certification Authority (CA). This document is not intended to create contractual relationships between QuoVadis Limited and any other person. Any person seeking to rely on Certificates or participate within the QuoVadis PKI must do so pursuant to definitive contractual documentation. This document is intended for use only in connection with QuoVadis and its business.

This version of the CP/CPS has been approved for use by the QuoVadis Policy Management Authority (PMA) and is subject to amendment and change in accordance with the policies and guidelines adopted, from time to time, by the PMA and as otherwise set out herein. The date on which this version of the CP/CPS becomes effective is indicated on this CP/CPS. The most recent effective copy

QuoVadis PMA	27 March, 2020	2.8	Changes to comply with Mozilla Root Store Policy v2.7, CA/B Forum Ballot SC25, revised Subscriber Agreement and Terms of Use, and change 5.92 80.88 63.6 re W n BT/b1

4.3.1. CA Actions During Certificate Issuance 18
4.3.2. Notification To Subscriber By The CA Of Issuance Of Certificate 18
4.4. Certificate Acceptance 19
4.4.1. Conduct Constituting Certificate Acceptance 19
4.4.2. Publication Of The Certificate By The CA 19
4.4.3. Notification Of Certificate Issuance By The CA To Other Entities 19
4.5. Key Pair And Certificate Usage 19
4.5.1. Subscriber Private Key And Certificate Usage 19
4.5.2. Relying Party Public Key And Certificate Usage 19
4.6. Certificate Renewal 20
4.6.1. Circumstance For Certificate Renewal 20
4.6.2. Who May Request Renewal 20
4.6.3. Processing Certificate Renewal Requests 20
4.6.4. Notification of New Certificate Issuance To Subscriber 20
4.6.5. ConductConstituting Acceptance Of A Renewal Certificate 20
4.6.6. Publication of the Renewal Certificate By The CA 20
4.6.7. Notification Of Certificate Issuance By The CA To Other Entities 20
4.7. Certificate ReKey 20
4.7.1. Circumstance for Certificate ReKey 20
4.7.2. Who May Request ReKey 21
4.7.3. Processing Certificate ReKey Request 21
4.7.4. Notification of Certificate ReKey To Subscriber 21
4.7.5. Conduct Constituting Acceptance Of A ReKey Certificate 21
4.7.6. Publication of The ReKey Certificate By The CA 21
4.7.7. Notification of Certificate ReKey By The CA To Other Entities 21
4.8. Certificate Modification 21
4.8.1. Circumstances For Certificate Modification 21
4.8.2. Who May Request Certificate Modification 21
4.8.3. Processing Certificate Modification Requests 21
4.8.4. Notification Of Certificate Modification To Subscriber 21
4.8.5. ConductConstituting Acceptance Of A Modified Certificate 22
4.8.6. Publication Of The Modified Certificate By The CA 22
4.8.7. Notification Of Certificate Modification By The CA To Other Entities 22
4.9. Certificate Revocation And Suspension 22
4.9.1. Circumstances For Revocation 22
4.9.2. Who Can Request Revocation 24
4.9.3. Procedure For Revocation Request 24
4.9.4. Revocation Request Grace Period 25
4.9.5. Time Within Which The CA Must Process The Revocation Request 25
4.9.6. QuoVadis follows the revocation timeframes specified for malware in the Code Signing Baseline Requirements. Revocation Checking Requirement For Relying Parties 26
4.9.7. CRL Issuance Frequency 26

4.12. Key Escrow And Recovery 28
4.12.1. Key Archival Escrow And Recovery Policy And Practices 28
4.12.2. Session Key Encapsulation And Recovery Policy And Practices 28
5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS 28
5.1. Physical Controls 28
5.1.1. Site Location And Construction 28
5.1.2. Physical Access 28
5.1.3. Power And Air Conditioning 28
5.1.4. Water Exposure And Protection 28
5.1.5. Fire Prevention 28

8.7. Self Audits 48
9. OTHER BUSINESS AND LEGAL MATTERS 48
9.1. Fees 48
9.1.1. Certificate Issuance Or Renewal Fees 48
9.1.2. Certificate Access Fees 48
9.1.3. Revocation Or Status Information Access Fees 48
9.1.4. Fees For Other Services 49
9.1.5. Refund Policy 49
9.2. Financial Responsibilities 49
9.2.1. Insurance Coverage 49
9.2.2. Other Assets 49
9.2.3. Insurance Or Warranty Coverage For End-Entities 49
9.3. Confidentiality Of Business Information 49
9.3.1. Scope Of Confidential Information 49
9.3.2. Information Not Within The Scope Of Confidential Information 50
9.3.3. Responsibility To Protect Confidential Information 50
9.4. Responsibility To Protect Private Information 50
9.4.1. Privacy Plan 50
9.4.2. Information Treated As Private 50
9.4.3. Information Deemed Not Private 50
9.4.4. Responsibility To Protect Private Information 50
9.4.5. Notice And Consent To Use Private Information 50
9.4.6. Disclosure Pursuant To Judicial Or Administrative Process

External Issuing CAs chaining to a publicly trusted QuoVadis Root must either be technically constrained, or undergo an independent audit and be publicly disclosed in the QuoVadis Repository.

1.3.2. Registration Authorities

A Registration Authority (RA) is an entity that performs Identification and Authentication of Certificate Applicants, and initiates, passes along revocation requests for end user Subscriber Certificates, and approves applications for renewal or re-keying Certificates on behalf of an Issuing CA. QuoVadis and Issuing CAs may act as RAs for Certificates they issue.

RAs may be authorised by QuoVadis to delegate the performance of certain functions to third party validators if it meets the requirements of the QuoVadis CP/CPS. QuoVadis contractually obligates each RA and delegated third party to abide by the policies and industry standards that are applicable to their responsibilities. Where required by a Certificate Class, QuoVadis only allows the use of identity validation methods that have been approved by the relevant Supervisory Authority. Validation of Domains and IP Addresses for TLS and of email

For anyone listed in Section 4.9.2 of this CPS and the CA/Browser Baseline Requirements that requires assistance with revocation or investigative reports, QuoVadis provides this page for reporting and submitting

Contract Signer : A Contract Signer is a natural person who is employed by the Applicant and who has

Standards / Law	
	WebTrust for Certification Authorities – Extended Validation SSL WebTrust for Certification Authorities – Publicly Trusted Code Signing Certificates
ETSI EN 319 401	General Policy Requirements for Trust Service Providers
ETSI EN 319 411-1	Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General Requirements
ETSI EN 319 411-2	Policy and security requirements for Trust Service Providers issuing certificates; Part 2: Requirements for trust service providers issuing EU qualified certificates
ETSI EN 319 421	Policy and Security Requirements for Trust Service Providers issuing Electronic Time-Stamps
ETSI EN 319 412-1	Certificate Profiles; Part 1: Overview and common data structures
ETSI EN 319 412-2	Certificate Profiles; Part 2: Certificate profile for certificates issued to natural persons
ETSI EN 319 412-3	Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons
ETSI EN 319 412-5	Certificate Profiles; Part 5: QCStatements
ETSI EN 319 422	Time stamping protocol and electronic timestamp profiles
ETSI TS 119 461	Policy and security requirements for trust service components providing identity proof2.4 (r)3.3 oof2.s ents p8 .002 Tw 3.54mevice omp (ic)85.rity

QuoVadis may register TLS Certificates with publicly accessible Certificate Transparency (CT) Logs. Once submitted, Certificate information cannot be removed from a CT Log.

QuoVadis' CA Certificates, CRLs and OCSP responses are regularly accessible online with systems described in Section 5.

2.2. PUBLICATION

3.1.2. Need For Names To Be Meaningful

QuoVadis uses Distinguished Names that identify both the entity (i.e. person, organisation, device, or object) that is the subject of the Certificate and the entity that is the issuer of the Certificate. QuoVadis only allows directory information trees that accurately reflect organisation structures.

3.1.3. Pseudonymous Subscribers

QuoVadis may issue pseudonymous end entity Certificates if they are not prohibited by policy and if applicable name space uniqueness requirements are met. QuoVadis requires identification of the real identity of the Applicant in accordance with Section 3.2.3. For Internationalised Domain Names (IDN), QuoVadis may include the Punycode version of the IDN as a Subject Name.

3.1.4. Rules For Interpreting Various Name Forms

Distinguished Names in Certificates are interpreted using X.500 standards and ASN.1 syntax. QuoVadis may allow the conversion of Identity information

i) BR Section 3.2.2.4.1 is no longer used as it is deprecated as of August 1, 2018;

ii) Communicating directly with the Domain Name Registrant via email, fax or postal mail provided by the Domain Name Registrar. Performed in accordance with BR Section 3.2.2.4.2 using a Random Value (valid for no more than 30 days from its creation);

iii) BR Section 3.2.2.4.3 is no longer used because it is deprecated as of May 31, 2019;

iv) Communicating with the Domain's administrator using a constructed email address created by pre-pending 'admin', 'administrator', 'webmaster', 'hostmaster', or 'postmaster' to the Authorisation Domain Name (ADN). Performed in accordance with BR Section 3.2.2.4.4;

v) BR Section 3.2.2.4.5 is no longer used because it is deprecated as of August 1, 2018;

vi) BR Section 3.2.2.4.6 is no longer used because it is deprecated as of April 24, 2020;

vii) Confirming the Applicant's control over the requested ADN (which may be

xix) Confirming the Applicant's control over a FQDN by validating domain control of the FQDN using the ACME HTTP Challenge method, performed in accordance with BR Section 3.2.2.4.19 and section 8.3 of RFC 8555 as prescribed; or

xx) Confirming the Applicant's control over a FQDN by validating domain control of the FQDN by negotiating a new application layer protocol using the ALPN Extension, performed in accordance with BR Section 3.2.2.4.20 as defined in RFC 8737

Wildcard Domain Name validation is completed using the above list as permitted by the CA/B Forum Baseline Requirements along with current best practice of consulting a public suffix list.

QuoVadis and its Issuing CAs verify an Applicant's or Organisation's right to use or control of an email address to be contained in a Certificate that will have the "Secure Email" EKU using one of the following procedures, which may not be delegated:

i) By verifying domain control over the email Domain Name using one of the procedures listed in this Section; or

ii) By sending an email message containing a Random Value to the email address to be included in the Certificate and receiving a confirming response within a limited period of time that includes the Random Value to indicate that the Applicant controls that same email address.

QuoVadis maintains a list of High Risk Domains and has implemented technical controls to prevent the issuance of Certificates to certain domains. QuoVadis follows documented procedures that identify and require additional verification activity for High Risk Certificate Requests prior to the Certificate's approval.

QuoVadis uses a documented internal process to check the accuracy of information sources and databases to ensure the data is acceptable, including reviewing the database provider's terms of use. A list of the approved sources/Trusted Registers are published in a file linked at https://github.com/digicert/reports/tree/master/validation-sources.

QuoVadis may include the Legal Entity Identifier (LEI) numbers in Certificates after verification through appropriate mechanisms, such as provided by Global Legal Entity Identifier Foundation (GLEIF), that the LEI

https://tools.ietf.org/html/draft-ietf-acme-ip-04#section-

iii) Evidence that the Subject is affiliated with the organisational entity which may include reference to an attestation or a Trusted Register. Attestations may be made by directors, executives, board members, or a natural person with authorisation duly delegated from another natural person in an authorised role.

The current validity must be established of any attestation or document regarding a natural person's relationship to a legal person. The role and authorisation of the natural person providing such attestation or document shall be recorded.

At least one digital or physical identity document shall be used as authoritative evidence. Identity documents must be valid at the time of proofing. Acceptable identity documents must contain a face photo and/or other information that can be compared with the Applicant's physical attributes. If physical identity documents are used as evidence, the documents shall be presented in their original form by the Subject of the identity proofing. If digital identity documents are used as evidence, only eMRTDs (Electronic Machine Readable Travel Documents) according to ICAO 9303 part 10 and other digital documents that offer comparable reliability of the identity shall be accepted.

The Trusted Registers and identity documents (such as passports and national identity cards) accepted in QuoVadis verification procedures are identified in *Acceptable Sources for QuoVadis Authentication of Identity* in the QuoVadis Repository.

ce.609 (i)6.9 (t)-5.1 (e)-6.5 (s)-4.7 (t)-5.1 (a)-6.5 (t)-5.1 (i)-6.5 (o)-6.5 (n)-6.5 (s)-4.7 (.)-6.5 (3)-6.5 (.)-6.5 (2)-6.5 (.)-6.5 (1)-6.5 (2)-6.5 (.)-6.5 (5)-6.5 (.)-6.5 (6)-6.5 (.)-6.5 (7)-6.5 (.)-6.5 (6)-6.5 (.)-6.5 (2)-6.5 (i)-6.5 (8)-6.5 (w)-6.5 (1)-6.5 (.)-6.5 (i)-6.5 (e)-6.5 (2)]TJ /T0 a647 (n)2.8 (t6)-4.5 (s)-4.7 (ua74 0 Td [(io)7 (n)8ie)-74w -12.(.5

Level	Description
RIV1	Base RIV plus manual review in defined cases (e.g, fraud risk, changes made by RA)
RIV2	Base RIV plus manual review in all cases
RIV3	Base RIV plus NFC Authentication with manual review in defined cases (e.g, fraud risk, changes made by RA)
RIV4	Base RIV plus NFC Authentication with manual review in all cases

Base RIV includes OCR reading of identity document, facial biometric matching, and liveness detection.

3.2.5. Validation Of Authority

Validation of authority is conducted in compliance with this CP/CPS and the Certificate Profiles detailed in Appendix B. Validity of authority of Applicant Representatives and Agents is verified against contractual documentation and Reliable Data Sources.

For Certificates issued at the request of a Subscriber's Agent, both the Agent and the

QuoVadis documents potential issuances that were prevented by a CAA record, and may not dispatch reports of such issuance requests to the contact stipulated in the CAA iodef record(s), if present. QuoVadis supports mailto: and https: URL schemes in the iodef record.

The identifying CAA domains recognised by QuoVadis: are “digicert.com”, “digicert.ne.jp”, "cybertrust.ne.jp”, “symantec.com”, “thawte.com”, “geotrust.com”, “quovadisglobal.com”, “rapidssl.com”, “digitalcertvalidation.com” and any domain containing those identifyi2.1 (f)0.8 (y)-3.1 (in)7 (ta8 (y)-3.iT n)2.8 (c h(e)-7 (q))0.5

4.4. CERTIFICATE ACCEPTANCE

4.4.1. Conduct Constituting Certificate Acceptance

The Certificate Requester is responsible for installing the issued Certificate on the Subscriber's computer or cryptographic module according to the Subscriber's system specifications. A Subscriber is deemed to have accepted a Certificate when:

- The Subscriber downloads, installs, or otherwise takes delivery of the Certificate; or
- 30 days pass since issuance of the Certificate.

BY ACCEPTING A CERTIFICATE, THE SUBSCRIBER ACKNOWLEDGES THAT THEY AGREE TO THE TERMS AND CONDITIONS CONTAINED IN THIS CP/CPS AND THE APPLICABLE SUBSCRIBER AGREEMENT. BY ACCEPTING A CERTIFICATE, THE SUBSCRIBER ASSUMES A DUTY TO RETAIN CONTROL OF THE CERTIFICATE'S PRIVATE KEY, TO USE A TRUSTWORTHY SYSTEM AND TO TAKE REASONABLE PRECAUTIONS TO PREVENT ITS LOSS, EXCLUSION, MODIFICATION OR UNAUTHORISED USE.

4.4.2. Publication Of The Certificate By The CA

QuoVadis publishes all CA Certificates in its Repository. QuoVadis publishes end-entity Certificates by delivering them to the Subscriber.

4.4.3. Notification Of Certificate Issuance By The CA To Other Entities

Issuing CAs and RAs within the QuoVadis PKI may choose to notify other entities of Certificate issuance.

4.5. KEY PAIR AND CERTIFICATE USAGE

4.5.1. Subscriber Private Key A nd Certificate Usage

The Certificate shall be used lawfully in accordance with the QuoVadis CP/CPS and Subscriber Agreement.

Subscribers are obligated to protect their Private Keys from unauthorised use or disclosure, discontinue using a Private Key after expiration or revocation of the associated Certificate, and use Certificates in accordance with theies1i( )e0 Tw 45.301 0 Td ( )Tj EMe7 (c)-5..4(f)1 (ifre)-7 (r).2 (r)15.4 (.)40.0027 (c)-5..4(f)1 (i2.7-1.181 4