DigiCert Europe / QuoVadis

Certification Policy/

Important Note About this Document

This document is the Certificate Policy/Certification Practice Statement (CP/CPS) of DigiCert Europe (also known as QuoVadis), a company of DigiCert, Inc

4.12. Key Escrow And Recovery 31
4.12.1. Key Escrow And Recovery Policy And Practices 31
4.12.2. Session Key Encapsulation And Recovery Policy And Practices 31
5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS 31
5.1. Physical Controls 32
5.1.1. Site Location and Construction 32
5.1.2. Physical Access 32
5.1.3. Power And Air-Conditioning 32
5.1.4. Water Exposures 32
5.1.5. Fire Prevention And Protection 32
5.1.6. Media Storage 32
5.1.7. Waste Disposal 32
5.1.8. Off-Site Backup 32
5.2. Procedural Controls 33
5.2.1. Trusted Roles 33
5.2.2. Number Of Persons Required Per Task 33
5.2.3. Identification And Authentication For Each Role 33
5.2.4. Roles Requiring Separation Of Duties 34
5.3. Personnel Controls 34
5.3.1. Qualifications, Experience, And Clearance Requirements 34
5.3.2. Background Check Procedures 34
5.3.3. Training Requirements 34
5.3.4. Retraining Frequency And Requirements 35
5.3.5. Job Rotation Frequency And Sequence 35
5.3.6. Sanctions For Unauthorised Actions 35
5.3.7. ..... 1 ..... 8 ..... 35 ..... 3Td (/Span

9.13. Dispute Resolution Provisions.....68.....
9.14.

1.3. PUBLIC KEY INFRASTRUCTURE PARTICIPANTS

1.3.1. Certification Authorit ies

authenticated by QuoVadis. ERAs must abide by all the requirements of this CP/CPS, Section 1.3.2.1 of the S/MIME BR, and the terms of their services agreement with QuoVadis.

See also Section 9.6.2.

1.3.3. Subscribers

Subscribers use QuoVadis' services and PKI to support transactions and communications. Subscribers under this CP/CPS include all end users (including entities) of Certificates issued by an Issuer CA. A Subscriber is the entity named as the end-user Subscriber of a Certificate. End-user Subscribers may be individuals, organisations or, infrastructure components such as firewalls, routers, trusted servers or other devices used to secure communications within an organisation.

Subscribers are not always the party identified in a Certificate. The *Subject* of a Certificate is the party named in the Certificate. A Subscriber, as used herein, may refer to the Subject of the Certificate and the entity that contracted with QuoVadis for the Certificate's issuance, or the individual responsible for requesting and a Certificate on a trusted system. Prior to verification of identity and issuance of a Certificate, a Subscriber is an *Applicant*.

Subscriber -3 (u)-7. (i)-12.-6 (i(i)-17 (u)-3.2 (a)-7 Sn)7.9 (J1 Tf 0. 0 Td ( )J -0.004 TcM1 (r))-7.2 (-3 ip6.8 (e))6.6 (h)o(r)nat6.6

QuoVadis Certificates shall be used only to the extent the use is consistent with applicable law or regulation, and in particular shall be used only to the extent permitted by applicable export or import laws. CA Certificates subject to the Mozilla Root Store Policy will not be used for any functions except CA functions. In addition, end-user Subscriber Certificates cannot be used as CA Certificates.

QuoVadis may periodically re-key Intermediate CAs. Third party applications or platforms that have an Intermediate CA embedded as a root certificate may not operate as designed after the Intermediate CA has been rekeyed.

QuoVadis strongly discourages key pinning and does not consider it a sufficient reason to delay revocation. Customers should also take care in not mixing Certificates trusted for the web with non-web PKI. Any Certificates trusted by Application Software Vendors must comply with all requirements of all applicable root distribution policies, including revocation periods described in Section 4.9

1.5. POLICY ADMINISTRATION

1.5.1. Organisation Administe4 Tf -0.002 Tw 24.012 0 Td ( )Tj -0.0(t) (n)]twe

1.5.4. CP/CPS Approval Procedures

Approval of this CP/CPS and any amendments hereto is by the QuoVadis PMA. Amendments may be made by updating this entire document or by addendum. The QuoVadis PMA, at its sole discretion, determines whether changes to this CP/CPS require notice or any change in the OID of a Certificate issued pursuant to this CP/CPS *See* also Section 9.10 and Section 9.12

1.6. DEFINITIONS AND ACRONYMS

1.6.1. Definitions

Advanced Electronic Signature: An Electronic Signature which meets the requirements set out in Article 26 of the eIDAS Regulation.

Applicant : The Applicant is an entity applying for a Certificate(s) and is

Subordinate CA: A Certification Authority whose Certificate is signed by the Root CA, or another Subordinate CA Also known as Issuing CA.

Subscriber Agreement: An agreement that governs the issuance and use of a Certificate that the Applicant must read and accept before receiving a Certificate.

Subscriber: The entity identified as the Subject in the Certificate

Technically Constrained Subordinate CA Certificate: A Subordinate CA Certificate which uses a combination of Extended Key Usage settings and Name Constraint settings to limit the scope within which the

3.1.6. Recognition, Authentication, And Role Of Trademarks

Unless otherwise specifically stated in this CP/CPS, QuoVadis does not verify an Applicant's right to use a trademark and does not resolve trademark disputes. QuoVadis may reject any application or require revocation of any Certificate that is part of a trademark dispute.

3.2. INITIAL IDENTITY VALIDATION

QuoVadis may use any legal means of communication or investigation to ascertain the identity of an organisational or individual Applicant in compliance with this CP/CPS. QuoVadis may refuse to issue a Certificate in its sole discretion. Certificates issued to QuoVadis (or its affiliates) or their personnel as Subjects will be requested, validated, and managed in accordance with this CP/CPS.

3.2.1. Method To Prove Possession Of Private Key

Issuing CAs shall establish that each Applicant for a Certificate is in possession and control of the Private Key corresponding to the Public Key contained in the request for a Certificate. The Issuing CA shall do so in accordance with an appropriate secure protocol, such as the IETF PKIX Certificate Management Protocol, including PKCS#10. This requirement does not apply where a Key Pair is generated on behalf of a Subscriber

3.2.2. Authentication Of Organisation Identity

The Identity of an Organisation (legal person) is required to be authenticated with respect to each Certificate that asserts (i) the identity of an Organisation; or (ii) an Individual, system, device, or other organisational entity's affiliation with an Organisation. Without limitation to the generality of the foregoing, the Identity of any Organisation that seeks to act as a RA or for its employees and/or employees of its respective Subsidiaries, Holding Companies or Counterparties is required to be authenticated.

In order to authenticate the Identity of an Organisation, evidence shall be provided of:

i) Full name of the legal person;

ii) Reference to a nationally recognised registration or other attributes which may be used to, as far as possible, distinguish the legal person from others with the same name, and

iii) When applicable, the association between the legal person and any other organisational entity identified in association with this legal person that would appear in the Organisation attribute of the Certificate, consistent with the national or other applicable identification practices.

At a minimum, confirmation is required that: (i) the Organisation legally exists in the name that will appear in the DN of any Certificates issued under its name, or is legally recognised as doing business under an alternative proposed by the Organisation; and (ii) all other information contained in the Certificate application is accurate.

Registration information provided by an Organisation may be validated by reference to official government records and/or information provided by a reputable vendor of corporate information services. Additional information is provided in *Acceptable Sources for QuoVadis Authentication of Identity* in the QuoVadis Repository. The accuracy and currency of such information may be validated by conducting checks with financial institution references, credit reporting agencies, trade associations, and other entities that have continuous and ongoing relationships with the Organisation under review. In addition, the telephone number provided by the Organisation as the telephone number of its principal place of business may be called to ensure that the number is active and answered by the Organisation.

Where an Issuing CA or RA has a separate and pre-existing commercial relationship with the Organisation under review, the Issuing CA or RA may authenticate the Identity of the Organisation by reference to records kept in the ordinary course of business that, at a minimum, satisfy the requirements of this Section. In all such cases, the Issuing CA or RA shall record the specific records upon which it relied for this purpose.

For Certificates issued to

With respect to TLS Certificates, authentication of Organisation identity is conducted in compliance with this CP/CPS and the TLS BR.

With respect to S/MIME Certificates, authentication of Organisation identity is conducted in compliance with this CP/CPS and the S/MIME BR.

When a subject:organizationIdentifer is included in Qualified or Regulated Certificates, the organizationIdentifer is formatted in accordance with Section 5.1.4 of ETSI EN 319 412-1 for Qualified or Regulated Certificates and in accordance with the S/MIME BR for S/MIME Certificates.

QuoVadis uses a documented internal process to check the accuracy of information sources and databases to ensure the data is acceptable, including reviewing the database provider's terms of use. A list of the approved source5.2 (s)2.2 0 Td [(/)-5 (T)1.7 (r)3.3 (u)-3.2 (s)-4.8 (te)-7 (d R)-6.5 (e)-7 (g)-1 (is)-4.7 (te)-7 (r)3.4 (s)]TJ 0 Tc 0 Tw 8.084

Depending on the requirements of the Certificate Class, Remote Identity Verification may include fully automated procedures or a hybrid approach using manual and automated procedures.

Where required by a Certificate Class, QuoVadis only accepts Remote Identity Verification following review and acceptance of the method by the relevant Conformity Assessment Body and/or Supervisory Authority. In such cases, the Remote Identity Verification method used by QuoVadis has an assurance level of 'Substantial' or 'High' as set out in Article 8 of the eIDAS Regulation.

QuoVadis supports four levels of Remote Identity Verification:

Level	Description
RIV1	Base RIV plus manual review in defined cases (e.g, fraud risk, changes made by RA)
RIV2	Base RIV plus manual review in all cases
RIV3	Base RIV plus NFC Authentication with manual review in defined cases (e.g, fraud risk, changes made by RA)
RIV4	Base RIV plus NFC Authentication with manual review in all cases

Base RIV includes OCR reading of identity documents, video capture, biometric comparison, liveness checks, and other document security checks. NFC options include reading MRTD data, Passive Authentication, and Active Authentication. Information collected and verified may include:

First name	ID number	ID issuance date
Last name	ID valid until	Issuing authority
Phone number	Scan of ID Document	Image of face
Email	Place of birth	Street
Date of birth	Nationality	Zipcode
ID type	Issuing country	City
Title		

For publicly-trusted TLS Certificates, Applicant information is required to include at least one FQDN or IP address to be included in the Certificate's SubjectAltName extension. For validation of Domain Names and IP Addresses according to Section 3.2.2.1 and 3.2.2.5, any reused data, document, or completed validation must be obtained no more than 398 days prior to issuing the Certificate. QuoVadis implements documented procedures that require additional verifications as reasonably necessary for High Risk Ce(es)2.3 7l6.6 (e)6.9 (s)7.8 (o)6.9 (

Rejected Applicants may reapply. Subscribers are required to check the Certificate's contents for accuracy prior to using the Certificate.

4.2.3. Time To Process Certificate Applications

4.5. KEY PAIR AND CERTIFICATE USAGE

4.5.1. Subscriber Private Key And Certificate Usage

The Certificate shall be used lawfully in accordance with the QuoVadis CP/CPS and Subscriber Agreement.

Subscribers are obligated to protect their Private Keys from unauthorised use or disclosure, discontinue using a Private Key after expiration or revocation of the associated Certificate, and use Certificates in accordance with their intended purpose.

4.5.2. Relying Party Public Key And Certificate Usage

A Party seeking to rely on a Certificate issued within the QuoVadis PKI agrees to and accepts the Relying Party Agreement. Relying Parties may only use software that is compliant with X.509, IETF RFCs, and other applicable standards. QuoVadis does not warrant that any third party software will support or enforce the controls and requirements found herein.

A Relying Party should use discretion when relying on a Certificate and should consider the totality of the circumstances and risk of loss prior to relying on a Certificate. If the circumstances indicate that additional assurances are required, the Relying Party must obtain such assurances before using the Certificate. Any warranties provided by QuoVadis are only valid if a Relying Party's reliance was reasonable and if the Relying Party adhered to the Relying Party Agreement set forth in the QuoVadis Repository.

A Relying Party should rely on a Digital Signature or TLS handshake only if:

i) the Digital Signature or TLS session was created during the operational period of a valid Certificate and can be verified by referencing a valid Certificate,

ii) the Certificate is not revoked and the Relying Party checked the revocation status of the Certificate prior to the Certificate's use by referring to the relevant CRLs or OCSP responses, and

iii) the Certificate is being used for its intended purpose and in accordance with this CP/CPS.

4.6. CERTIFICATE RENEWAL

4.6.1. Circumstance For Certificate Renewal

Renewal means the issuance of a new Certificate to the Subscriber without changing the Subscriber or other participant's Public Key or any other information in the Certificate. QuoVadis may renew a Certificate if:

i) the associated Public Key has not reached the end of its validity period;

ii) the Subscriber and attributes are consistent; and

iii) the associated Private Key remains uncompromised.

QuoVadis may also renew a Certificate if a CA Certificate is re-keyed or as otherwise necessary to99 99 ey . -0.odye conay r9

xiii) Where the Subscriber becomes unsuitable or unauthorised to hold a Certificate on behalf of an employer or its respective Subsidiaries, Holding Companies or Counterparties (CRLReason #9, privilegeWithdrawn); or

xiv) The Certificate no longer complies with the requirements of Section 6.1.5 and Section 6.1.6 of the Codesigning Baseline Requirements 1.3. For Codesigning Certificates, Application Software Suppliers may request the Issuer CA delays revocation where immediate revocation has a potentially large negative impact to the ecosystem

QuoVadis may revoke any Certificate in its sole discretion, including if QuoVadis believes that:

i) Either the Subscriber or QuoVadis obligations under the CP/CPS are delayed or prevented by circumstances beyond the party's reasonable control, including computer or communication failure, and, as a result, another entity's information is materially threatened or compromised;

ii) QuoVadis received a lawful and binding order from a government or regulatory body to revoke the Certificate;

iii) The Subscriber is confirmed to be bankrupt, in liquidation, or deceased;

iv) QuoVadis ceased operations and did not arrange for another CA to provide revocation support for the Certificates;

v) The technical content or format of the Certificate presents an unacceptable risk to Application Software Suppliers, Relying Parties, or others;

vi) The Subscriber was added as a denied party or prohibited person to a blocklist or is operating from a destination prohibited under the laws of the United States;

vii) For Adobe Signing Certificates, Adobe has requested revocation; or

viii) For code-signing Certificates, the Certificate was used to sign, publish, or distribute malware, code that is downloaded without user consent, or other harmful content.

ix) QuoVadis receives notice or otherwise becomes aware that there has been some other modification of the information pertaining to the Subscriber that is contained within the Certificate;

x) T i (c)-5.8 (oP14 (u)-3.2 ib)3.8 (s)-4.8 (c)57.8 (r)-863 (ib)393 (e)-7 (r)-8.7 if(l)-7.1 (s)-4.8 ((r)-8.7 (r)3.3 (e)78 (f)089

viii)

QuoVadis maintains a continuous 24x7 ability to internally respond to high priority revocation requests and certificate problem reports at https://problemreport.digicert.com/ and other resources listed in Section 1.5.2.1. Subscribers may also revoke their Certificates via the QuoVadis Portal.

For Certificates issued from an itsme sign Issuing CA all revocation requests must be directed to the itsme first-line helpdesk.

4.9.4. Revocation Request Grace Period

Subscribers are required to request revocation within one day after detecting the loss or compromise of the Private Key. No grace period is permitted once a revocation request has been verified. QuoVadis will revoke Certificates as soon as reasonably practical following verification of a revocation request.

4.9.5. Time Within Which The CA Must Process The Revocation Request

QuoVadis will revoke a CA Certificate within one hour after receiving clear instructions from the PMA.

Within 24 hours after receiving a Certificate problem report or revocation request, QuoVadis investigates the facts and circumstances involved with the report and will provide a preliminary report on its findings to both the Subscriber and the entity who filed the Certificate problem report.

After reviewing the facts and circumstances, QuoVadis works with the Subscriber and any entity reporting the Certificate problem report or other revocation-related notice to establish whether or not the Certificate will be revoked, and if so, a date which QuoVadis will revoke the Certificate. The period from receipt of the Certificate problem report or revocation-related notice to published revocation must not exceed the time frame set forth in Section 4.9.1. The date selected by QuoVadis will consider the following criteria:

i) The nature of the alleged problem (scope, context, severity, magnitude, risk of harm);

ii) The consequences of revocation (direct and collateral impacts to Subscribers and Relying Parties);

iii) The number of Certificate problem reports received about a particular Certificate or Subscriber;

iv) The entity making the complaint (for example, a complaint from a law enforcement official that a Web site is engaged in illegal activities should carry more weight than a complaint from a consumer alleging that she didn't receive the goods she ordered); and

v) Relevant legislation.

The time used for the provision of revocation services is synchronised with UTC at least every 24 hours. Under normal operating circumstances, QuoVadis will revoke Certificates as quickly as practical after validating the revocation request following the guidelines of this Section and Section 4.9.1. For Certificates containing the ETSI OIDs defined in Section 10.1.1 the maximum delay between the receipt of the revocation request and the update of the Certificate Status information is at most 24 hours.

For C

ii)

are required to authenticate themselves to CA, TSA, and RA systems before they are allowed access to systems necessary to perform their trusted roles.

5.2.4. Roles Requiring Separation Of Duties

Trusted roles requiring a separation of duties include those performing:

- authorisation functions such as the verification of information in Certificate Requests and certain approvals of Certificate applications and revocation requests,
- backups, recording, and record keeping functions;
- audit, review, oversight, or reconciliation functions; and
- duties related to CA/TSA key management or CA/TSA administration.

To accomplish this separation of duties, QuoVadis specifically designates individuals to the trusted roles defined in Section 5.2.1 above. Individuals designated as Registration Officer or Administrator may perform Operator duties, but an Internal Auditor may not assume any other role. QuoVadis systems identify and authenticate individuals acting in trusted roles and restrict an individual from assuming multiple roles at the same time.

5.3. PERSONNEL CONTROLS

5.3.1. Qualifications, Experience, And Clearance Requirements

The PMA is responsible and accountable for QuoVadis PKI operations and ensures compliance with this CP/CPS. Prior to the engagement of any person in the Certificate management process, QuoVadis verifies the identity and trustworthiness of such person. QuoVadis determines that all individuals assigned to trusted roles perform their prospective job responsibilities competently and satisfactorily as required.

Without limitation, QuoVadis shall not be liable for employee conduct that is outside of their duties and for which QuoVadis has no control including, without limitation, acts of espionage, sabotage, criminal conduct, or malicious interference.

5.3.2. Background Check Procedures

QuoVadis verifies the identity of each individual appointed to a trusted role and performs a background check prior to allowing such person to act in a trusted role. QuoVadis' human resources department verifies the individual's identity u (d s)-4.77.2 (y)-3.1 (y)-3.t3ys th yo(iv)

vii) Sufficient identity authentication data to satisfy the identification requirements of Section 3.2, including information about telephone calls made for verification purposes;

viii) Any documentation related to the receipt or acceptance of a Certificate or token;

ix) Subscriber Agreements;

x) Issued Certificates;

xi) A record of Certificate rekeys;

xii) Data or applications necessary to verify an archive's contents;

xiii) Compliance auditor reports;

xiv) Changes to QuoVadis audit parameters;

xv) Any attempt to delete or modify audit logs;

xvi) CA Key generation and destruction;

xvii) Access to Private Keys for key recovery purposes;

xviii) Changes to trusted Public Keys;

xix) Export of Private Keys;

xx) Approval or rejection of a revocation request;

xxi) Appointment of an individual to a trusted role;

xxii) Destruction of a cryptographic module;

xxiii) Certificate compromise notifications;

xxiv) Remedial action taken as a result of violations of physical security; and

xxv) Violations of the CP/CPS.

5.5.2. Retention Period For Archive

Audit logs relating to the Certificate lifecycle are retained as archive records for a period no less v.7 (ai)6l(ed)6.81PSvive

If QuoVadis or an Enterprise RA becomes aware that a Subscriber's Private Key has been communicated to a person or organisation not authorised by the Subscriber, then QuoVadis will revoke all Certificates associated with that Private Key.

Electronic Signature Subscribers are solely responsible for the generation of their Private Keys used in their Certificate Requests.

6.1.3. Public Key Delivery To Certificate Issuer

6.1.7. Key Usage Purposes (As Per X.509 V3 Key Usage Field)

Private Keys corresponding to QuoVadis Root Certificates are not used to sign Certificates except in the following cases:

i) Self-signed Certificates to represent the QuoVadis Root CA itself;

ii) Certificates for Subordinate CAs and Cross Certificates;

iii) Certificates for infrastructure purposes (administrative role certificates, internal CA operational device certificates);and

iv) Certificates for OCSP Response verification.

encrypted form only and secured. At a minimum, Subscribers are required to authenticate themselves to the

RAs must logically separate access to these systems and this information from other components. This separation prevents access except through defined processes. RAs must use firewalls to protect the network from internal and external intrusion and limit the nature and source of activities that may access such systems and information. RAs must require the use of passwords with a minimum character length and a combination of alphanumeric and special characters.

QuoVadis' CA systems are configured to:

i) or82 (-6.93 (c0.807Ts)-4.0.8 (((fd 2n)2.8 v-14. theo.8 (h)-3.2 (o)Tj EMCm 2n)2.8 3.4 (3Tw(d (y) (.6o0-6.9375 -1)-6 esto.6(5 th)-2i

Elliptic curve Public Keys submitted to QuoVadis for inclusion in end entity Certificates should be based on NIST “Suite B” curves.

As described in Section 1.2, QuoVadis uses the Key and hash algorithms specified in the relevant CA/Browser Forum Baseline Requirements. *See* also Appendix A.

7.1.4. Name Forms

Each Certificate includes a serial number that is unique to the Issuing CA. Optional subfields in the subject of an TLS Certificate must either contain information verified by QuoVadis or be left empty. TLS Server Certificates cannot contain metadata such as ‘-’, and ‘ ‘ characters or and/or any other indication that the value/field is absent, incomplete, or not applicable.

QuoVadis does not issue publicly-trusted TLS Certificates to a Reserved IP address or Internal Name, and does not issue publicly-trusted TLS or S/MIME Certificates with an OU attribute.

For CA Certificates, the commonName attribute is present and contains an identifier that uniquely identifies the CA and distinguishes it from other CAs. Certificates are populated with the Issuer Name and Subject Distinguished Name required under Section 3.1.1. Issuer DNs meet the requirements in the relevant CA/Browser Forum Baseline Requirements.

The contents of EV Certificates meet the requirements in Section 9 of the EV Guidelines.

The contents of S/MIME Certificates are validated according to Section 3 of this CP/CPS and the S/MIME Baseline Requirements. Enterprise RAs may include optional attributes in the certificate as specified in Section 7.1.4.2.5 of the S/MIME BR and are responsible for validating them in accordance with Section 3.

See also Appendix A.

7.1.5. Name Constraints

QuoVadis may use nameConstraints when appropriate. For publicly-trusted certificates, QuoVadis follows the requirements of Section 7.1.5 of the TLS BR and the S/MIME BR as relevant.

7.1.5.1. Name-Constrained serverAuth CAs

If the technically constrained Issuing CA Certificate includes the id-kp-serverAuth extKeyUsage (OID 1.3.6.1.5.5.7.3.1) or [illegible]

7.1.5.2. Name-Constrained emailProtection CAs

If the technically constrained IssuingCA includes the id-kp-emailProtection EKU, it also includes the Name Constraints X.509v3 extension with constraints on rfc822Name, with at least one name in permittedSubtrees, each such name having its ownership validated according to Section 7.1.5 of the S/MIME BR.

- QuoVadis is made aware of a demonstrated or proven method that can easily compute the Subscriber's Private Key based on the Public Key in the Certificate (such as a Debian weak key, see https://wiki.debian.org/TLSkeys); or
- the Subscriber requests that QuoVadis revoke the Certificate for this reason, with the scope of revocation being described below.

If anyone requesting revocation for keyCompromise has previously demonstrated or can currently demonstrate possession of the

Unless keyCompromise is being used, cessationOfOperation must be used when:

- the Subscriberhas requested that their Certificatebe revoked for this reason; or
- QuoVadis received verifiable evidence that the Subscriberno longer controls, or is no longer authorised to use, all of the d(as)2.3fd atti n the Certiooc ate

Field	Value
Issuer's Signature	[Signature]

7.2.2. CRL And CRL Entry Extensions

QuoVadis CRLs may have the following extensions per RFC 5280 and other requirements as needed

Extension	Value
CRL Number	Never repeated monotonically increasing integer
Authority Key Identifier	Subject Key Identifier of the CRL issuer certificate
Invalidity Date	Optional date in UTC format
Reason Code	Reason for revocation as described in Section 7.2
Issuing Distribution Point	

7.4. CERTIFICATE FIELDS AND ROOT CA CERTIFICATE HASHES

7.4.1. Certificate Fields



7.4.2.2. G4 Roots

QuoVadisClientECCP384RootG4

Field	Certificate Profile
Serial Number	1561345225c6de0a833890c40560cc7a0f9e02aa

SH

QuoVadisSigningRSA4096RootG4

Field	Certificate Profile
Serial Number	

7.5. CERTIFICATE TRANSPARENCY

QuoVadisTLSCertificates MAY include Signed Certificate Timestamps (SCT) from independent CTLogs.
Information on Certificate Transparency may be found in IETF RFC 6962.

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

8.1. FREQUENCY, CIRCUMSTANCE AND STANDARDS OF ASSESSMENT

The practices in this CP/CPS are designed to meet or exceed the requirements of generally accepted industry standards, including the latest versions of the WebTrust//v5ne th(8.)-8 (1.)]TJ /IR.9 (R)-9 (D)-2 (S O)-6 (F)-5 (A)3 (S(A)-1 (I
(e)-12 ( )se

8.6. COMMUNICATION OF AUDIT RESULTS

The results of each audit are reported to the PMA and to any third party entities which are entitled by law, regulation, or agreement to receive a copy of the audit results. The results of the most recent audit of QuoVadis are posted at https://www.quovadisglobal.com/accreditations on an annual basis and within three months of completion.

8.7. SELF AUDITS

QuoVadis controls service quality by performing quarterly self-audits against a randomly selected sample of TLS and S/MIME Certificates being no less than three percent of the Certificates issued. Audits of other Certificate types will be at the discretion of QuoVadis to gain reasonable assurance of compliance to applicable requirements.

9. OTHER BUSINESS AND LEGAL MATTERS

9.1. FEES

9.1.1. Certificate Issuance Or Renewal Fees

QuoVadis charges fees for verification, certificate issuance and renewal. QuoVadis may change issuance fees [...] (1)

- the Relying Party has, at the time of that reliance, verified that the Digital Signature, if any, was created during the Operational Term of the Certificate being relied upon;
- the Relying Party ensures that the data signed has not been altered following signature by utilising trusted application software,
- the signature is trusted and the results of the signature are displayed correctly by utilising trusted application software;
- the identity of the Subscriber is displayed correctly by utilising trusted application software; and
- any alterations arising from security changes are identified by utilising trusted application software.

If the circumstances indicate a need for additional assurances, it is Relying Parties' responsibility to obtain such assurances. A Relying Party shall make no assumptions about information that does not appear in a Certificate. All obligations within this Section relate to Reasonable Reliance on the validity of a Digital Signature, not the accuracy of the underlying electronic record. Relying Party Agreements may include additional representations and warranties.

9.6.5. Representations And Warranties Of Other Participants

Participants within the QuoVadis PKI represent and warrant that they accept and will perform any and all duties and obligations as specified by this CP/CPS.

9.7. DISCLAIMERS OF WARRANTIES

OTHER THAN AS PROVIDED IN SECTION 9.6.1, THE CERTIFICATES ARE PROVIDED "AS IS" AND "AS AVAILABLE" AND TO THE MAXIMUM EXTENT PERMITTED BY LAW, QUOVADIS DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. QUOVADIS DOES NOT WARRANT THAT ANY CERTIFICATE WILL MEET SUBSCRIBER'S OR ANY OTHER PARTY'S EXPECTATIONS OR THAT ACCESS TO THE CERTIFICATES WILL BE TIMELY OR ERROR-FREE. QuoVadis does not guarantee the accessibility of any Certificates and may modify or discontinue offering any Certificates at any time. Subscriber's sole remedy for a defect in the Certificates is for QuoVadis to use commercially reasonable efforts, upon notice of such defect from Subscriber, to correct the defect, except that QuoVadis has no obligation to correct defects that arise from (i) misuse, damage, modification or damage of the Certificates or combination of the Certificates with other products and services by parties other than QuoVadis, or (ii) Subscriber's breach of any provision of the Subscriber Agreement.

9.8. LIABILITY AND LIMITATIONS OF LIABILITY

This Section 9.8 does not limit a party's liability for: (i) death or personal injury resulting from the negligence of a party; (ii) gross negligence, willful misconduct or violations of applicable law, or (iii) fraud or fraudulent statements made by a party to the other party in connection with this CP/CPS. TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW AND NOTWITHSTANDING ANY FAILURE OF ESSENTIAL PURPOSE OF ANY LIMITED REMEDY OR LIMITATION OF LIABILITY: (A) QUOVADIS AND ITS AFFILIATES, SUBSIDIARIES, OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, PARTNERS AND LICENSORS (THE "QUOVADIS ENTITIES") WILL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, OR PUNITIVE DAMAGES (INCLUDING ANY DAMAGES ARISING FROM LOSS OF USE, LOSS OF DATA, LOST PROFITS, BUSINESS INTERRUPTION, OR COSTS OF PROCURING SUBSTITUTE SOFTWARE OR SERVICES) ARISING OUT OF OR RELATING TO THIS CP/CPS OR THE SUBJECT MATTER HEREOF; AND (B) THE QUOVADIS ENTITIES' TOTAL CUMULATIVE LIABILITY ARISING OUT OF OR RELATING TO THIS CP/CPS OR THE SUBJECT MATTER HEREOF WILL NOT EXCEED THE AMOUNTS PAID BY OR ON BEHALF OF SUBSCRIBER TO QUOVADIS IN THE TWELVE MONTHS PRIOR TO THE EVENT GIVING RISE TO SUCH LIABILITY, REGARDLESS OF WHETHER SUCH LIABILITY ARISES FROM CONTRACT, INDEMNIFICATION, WARRANTY, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE, AND REGARDLESS OF WHETHER QUOVADIS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE. NO CLAIM, REGARDLESS OF FORM, WHICH IN ANY WAY ARISES OUT OF THIS CP/CPS, MAY BE MADE OR BROUGHT BY SUBSCRIBER OR SUBSCRIBER'S

proceeding (“Class Action”). The parties expressly waive any ability to maintain any Class Action in any forum in connection with any dispute. If the dispute is subject to arbitration, the arbitrator will not have authority to combine or aggregate similar claims or conduct any Class Action nor make an award to any person or entity not a party to the arbitration. Any claim that all or part of this Class Action waiver is unenforceable, unconscionable, void, or voidable may be determined only by a court of competent jurisdiction and not by an arbitrator.

	For Swiss Qualified Certificates, such arbitration shall, unless agreed otherwise between the parties, take place in Switzerland.
	For Qualified Certificates issued in accordance with eIDAS, arbitration for disputes related to financial or commercial matters will be dealt with in the country of the relevant QuoVadis entity named in the contract with the client. Arbitration for Certificate-related disputes will be dealt with in the country named in relevant QuoVadis Issuing CA Certificate.

9.14. GOVERNING LAW

The (i) laws that govern the interpretation, construction, and enforcement of this Agreement and all matters, claims or disputes related to it, including tort claims, and (ii) the courts or arbitration bodies that have

MID 45 >>BDC 72 0 0 72 511.55 463.74 Tm /T2_0 9 Tf [(exclusive jurisdiction)-250(and)-250(venue)-250(to)-250(deal)-250(with)-250(any)-250(dispute)-250(or)-250(claim)-250(arising)-250(out)-250(of)-250(or)-250(in)-250(connection)-250(with)-250(this)-250(Agreement)-250(or)-250(its)-250(subject)-250(matter)-250(or)-250(formation)-250(\(including)-250(non-contractual)-250(disputes)-250(or)-250(claims\))-250(shall)-250(be)-250(as)-250(follows:)]TJ 0 -12 Td [(\(a\))-250(for)-250(Swiss)-250(Qualified)-250(Certificates,)-250(such)-250(arbitration)-250(shall,)-250(unless)-250(agreed)-250(otherwise)-250(between)-250(the)-250(parties,)-250(take)-250(place)-250(in)-250(Switzerland.)]TJ 0 -12 Td [(\(b\))-250(for)-250(Qualified)-250(Certificates)-250(issued)-250(in)-250(accordance)-250(with)-250(eIDAS,)-250(arbitration)-250(for)-250(disputes)-250(related)-250(to)-250(financial)-250(or)-250(commercial)-250(matters)-250(will)-250(be)-250(dealt)-250(with)-250(in)-250(the)-250(country)-250(of)-250(the)-250(relevant)-250(QuoVadis)-250(entity)-250(named)-250(in)-250(the)-250(contract)-250(with)-250(the)-250(client.)-250(Arbitration)-250(for)-250(Certificate-related)-250(disputes)-250(will)-250(be)-250(dealt)-250(with)-250(in)-250(the)-250(country)-250(named)-250(in)-250(relevant)-250(QuoVadis)-250(Issuing)-250(CA)-250(Certificate.)]TJ 0 -12 Td [(9.14.)-250(GOVERNING)-250(LAW)]TJ 0 -12 Td [(The)-250(\(i\))-250(laws)-250(that)-250(govern)-250(the)-250(interpretation,)-250(construction,)-250(and)-250(enforcement)-250(of)-250(this)-250(Agreement)-250(and)-250(all)-250(matters,)-250(claims)-250(or)-250(disputes)-250(related)-250(to)-250(it,)-250(including)-250(tort)-250(claims,)-250(and)-250(\(ii\))-250(the)-250(courts)-250(or)-250(arbitration)-250(bodies)-250(that)-250(have)]TJ

Customer is Domiciled in or the Services are:	Governing Law is laws of:	Court or arbitration body with exclusive jurisdiction:
Japan	Japan	International Chamber of Commerce, International Court of Arbitration, with seat of arbitration in Tokyo
Australia or New Zealand	Australia	International Chamber of Commerce, International Court of Arbitration, with seat of arbitration in Melbourne
A Country in Asia or the Pacific region, other than Japan, Australia or New Zealand	Singapore	International Chamber of Commerce, International Court of Arbitration, with seat of arbitration in Singapore

9.15. COMPLIANCE WITH APPLICABLE LAW

This CP/CPS is subject to all applicable laws and regulations, including United States restrictions on the export of software and cryptography products. Subject to Section 9.4.5, QuoVadis meets the requirements of the European data protection laws and has established appropriate technical and organisation measures against unauthorised or unlawful processing of personal data and against the loss, damage, or destruction of personal data.

9.16. MISCELLANEOUS PROVISIONS

9.16.1. Entire Agreement

9.16.5. Force Majeure

QuoVadis is not liable for any delay or failure to perform an obligation under this CP/CPS to the extent that the delay or failure is caused by an occurrence beyond QuoVadis' reasonable control. The operation of the Internet is beyond QuoVadis' reasonable control.

To the extent permitted by applicable law, Subscriber Agreements and Relying Party Agreements shall include a force majeure clause protecting QuoVadis. See also Section 9.8.3 (Excluded Liability) above.

9.17. OTHER PROVISIONS

No stipulation.

Certificate Class	Description	Policy OID	Assurance Level	Requires token?
	Relevant to the Policy in ETSI EN 319 411-2 for: EU Qualified Certificates issued to a natural person (QCP-n-qscd) when the OID 0.4.0.194112.1.2 is asserted	0.4.0.194112.1.2		

0.614 539.76 719.52 0.481 0.48 re f 539.76 7 .2 (th0.48 re f108 -1./Ar (1)0.8 (1)]T

10.2. QV STANDARD

Purpose		
Standard Certificates provide flexibility for a range of uses appropriate to their reliance value including S/MIME electronic signatures, authentication, and encryption.		
Registration Process		
Validation procedures for QuoVadis Standard Certificates collect either direct evidence or attestation from an appropriate and authorised source of the identity (such as name and organisational affiliation) and other specific attributes of the Subject Subjects may include an Individual (natural person); an Organisation (legal person); or a natural person, device, or system identified in association with an Organisation. Identity proofing may be conducted via enterprise records, physical presence; Remote Identity Verification (RIV1-4), reliance on electronic signature, or video verification.		
Attribute	Values	Comment
Subject	/CN (mandatory) (GN+SN or Pseudonym) /GN (optional) /SN (optional) Pseudonym (optional) /O (optional) /OU (optional) /organizationalIdentifier (optional) /serialNumber (optional) /E (optional)	

2

10.3. QV ADVANCED

Purpose		
QV Advanced Certificates provide reliable verification of the Subject's identity and may be used for a broad range of applications including Digital Signatures, encryption, and authentication.		
Registration Process		
Validation procedures for QV Advanced Certificates are based on the Normalised Certificate Policy (NCP) described in ETSI EN 319 411-1. Subjects may include an Individual (natural person); an Organisation (legal person); or a natural person, device, or system identified in association with an Organisation. *See* Section 3.2.2 and 3.2.3. Identity proofing may be conducted via physical presence, Remote Identity Verification (RIV4 for NFC with RIV2 as a fallback option if NFC is not available), or reliance on electronic signature.		
Attribute	Values	Comment
Subject	/ct	

10.5.3.

Field	Value	Comments
Version	V3 (2)	
Serial Number	Unique system generated random number assigned to each certificate, containing at least 64 bits of output.	
Validity Period	397 days.	
Subject Distinguished Name		
Organisation Name	subject:organisationName (2.5.4.10)	This field MUST contain the Subject's full legal organisation name as listed

province level, including country information as follows, but not city or town information above.

	Certificate in accordance with Regulation EU No 910/2014	
id-etsi-qcs-QcType	id-etsi-qcs-6 (0.4.0.1862.1.6) esi4-qcStatement-6 : Type of certificate Id-etsi-qct-web (0.4.0.1862.1.6.3) id-etsi-qcs-QcType 3 = Certificate for website authentication as defined in Regulation EU No 910/2014	Refer to: ETSI EN 319 412-5
id-etsi-qcs-QcPDS	id-etsi-qcs-5 (0.4.0.1862.1.5)	

ETSI EN 319 412

Competent Authority (NCA), the PSD2 Authorisation Number or other recognised identifier, and PSD2 roles. QuoVadis also confirms the PSD2 role(s) of the Certificate Applicant (RolesOfPSP) in accordance with the

SAN	/E	Variable
Certificate Policies	1.3.6.1.4.1.8024.1.400 QV Qualified QSCD or 1.3.6.1.4.1.8024.1.410 QV Qualified QSCD on behalf of 0.4.0.194112.1.2 (QCP-n-qcsd) 2.23.140.1.5.3.1 S/MIME Sponsored Legacy (optional) 2.23.140.1.5.4.1 S/MIME Individual Legacy (optional) URL: https://www.quovadisglobal.com/repository User Notice : qualified certificate	Fixed
Adobe Acrobat Trust List	1.2.840.113583.1.1.9.1 Adobe Time-stamp (link to TSA) 1.2.840.113583.1.1.9.2 Adobe Archive RevInfo (long term validation)	Optional
Key Usage (Critical)	nonRepudiation	Fixed
Extended Key Usage	emailProtection documentSigning	Fixed
qcStatements		
id-etsi-qcs-QcCompliance (0.4.0.1862.1.1) id-etsi-qcs-1	esi4-qcStatement-1: Claim that the certificate is an EU Qualified Certificate in accordance with Regulation EU No 910/2014	Fixed: issued before January 13, 2021
id-etsi-qcs-QcCClegislation (0.4.0.1862.1.7) id-etsi-qcs-7	esi4-qcStatement-7: Claim that the certificate is a Swiss Qualified Certificate (CH)	Fixed: issued after January 13, 2021
id-etsi-qcs-QcSSCD (0.4.0.1862.1.4 id-etsi-qcs-4	esi4-qcStatement-4: The private key related to the certified public key resides on a QSCD.	Fixed
id-etsi-qcs-QcType (0.4.0.1862.1.6) id-etsi-qcs-6	esi4-qcStatement-6: Type of certificate id-etsi-qcs-QcType 1 = Certificate for electronic Signatures as defined in Regulation EU No 910/2014	Fixed
id-etsi-qcs-QcPDS (0.4.0.1862.1.5) id-etsi-qcs-5	URL= https://www.quovadisglobal.com/repository Language = en	Fixed
id-qcs-pkixQCSyntax-v2 (1.3.6.1.5.5.7.11.2)	0.4.0.194121.1.2 (optional semantics identifier OID that is included in QuoVadis Certificates)	Fixed

10.6.2. Swiss Regulated Certificate issued to a Natural Person

Purpose
Swiss Regulated Certificates (non qualified) issued under the Swiss Federal signature law (ZertES) are includ in the QuoVadis Advanced-Certificate Class. They are issued out of Swiss Regulated CAs and have the notice text "regulated certificate" in the CertificatePolicies user notice. Swiss Qualified Certificates are described in a separate Section of this CP/CPS.
Registration Process
Swiss Regulated Certificates are issued in accordance with the ZertES requirements using the QuoVadis Sign Service. The guidelines in TA-ZERTES apply to the specification of Swiss Regulated Certificates. For the issuance and life cycle management of Swiss Regulated Certificates, QuoVadis adheres to the same organisational and operational procedures and uses the same technical infrastructure as for a ZertES Qualified Certificate. Subjects may include an Individual (natural person) or a natural person identified in association with an Organisation. *See* Section 3.2.2 and 3.2.3. Identity proofing may be conducted via physical presence, Remote Identity Verification (RIV4 for NFC with RIV2 as a fallback option if NFC is not available), reliance on electronic

Adobe Acrobat Trust List	1.2.840.113583.1.1.9.1 Adobe Timestamp (link to TSA) 1.2.840.113583.1.1.9.2 Adobe Archive RevInfo (long term validation)	Optional
Key Usage (Critical)	digtalSignature	Fixed
Extended Key Usage	UtaFigSrre	

Certificate Policies	1.3.6.1.4.1.8024.1.300 QV Advanced+ Certificat 0.4.0.2042.1.2 ETSI NCP+ OID 2.23.140.1.5.2.1 S/MIME Org Legacy (optional) URL: https://www.quovadisglobal.com/repository User Notice: Regulated certificate	Fixed
Adobe Acrobat Trust List	1.2.840.113583.1.1.9.1 Adobe Timestamp (link to TSA)	

10.9. TLS CERTIFICATES

10.9.1. OV - Business TLS

Field	Value
Validity Period	397 days
Subject Distinguished Name	
Organisation Name	subject:organisationName (2.5.4.10)

Certificate Policies

- The Business Entity and the identified Principal Individual associated with the Business Entity MUST NOT be located or residing in any country where QuoVadis is prohibited from doing business or issuing a Certificate under the laws of the United States; and
-

- Confirming Person: Must be a senior officer of the Applicant (e.g., Secretary, President, CEO, CFO, COO, CIO, CSO, Director, etc.) able to sign the QV Authority Letter on behalf of the Applicant.

Subscriber Agreement

Each Applicant must enter into a Subscriber Agreement with QuoVadis which specifically names both the Applicant and the individual Contract Signer signing the Agreement on the Applicant's behalf, and contains provisions imposing on the Applicant the following obligations and warranties:

- Accuracy of Information: An obligation and warranty to provide accurate and complete information at all times to the QuoVadis, both in the EV Certificate Request and as otherwise requested by the QuoVadis in connection with the issuance of the EV Certificate(s) to be supplied

details requiring further explanation. QuoVadis procedures ensure that a second Validation Specialist who is not responsible for the collection and review of information reviews all of the information and documentation assembled in support of the EV Certificate and looks for discrepancies or other details requiring further explanation. Two QuoVadis Validation Specialists must approve issuance of the Certificate.

Step 7: QuoVadis creates the EV Certificate.

Step 8: The EV Certificate is delivered to the Certificate Requester.

QuoVadis may not issue an EV Certificate until the entire corpus of information and documentation assembled in support of the EV Certificate is such that issuance of the EV Certificate will not communicate inaccurate factual information that QuoVadis knows, or by the exercise of due diligence should discover, from the assembled information and documentation. If satisfactory explanation and/or additional documentation are not received within a reasonable time, QuoVadis will decline the EV Certificate Request and notify the Applicant accordingly.

Renewal

Under the EV Guidelines, renewal requirements and procedures are generally the same as those employed for the validation and issuance for new Applicants. The maximum validity period for validated data that can be used to support issuance of an EV Certificate (before revalidation is required) is thirteen months, except for the identity and authority of individuals identified in the EV Authority Letter.

In the case of outdated information, QuoVadis repeats the verification processes required by the EV Guidelines. If a company is no longer in good standing, or if any of the other required information cannot be verified, the Certificate is not renewed.

10.10. CODE SIGNING

Field	Value	Comments
Validity Period	1, 2, or 3 years expressed in UTC format	
Subject Distinguished Name		
Organisation Name	subject:organisationName (2.5.4.10)	Required field. The Subject's verified legal name.
Organisation Unit	subject:organisationUnit (2.5.6.5)	Optional field. Must not include a name, DBA, tradename,

Eligible Applicants include Individual Applicants and Organisational Applicants.